

Table 1. *Potential outcomes of nonconvergence for Model 2A in the complete dataspace.*

Stratum	<i>N</i>	$\overline{LL}_{uv}$	$\overline{LL}_{ri}$	$\Delta\overline{LL}$	FP_{uv}	FP_{ri}	ΔFP
S ₁₁	511,606	-33,248.800	-33,248.240	.441	.0019	.142	0.000
S ₁₀	128,826	-33,278.070	-32,887.960	-391.106	.0017	.626	-.276
S ₀₁	7,546	-32,508.850	-33,373.030	865.183	.666	.444	.664
S ₀₀	352,022	-32,470.170	-32,652.190	182.021	.714	.745	.208

Note. Results based on unrestricted variance bounds and 150 estimation iterations. *S* = stratum, where the first numeral in the subscript refers to unit-variance identification (the “treatment”) and the second to reference-indicator identification (the “control”). Based on default convergence, 0 = nonconvergence and 1 = convergence. Italics denote results from forced convergence. $\overline{LL}_{uv}$ and $\overline{LL}_{ri}$ are the mean LLs of each identification condition and $\Delta\overline{LL}$ is the *uv* – *ri* difference in mean LLs. FP_{uv} and FP_{ri} are the corresponding FPs (based on $LL > -32,755$) and $\Delta FP = FP_{uv} - FP_{ri}$.

Table 2. *Potential outcomes of nonconvergence for Model 2B in the complete dataspace.*

Stratum	<i>N</i>	$\overline{LL}_{uv}$	$\overline{LL}_{ri}$	$\Delta\overline{LL}$	FP_{uv}	FP_{ri}	ΔFP
S ₁₁	42,259	-32,981.650	-32,961.700	-19.944	.112	.142	-.030
S ₁₀	72,343	-32,990.390	-32,490.200	-500.188	.119	.626	-.508
S ₀₁	33,593	-32,633.270	-32,770.670	137.398	.501	.444	.057
S ₀₀	851,805	-32,494.380	-32,356.010	-138.374	.593	.745	-.152

Note. Results based on unrestricted variance bounds and 150 estimation iterations. *S* = stratum, where the first numeral in the subscript refers to unit-variance identification (the “treatment”) and the second to reference-indicator identification (the “control”). Based on default convergence, 0 = nonconvergence and 1 = convergence. Italics denote results from forced convergence. $\overline{LL}_{uv}$ and $\overline{LL}_{ri}$ are the mean LLs of each identification condition and $\Delta\overline{LL}$ is the *uv* – *ri* difference in mean LLs. FP_{uv} and FP_{ri} are the corresponding FPs (based on $LL > -32,755$) and $\Delta FP = FP_{uv} - FP_{ri}$.

Table 3. *Potential outcomes of nonconvergence for Model 3A in the complete dataspace.*

Stratum	<i>N</i>	$\overline{LL}_{uv}$	$\overline{LL}_{ri}$	$\Delta\overline{LL}$	FP_{uv}	FP_{ri}	ΔFP
S ₁₁	72,308	-11,410.860	-11,395.060	-15.796	.502	.520	-.0175
S ₁₀	47,157	-11,358.380	-11,269.490	-88.893	.543	.616	-.0725
S ₀₁	155,629	-11,360.670	-11,318.070	-42.601	.545	.601	-.0560
S ₀₀	724,906	-11,164.410	-11,182.690	18.276	.654	.652	.0024

Note. Results based on unrestricted variance bounds and 150 estimation iterations. *S* = stratum, where the first numeral in the subscript refers to unit-variance identification (the “treatment”) and the second to reference-indicator identification (the “control”). Based on default convergence, 0 = nonconvergence and 1 = convergence. Italics denote results from forced convergence. $\overline{LL}_{uv}$ and $\overline{LL}_{ri}$ are the mean LLs of each identification condition and $\Delta\overline{LL}$ is the *uv* – *ri* difference in mean LLs. FP_{uv} and FP_{ri} are the corresponding FPs (based on $LL > -32,755$) and $\Delta FP = FP_{uv} - FP_{ri}$.

Table 4. *Potential outcomes of nonconvergence for Model 3B in the complete dataspace.*

Stratum	<i>N</i>	$\overline{LL}_{uv}$	$\overline{LL}_{ri}$	$\Delta\overline{LL}$	FP_{uv}	FP_{ri}	ΔFP
S ₁₁	42,160	-37,266.570	-37,248.570	-17.900	.0653	.0909	-.0256
S ₁₀	80,323	-37,276.590	-36,718.280	-558.315	.0705	.617	-.547
S ₀₁	24,859	-36,895.370	-37,062.160	166.794	.459	.376	.0834
S ₀₀	852,658	-36,752.160	-36,582.79	-169.366	.564	.741	-.177

Note. Results based on unrestricted variance bounds and 150 estimation iterations. *S* = stratum, where the first numeral in the subscript refers to unit-variance identification (the “treatment”) and the second to reference-indicator identification (the “control”). Based on default convergence, 0 = nonconvergence and 1 = convergence. Italics denote results from forced convergence. $\overline{LL}_{uv}$ and $\overline{LL}_{ri}$ are the mean LLs of each identification condition and $\Delta\overline{LL}$ is the *uv* – *ri* difference in mean LLs. FP_{uv} and FP_{ri} are the corresponding FPs (based on $LL > -32,755$) and $\Delta FP = FP_{uv} - FP_{ri}$.