## TSPi Test Log - Form LOGTEST

Name	นายกิตติพศ รุ่งเรื่อง	Date	27 ส.ค. 2564
Team	4	Instructor	อ.อภิสิทธิ์ แสงใส
Part/Level	Function เพิ่มลูกค้า (White-box)	Cycle	1

Date	Test	Product	Start	Stop	Interruption	Delta	Problems	Comments
					Time	Time		
27	CDMS	Customer_in	19:20	19:52	-	32	-	-
ส.ค.	-03-	put.php						
2564	03-	Da_cdms_cu						
	01-	stomer.php						
	white	M_cdms_cus						
	_box	tomer.php						
	CDMS	Customer_in	20:00	20:25	-	25	-	-
	-03-	put.php						
	03-	Da_cdms_cu						
	02-	stomer.php						
	white	M_cdms_cus						
	_box	tomer.php						
	CDMS	Customer_in	20:27	20:49	-	22	-	-
	-03-	put.php						
	03-	Da_cdms_cu						
	03-	stomer.php						
	white	M_cdms_cus						
	_box	tomer.php						

## TSPi Test Log Instructions - Form LOGTEST

Purpose		The test log contains a summary of the tests run and the results
ruipose	_	·
		obtained.
	-	With the test log data, you can readily determine which tests were
		run and which found the most defects.
	-	You can also determine the test run time and the defects found
		per testing hour.
	-	Data from this log can help you select the most efficient strategy
		for regression testing modified programs.
General	-	Use the log to track all unit, integration, and system testing.
	-	A test run is an uninterrupted run of the test.
	-	When a test must be stopped, either to fix the program being
		tested or to change the test materials, that test run is concluded.
	-	When the test is resumed after the change, record this as a new
		test run.
Header	-	Enter your name, date, team name, and instructor's name.
	-	Name the part or assembly and its level.
	-	Enter the cycle number.
Date	-	Enter the date each test was run.
Test	-	Uniquely identify each test.
	-	Use the same name or number as in the test plan.
Product	-	Name the product being tested.
Start	-	Enter the time when the test was started.
Stop	-	Enter the time when the test was stopped, either because it
		finished successfully or was aborted for any program or test-related
		reason.
Interruption Time	-	If the test was temporarily suspended for a reason not connected
		with the program, that is interruption time.
	-	For example, the tester took a break.
Delta Time	-	The time between starting and stopping the test, less interruption
		time.
II .	ļ	

Problems	<ul> <li>The number of test problem reports</li> <li>If one or more problems is determined to be a defect, note that under comments.</li> </ul>	
Comments	under comments.  Briefly note the test results. For example  the test finished successfully  the test was completed, but the result was incorrect  the test failed with 3 problems, 1 defect  where possible, give additional information on test results, test configuration, or anything else that would permit reproducing the test results.	