Stichwortverzeichnis

Übertragungsfehler, 77
1-RTT, 83

Adresse, 23
    Link-Lokal, 58
    privat, 27
Adressumsetzung, 27
AES, 14, 84, 87
Algorithmus, 84
`alias`, 70
AllowedIPs, 33, 79, 81
Analyse, 90
Anbieter, 62
Angriff, 86
Anonymität, 15, 62
Anwendungserkennung, 77
App-Store, 59
Apple, 59
Appliance, 27, 48
apt, 18, 36
Audit, 90
Authentifizierung, 30, 37, 75, 85, 90
AzireVPN, 62

Bandbreite, 77
Base64, 22
Bernstein, 85
Best Practice, 75
Blake2s, 84
Blockverschlüsselung, 18

CentOS, 17, 35, 60
ChaCha20, 15, 84, 87
Chain, 35
Client, 30, 53, 77
Code, 18
Compiler, 18
Cookie, 86
CPU, 79
Cryptokey-Routing, 36
CryptoVerif, 90
`curl`, 72
Curve25519, 22, 84, 87

Datei, 25
Debian, 18, 35, 48
Defaultroute, 57
Denial-of-Service, 86
Diffie-Hellman, 83
Distribution, 19
DNS, 60, 76
Dokumentation, 33
Durchsatz, 58, 80, 87

EdgeOS, 49
Elliptische Kurve, 84
Ethernet, 16

Filter, 34

Firewall, 28, 34, 40, 67, 76, 81
`firewall-cmd`, 35
FORWARD, 81
FreeBSD, 40
FRRouting, 48

Gegenstelle, 77
Geo-Blockade, 62
git, 19
Go, 83
GPL, 13

Hash, 84

INPUT, 36, 81
Installation, 17
Integrität, 85
Interface, 42, 77, 78
Internet, 27, 53
`ip`, 23, 32
IP-Adresse, 23
IP-Routing, *siehe* Routing
`iperf3`, 58
iPhone, 59
IPsec, 14, 88
iptables, 35
IPv4, 21
IPv6, 28, 33, 70
ISP, 28
IVPN, 62

Kern, 79, 88
Kernel, 17, 25, 31, 67, 89–91
Kernelmodul, 18
Kette, 35, 81
Kommandozeile, 50
kompilieren, 18
Konfigurationsdatei, 25, 30
Konsole, 45
Kryptografie, 83
Kryptomaterial, 22, 36
Kunde, 72
Kundennetz, 69
Kurve, 84

Labor, 21, 27, 39, 68
Last, 86
Leistung, 87
Leistungsmessung, 80
Lightning Network, 83
Link-Lokal, 58
Linux, 21
ListenPort, 76
Lizenz, 13
`lsmod`, 19

`make`, 19
Management, 21
Maske, 78
Mehrkern CPU, 79
Messung, 87
`modprobe`, 19
Modul, 19, 23, 50
Mullvad, 62

Namensauflösung, 60
Namensraum, 67
NAT, 15, 27
`netns`, 70
Network Namespace, 67, 77
Netzadapter, 23
Netzmaske, 78
Netzwerk, 18
    privat, 13
Neustart, 32
Noise Protocol Framework, 83

OpenSSH, 84
OpenVPN, 58, 86, 87
OpenWrt, 45
OPNsense, 40
OUTPUT, 81

Paket, 17
Paketfilter, 34
Paketgröße, 89
Paketmanager, 60
Peer, 41, 77
`ping`, 25, 72
Poly1305, 85, 87
Port, 23, 33, 76, 78
Präfix, 78
Prüfsumme, 84
Prüfung, 90
Pre-shared Key, 75, 86
Programmcode, 18
Proxy, 16
Prozessor, 79, 86
PSK, *siehe* Pre-shared Key
PuTTY, 61

QR-Code, 59, 64
`qrencode`, 60
Quellcode, 18, 86, 90

Reboot, 26, 32
Red Hat, 17
Regel, 42
Regelwerk, 43
Repository, 17
RFC3849, 33
RFC5737, 21
RFC7693, 84
RFC7748, 84
Richtlinie, 35
Round-Trip-Time, 89
`route`, 70
Router, 39
Routing, 16, 31, 36, 67, 77
Routingtabelle, 27, 46, 51, 67
RPM, 17

Salsa20, 85
Scan, 64
Schlüssel, 22, 30, 42, 83
    -austausch, 24, 83
    öffentlich, 24, 36, 75
    Pre-shared, 75
    privat, 22, 45, 50, 59
Schnittstelle, 23
Scientific Linux, 17
separieren, 67
Server, 32
Setup, 21
SHA, 84, 87
Sicherheit, 83, 90
Signatur, 85
Smartphone, 59
Software, 17
SSH, 84
Standardgateway, 57
Statistik, 77
Status, 49
Stealth-Modus, 86
Stromverschlüsselung, 84
StrongSwan, 48, 86, 87, 91
Subnetz, 78
symmetrisch, 86
`sysctl`, 31, 70
`systemctl`, 26, 35

Tamarin, 90

TAP-Adapter, 56
TLS, 83
TorGuard, 62
Trennung, 67
Tunnel, 23
Tunnelaufbau, 24, 76
TunSafe, 56, 62

Ubiquiti, 49
UDP, 16, 18, 23, 35, 76
Unique local, 28, 33
User-Space, 89
UTF-8, 61

verbindungslos, 15
Verschlüsselung, 83, 84, 89
Vertraulichkeit, 83, 90
Verzögerung, 89
virtuelle Maschine, 80
Virtuelles Privates Netzwerk, 13
VPN, 13, 23
    öffentlich, 62
VPN-Router, 39
VPN-Server, 56
VPN.ac, 62
VyOS, 27, 48

Web-GUI, 41
Weboberfläche, 47
Webproxy, 16
`wg genkey`, 22, 45, 59
`wg genpsk`, 75
`wg pubkey`, 24
`wg quick`, 26
`wg set`, 23, 44, 70
`wg show`, 25, 30
`wg showconf`, 24
WhatsApp, 83
Windows, 54

yum, 17