

wireboard

Wiren Board Brand Identity Guidelines

Logo

The logo is the primary element of the company's brand identity.

Logo usage applications

Horizontal, without descriptor

- the preferred option for most advertising and corporate communications,
- co-branding blocks,
- merchandise.

Horizontal, with descriptor

- may be used on exhibition stands, roll-ups, catalogs, flyers, business cards.

Short version, in a circle

- may be used as a favicon and website icon, in email newsletters stickers, and on photos.

The Wiren Board logo must be present on all company media.



Home and facility automation


Logo

Logo clear space

Ensures the legibility and integrity of the logo across various media.

The space surrounding the logo should be larger than the minimum clear space. No images, text, inscriptions, or graphic elements may appear within this area.

Clear-space grid for the logo with descriptor.



The logo's clear space is the minimum required area around the logo that must remain free of other objects or text.



Logo

Logo and favicon variations.

Logo and favicon variations
in monochrome and inverse versions.

Examples of placement on background
substrates are provided later in the
guidelines.



Logo

Color options — the logo may appear in the brand green or in the inverse version (black).

The green logo is used on white, gray, black (brand background colors), and photographic backgrounds.

The short logo version may be used on photographic backgrounds when the primary logo does not fit or interferes with the visual layout.

The monochrome/inverse logo may be used on white, gray, green, and photographic backgrounds.

In web communications and print materials, the logo is primarily placed in the top-left corner. If it does not fit compositionally, it may be placed in other corners or centered.

Primary logo version on background substrates



Monochrome/inverse logo version on background substrates



The inverse logo is used to ensure sufficient visibility and legibility in certain cases — for example, if the website has a black-and-white style or if merchandise can only be printed in black and white.

Logo

The following examples illustrate how the Wiren Board logo **must not be used**:

1. The logo may not be used in any form without the main “board” element.
2. The “board” element may not be used without the wordmark.
3. The logo’s proportions must not be distorted.
4. The logo must not be rotated.
5. The logo must not be colored in any colors other than brand green or black (inverse).
6. The logo must not be textured.
7. The logo must not use gradient fills.
8. The logo must not be used as a stencil.
9. No shadows or effects may be added to the logo.
10. The simplified logo must not be used without the circle.
11. The logo must not be used on backgrounds other than those specified in these guidelines.

1 **wirenboard**



Logo

Co-branding examples

1. The preferred co-branding option is a horizontal block with the partner's logo placed to the left of the Wiren Board logo.
2. The vertical co-branding block is used when the format does not allow for the horizontal layout. In this case, the partner's logo is placed below the Wiren Board logo.
3. The space between the Wiren Board logo and the partner's logo must be: horizontally — half the logo's clear-space length, 52 px; vertically — 72 px.
4. In co-branding, the Wiren Board logo is used without the descriptor.

