

```
'unknown': I need something more specific.
(2003, "Can't connect to MySQL server on 'localhost' (111)")
(2003, "Can't connect to MySQL server on 'localhost' (111)")
(2003, "Can't connect to MySQL server on 'localhost' (111)")
(2003, "Can't connect to MySQL server on 'localhost' (111)")
(2003, "Can't connect to MySQL server on 'localhost' (111)")
```

```
plc_init: [Errno 2] No such file or directory: '/dev/port1'
```

```
s-----Live: 12/07/2015 07:17:29
```

```
ERROR: PLC DISCONNECTED !!
```

```
RETURNING DUMMY PACKET
```

```
at                Success          ==> at OK
at+cipclose=1     Error            ==> at+cipclose=1 ERROR
ate0              Success          ==> ate0 OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.81.112.79
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
```

```
3
```

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

```
2
```

```
Success           ==> SEND OK
```

```
Packet:           dredger2;2015-07-12 07:17:29;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xb;0x0;0x2
```

```
LIVE : DATA SENDING SUCCESS . .
```

```
ERROR CODE: 0x8 0xa 0x0 0x2
```

```
e-----Live: 12/07/2015 07:52:06
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

```
Packet:           dredger2;2015-07-12 07:13:10;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2
```

```
BACKFILL : DATA SENDING SUCCESS . .
```

```
ERROR CODE: 0x8 0xe 0x0 0x2
```

at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:13:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:14:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 07:52:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.81.133.57  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK  
at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:52:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xa 0x0 0x2

e-----Live: 12/07/2015 07:52:46  
at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:15:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:16:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 07:17:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 07:52:58  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK

```

ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 21,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
Success       ==> OK
at+cifsr      Success      ==> 100.89.101.186
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success       ==> CONNECT OK
at+cipsend    Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:52:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 07:53:29
at+cipsend    Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:53:42

ERROR: PLC DISCONNECTED !!

## RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 21,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 100.107.98.5
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK
at+cipsend        Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:53:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 07:54:13
at+cipsend        Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:54:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.86.118.108
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:54:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 07:54:58

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:55:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.83.197.226
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:55:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
e-----Live: 12/07/2015 07:56:00
at+cipsend      Error      ==> ERROR

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 07:56:14

    ERROR: PLC DISCONNECTED !!

    RETURNING DUMMY PACKET

at          Success      ==> CONNECT OK  OK
at+cipclose=1  Success    ==> CLOSE OK
ate0         Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 21,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet"  Success ==> OK
at+ciicr
    2
Success      ==> OK
at+cifsr      Success      ==> 100.108.56.210
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

    2

    3
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

    2

    3

    4
Error, Time out, cntr = 4
```



Packet: dredger2;2015-07-12 07:56:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 07:56:45
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 07:56:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 18,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.108.113.247
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
```

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:56:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 07:57:29  
 at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:57:43  
 ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.90.162.200
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:57:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 07:58:30

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:58:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK  CONNECT OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 22,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.230.225
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:58:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 07:59:15
at+cipsend        Success          ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 07:59:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.109.144.173
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:59:29;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 07:59:59

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:00:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 21,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.81.190.57	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:00:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:01:00
at+cipsend      Error      ==> ERROR

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:01:14

    ERROR: PLC DISCONNECTED !!

    RETURNING DUMMY PACKET

at          Success      ==> OK  CONNECT OK
at+cipclose=1  Success    ==> CLOSE OK
ate0         Success     ==> OK
at+cpin?      Success    ==> +CPIN: READY OK
at+csq       Success    ==> +CSQ: 20,0 OK
at+creg?     Success    ==> +CREG: 1,1 OK
at+cgatt?    Success    ==> +CGATT: 1 OK
at+cipshut   Success    ==> SHUT OK
at+cstt="internet"  Success ==> OK
at+ciicr
    2
Success      ==> OK
at+cifsr     Success    ==> 100.86.48.47
at+cipstart="TCP", "52.74.229.218", "5001"  Other ==>
OK

    2

    3
Success      ==> CONNECT OK
at+cipsend   Success    ==> >

    2

    3

    4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:01:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:01:46
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:02:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.109.177.100
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
```



3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:02:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:02:30  
 at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:02:44  
 ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.88.169.199
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
4
Success      ==> CONNECT OK
at+cipsend   Success      ==> >
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:02:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:03:19
at+cipsend   Success      ==> >
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:03:33
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 19,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
```

```
at+cstt="internet"    Success          ==> OK
```

```
at+ciicr
```

```
2
```

```
3
```

```
4
```

```
5
```

```
6
```

```
7
```

```
8
```

```
9
```

```
10
```

```
11
```

```
12
```

```
13
```

```
14
```

```
15
```

```
16
```

```
17
```

```
18
```

```
19
```

```
20
```

```
21
```

```
Error, Time out, cntr = 21
```

```
at+cifsr
```

```
2
```

```
3
```

```
4
```

```
5
```

```
6
```

```
7
```

```
8
```

```
Other          ==> OK
```

```
at+cipstart="TCP", "52.74.229.218", "5001" Other
```

```
==>
```

```
ERROR
```

```
2
```

```
3
```

```
4
```

```
5
```

```
6
```

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:03:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 08:05:12

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:05:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at                    Success            ==> OK  
at+cipclose=1        Error            ==> ERROR

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 20,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
Success       ==> OK
at+cifsr      Success      ==> 100.88.40.159
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success       ==> CONNECT OK
at+cipsend    Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:05:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:05:56
at+cipsend    Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:06:10
ERROR: PLC DISCONNECTED !!
```

## RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.81.246.83
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:06:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:06:39
at+cipsend      Success          ==> >
  2
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 07:18:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 07:19:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:19:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:07:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> SEND OK ACK\_FROM\_SERVER OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK

at+ciicr  
2

Success ==> OK

at+cifsr Success ==> 100.82.241.59

at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER

at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:07:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:07:30

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:19:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:20:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:07:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.109.80.193  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3



4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:07:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:08:27

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:21:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:08:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CONNECT OK ACK_FROM_SERVER OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
```

```
2
Success           ==> OK
at+cifsr          Success          ==> 100.108.155.177
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

```
2
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:08:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:09:09
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:21:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:22:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:23:05;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:09:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
4
5
Success          ==> OK
at+cifsr         Success      ==> 100.85.58.217
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
4
5
6
7
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:09:21;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:10:02  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:24:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:24:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:25:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:10:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK

```
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 20,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.107.237.208
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend        Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:10:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:11:03

```
at+cipsend        Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:26:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:11:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CONNECT OK ACK_FROM_SERVER OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.88.185.205
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
2
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:11:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:11:44

```

at+cipsend        Success          ==> >
2
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 07:26:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:27:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:28:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:11:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 20,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success      ==> 100.88.147.86
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:11:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:12:26  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:29:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2002

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2002

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:31:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:12:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK



```
at+cgatt?      Success      ==> +CGATT: 1  OK
at+cipshut     Success      ==> SHUT  OK
at+cstt="internet"  Success    ==> OK
at+ciicr
```

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Error, Time out, cntr = 21

```
at+cifsr
2
```

3

4

```
Other      ==> OK
```

```
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:12:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 08:14:07

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:33:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:14:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 17,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK

```
at+cstt="internet"    Success          ==> OK
at+ciicr
2
Success              ==> OK
at+cifsr             Success          ==> 100.86.227.103
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
```

2

3

```
Success              ==> CONNECT OK ACK_FROM_SERVER
at+cipsend           Success          ==> >
```

2

```
Success              ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:14:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:14:48
at+cipsend           Success          ==> >
```

2

```
Success              ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:33:47;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
at+cipsend           Success          ==> >
Success              ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:36:08;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

```
at+cipsend           Success          ==> >
```

2

```
Success              ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:39:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:15:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.108.26.219
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:15:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:15:28

at+cipsend Success ==> >

```

2
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 07:42:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:46:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

s-----Live: 12/07/2015 08:15:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.87.115.183  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:15:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:16:05

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:52:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:53:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:54:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:16:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.86.148.215

at+cipstart="TCP","52.74.229.218","5001" Other  
OK

==>

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:16:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:17:05

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 07:55:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:17:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK CONNECT OK ACK_FROM_SERVER
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.81.135.232
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:17:19;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:17:47

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 07:55:12;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```



Packet: dredger2;2015-07-12 07:56:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:17:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 18,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.88.43.105
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:17:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:18:25

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:56:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:57:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 07:58:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:18:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.83.221.156  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:18:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:19:24

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 07:59:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:19:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                               Success          ==> OK   CONNECT OK
at+cipclose=1                   Success          ==> ACK_FROM_SERVER CLOSE OK
ate0                             Success          ==> OK
at+cpin?                        Success          ==> +CPIN: READY OK
at+csq                           Success          ==> +CSQ: 21,0 OK
at+creg?                         Success          ==> +CREG: 1,1 OK
at+cgatt?                       Success          ==> +CGATT: 1 OK
at+cipshut                      Success          ==> SHUT OK
at+cstt="internet"              Success          ==> OK
at+ciicr
2
3
Success                          ==> OK
at+cifsr                         Success          ==> 100.81.151.146
at+cipstart="TCP","52.74.229.218","5001" Other      ==>
OK
```

2

3

```
Success                          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend                       Success          ==> >
Success                          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:19:38;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:20:06
at+cipsend                       Success          ==> >
Success                          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 07:59:29;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend                       Success          ==> >
Success                          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:00:13;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:01:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:20:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 21,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success         ==> OK
at+cifsr        Success      ==> 100.87.106.205
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success         ==> CONNECT OK
at+cipsend      Success      ==> ACK_FROM_SERVER >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:20:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:20:44

```
at+cipsend      Success      ==> >
```

2

```
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:02:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:02:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:03:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

s-----Live: 12/07/2015 08:20:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.81.148.65  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:20:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:21:44

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:05:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x0 0x2

s-----Live: 12/07/2015 08:21:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CONNECT OK  OK ACK_FROM_SERVER
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 20,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.85.246.150
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:21:58;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:22:25

```

at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:05:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```

at+cipsend        Success      ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:07:40;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2



BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:10:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:22:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.87.93.241  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:22:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:23:05
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:12:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:16:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:18:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:23:17
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 20,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Error, Time out, cntr = 21

at+cifsr

2

3

4

Other ==> OK

at+cipstart="TCP", "52.74.229.218", "5001" Other

==>

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend                      Error                      ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:                      dredger2;2015-07-12 08:23:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 08:24:47

at+cipsend                      Error                      ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:                      dredger2;2015-07-12 08:20:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:25:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 21,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.90.113.173	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	

OK

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:25:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:25:27
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:20:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:23:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

```
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:25:38
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at               Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
```

```

at+csq          Success          ==> +CSQ: 21,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.82.248.250
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >

```

2

```

Success          ==> SEND OK ACK_FROM_SERVER

```

```

Packet:          dredger2;2015-07-12 08:25:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:26:06

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 08:26:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 21,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.87.226.33
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:26:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:26:43
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:26:53

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.82.223.71
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:26:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:27:40

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:26:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:27:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CONNECT OK OK ACK_FROM_SERVER
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

Success ==> OK



```

at+cifsr          Success          ==> 100.107.61.98
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:27:54;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:28:20
at+cipsend       Success          ==> >

```

2

```

Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:26:53;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:28:30

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 18,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.107.17.104
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK

```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:28:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:28:57

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 08:29:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.84.55.148
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:29:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:29:54

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:29:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:30:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CONNECT OK	OK ACK_FROM_SERVER
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 17,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK

```

at+cstt="internet"    Success          ==> OK
at+ciicr
2
Success              ==> OK
at+cifsr             Success          ==> 100.109.116.213
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success              ==> CONNECT OK ACK_FROM_SERVER
at+cipsend           Success          ==> >
Success              ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:30:08;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:30:35
at+cipsend           Success          ==> >
Success              ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:29:07;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:30:45

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                    Success          ==> OK
at+cipclose=1        Success          ==> CLOSE OK
ate0                 Success          ==> OK
at+cpin?             Success          ==> +CPIN: READY OK
at+csq               Success          ==> +CSQ: 19,0 OK
at+creg?             Success          ==> +CREG: 1,1 OK
at+cgatt?            Success          ==> +CGATT: 1 OK
at+cipshut           Success          ==> SHUT OK
at+cstt="internet"   Success          ==> OK
at+ciicr
2
Success              ==> OK

```

```
at+cifsr          Success          ==> 100.90.247.248
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:30:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:31:11

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 08:31:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.81.17.116
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend                Error                ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:                dredger2;2015-07-12 08:31:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:32:08

at+cipsend                Error                ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:                dredger2;2015-07-12 08:31:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:32:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK CONNECT OK
at+cipclose=1	Success	==> ACK_FROM_SERVER CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK

```
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.81.111.183
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:32:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:32:57
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:31:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:33:07
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
```

```

at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 19,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 100.109.213.163
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success      ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:33:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:33:34
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:33:44

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 19,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.88.253.126
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2



3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:33:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:34:31

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:33:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 08:34:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.107.143.139
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVERACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:34:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:35:11
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:33:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:35:21

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success          ==> OK
at+cipclose=1                   Success          ==> CLOSE OK
ate0                             Success          ==> OK
at+cpin?                        Success          ==> +CPIN: READY OK
at+csq                           Success          ==> +CSQ: 21,0 OK
at+creg?                         Success          ==> +CREG: 1,1 OK
at+cgatt?                       Success          ==> +CGATT: 1 OK
at+cipshut                      Success          ==> SHUT OK
at+cstt="internet"              Success          ==> OK
at+ciicr
2
Success                          ==> OK
at+cifsr                        Success          ==> 100.108.110.33
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success                          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend                      Success          ==> >
Success                          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:35:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:35:48
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:35:58

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success          ==> OK
at+cipclose=1                   Success          ==> CLOSE OK
ate0                             Success          ==> OK
at+cpin?                        Success          ==> +CPIN: READY OK
at+csq                           Success          ==> +CSQ: 21,0 OK
at+creg?                         Success          ==> +CREG: 1,1 OK
at+cgatt?                       Success          ==> +CGATT: 1 OK
at+cipshut                      Success          ==> SHUT OK
at+cstt="internet"              Success          ==> OK
at+ciicr
2
Success                          ==> OK
at+cifsr                        Success          ==> 100.107.155.127
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```
2
3
Success      ==> CONNECT OK ACK_FROM_SERVER
at+cipsend   Success      ==> >

2
Success      ==> SEND OK ACK_FROM_SERVER

Packet:      dredger2;2015-07-12 08:35:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:36:26
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 08:36:36
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 15,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

```

Success          ==> OK
at+cifsr         Success          ==> 100.85.125.123
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success          ==> CONNECT OK
at+cipsend       Success          ==> >
Success          ==> SEND OK

```

Packet: dredger2;2015-07-12 08:36:36;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:37:31

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 08:37:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 19,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.87.195.145
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

      3
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

```

2

3

```

      4
Success      ==> SEND OK

```

Packet: dredger2;2015-07-12 08:37:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:38:12

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 08:38:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 19,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
      2
Success      ==> OK
at+cifsr     Success      ==> 100.90.68.81
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

      3
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:38:54  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:39:07  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 14,3 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

4

5

6

7

```
8
9
10
Success          ==> OK
at+cifsr         Success          ==> 100.88.48.137
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
```

```
2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:39:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:39:55
at+cipsend       Success          ==> >
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:40:08
          ERROR: PLC DISCONNECTED !!
          RETURNING DUMMY PACKET
```



```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.85.198.151
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:40:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:40:39
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:40:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.88.147.125
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend        Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:40:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:41:40

```
at+cipsend        Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:41:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CONNECT OK	OK
at+cipclose=1	Success	==> CLOSE	OK
ate0	Success	==>	OK
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 20,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==>	OK
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.89.94.93	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:41:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:42:25  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:42:39  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.81.143.15  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:42:39;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:43:09
at+cipsend      Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:43:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.87.155.235
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2
3
4
5
6
7
8
```

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:43:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:44:10

at+cipsend            Error            ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:44:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK

```
at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT  OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success          ==> 100.107.128.33
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```
3
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:44:24;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:44:54
at+cipsend         Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:45:08
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.85.32.187
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:45:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:45:39
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:45:53



ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.83.171.41
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:45:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 08:46:23
at+cipsend        Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:46:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 14,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Success           ==> OK
at+cifsr          Success      ==> 100.82.4.143
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:46:37;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:47:27  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:47:41  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
3  
4  
5  
Success ==> OK  
at+cifsr Success ==> 100.86.222.87  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

4

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:47:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:48:19  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:48:33  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.85.150.73
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:48:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 08:49:19

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:49:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 18,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.83.231.215
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:49:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:50:06
at+cipsend      Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:50:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
4
5
6
Success           ==> OK
at+cifsr          Success          ==> 100.108.26.152
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:50:59

```
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:51:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 19,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.109.89.121
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:51:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:51:45



```

at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:51:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.90.203.154
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
4
5
6
7
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 08:51:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:52:40  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:52:54  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 18,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
3  
4  
5  
Success ==> OK  
at+cifsr Success ==> 100.107.120.109  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==> OK +CREG:  
1  
2  
Success ==> CONNECT OK

```
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:52:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:53:30
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:53:44
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 21,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
```

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Error, Time out, cntr = 21

at+cifsr

2

3

4

Other ==&gt; OK

at+cipstart="TCP", "52.74.229.218", "5001" Other ==&gt;

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend

Error

==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:53:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 08:55:15

at+cipsend Error ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:55:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.85.248.18
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
Success      ==> CONNECT OK ACK_FROM_SERVER
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:55:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:55:55
at+cipsend   Success      ==> >
```

```
2
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:38:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend   Success      ==> >
```

```
2
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:39:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:40:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:56:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success          ==> 100.88.30.141
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
    2
    3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:56:09;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:56:37

```

at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:40:53;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:41:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:42:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:56:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 21,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.109.56.100
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

```
Success         ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success      ==> >
```

2

```
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:56:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2



LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:57:21  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:43:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:44:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:57:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.90.87.215  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

```
3
Success      ==> CONNECT OK ACK_FROM_SERVER
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:57:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:57:57
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 08:45:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend   Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:45:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 08:58:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at           Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
```

```
ate0                Success      ==> OK
at+cpin?            Success      ==> +CPIN: READY OK
at+csq              Success      ==> +CSQ: 19,0 OK
at+creg?            Success      ==> +CREG: 1,1 OK
at+cgatt?           Success      ==> +CGATT: 1 OK
at+cipshut          Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
5
6
7
8
9
10
11
12
Success             ==> OK
at+cifsr            Success      ==> 100.85.202.203
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success             ==> CONNECT OK
at+cipsend          Success      ==> >
Success             ==> SEND OK
```

Packet: dredger2;2015-07-12 08:58:15;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 08:59:00
at+cipsend          Success      ==> >
```

```
2
Success             ==> SEND OK
```

Packet: dredger2;2015-07-12 08:45:53;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 08:46:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 08:47:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:59:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.108.225.65  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK  
at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 08:59:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 08:59:41  
at+cipsend Success ==> >

2

3

Success ==> SEND OK

Packet: dredger2;2015-07-12 08:48:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 08:49:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 08:59:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.84.166.79

```
at+cipstart="TCP","52.74.229.218","5001" Other    ==>
OK
```

2

3

```
Success    ==> CONNECT OK
at+cipsend Success    ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:59:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:00:23
at+cipsend    Success    ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:00:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at          Success    ==> OK
at+cipclose=1 Success    ==> CLOSE OK
ate0        Success    ==> OK
at+cpin?    Success    ==> +CPIN: READY OK
at+csq      Success    ==> +CSQ: 20,0 OK
at+creg?    Success    ==> +CREG: 1,1 OK
at+cgatt?   Success    ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.89.91.109
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

2
3
4
5
6
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:00:36;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:01:14
at+cipsend      Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:01:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.82.6.212
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:01:28;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:02:00
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!



ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:02:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.84.65.34
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:02:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:02:47

```
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:03:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.123.20
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:03:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:03:31

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:03:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 20,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.109.40.87	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:03:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:04:16
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:04:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at      Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0      Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 20,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success      ==> OK
at+cifsr      Success      ==> 100.81.231.167
at+cipstart="TCP", "52.74.229.218", "5001"  Other      ==>
OK

2

3
Success      ==> CONNECT OK
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:04:30;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:05:00  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:05:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.107.107.53  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3

4

5

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:05:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:05:49
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:06:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 23,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.86.96.64
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
```

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:06:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:06:34  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:06:48  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.88.66.133
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

```
3
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:06:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:07:19
at+cipsend      Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:07:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 20,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
```



```
Success          ==> OK
at+cifsr         Success          ==> 100.87.170.130
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
```

2

3

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:07:32;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:08:03
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:08:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at               Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 20,0 OK
```

```
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.109.213.86
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:08:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:08:48
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:09:02
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.81.103.59
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:09:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:09:32
at+cipsend       Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:09:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.81.246.125
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:09:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:10:18

```
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:10:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.107.101.228
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:10:32;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:11:03

```
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:11:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.85.172.99
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:11:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:11:48

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:12:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 20,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.88.13.16	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:12:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:12:32
at+cipsend      Success      ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:12:46

    ERROR: PLC DISCONNECTED !!

    RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 20,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
Success         ==> OK
at+cifsr        Success      ==> 100.81.213.169
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

    2

    3
Success         ==> CONNECT OK
at+cipsend      Success      ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:12:46;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!



ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:13:17
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:13:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 20,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
Success     ==> OK
at+cifsr    Success      ==> 100.83.139.97
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3

Success     ==> CONNECT OK
at+cipsend  Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:13:31;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:14:02
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:14:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.84.97.109
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3

Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4
```

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:14:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:14:46  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:15:00  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.84.148.62  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:15:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:15:28  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:50:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:51:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 08:51:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:15:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.84.51.0
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:15:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:16:10

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:52:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:53:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

s-----Live: 12/07/2015 09:16:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.108.218.119
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
2
3
4
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:16:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:16:53

```

at+cipsend        Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 08:59:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:00:36;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
                2
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:01:28;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:17:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 20,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
                2
Success         ==> OK
at+cifsr        Success      ==> 100.84.129.156
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:17:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:17:32
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:02:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:03:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:03:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2



s-----Live: 12/07/2015 09:17:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.86.189
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:17:45;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:18:12

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:04:30;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:05:14;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:06:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:18:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.85.162.101
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:18:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:18:58  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:06:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:07:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:08:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:19:12  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK

```
at+csq          Success          ==> +CSQ: 23,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.90.191.60
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >
```

2

3

4

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:19:12;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:19:43
at+cipsend      Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:09:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:09:46;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:10:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:19:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 23,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.109.205.7  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:19:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:20:24

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:11:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:12:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:12:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 09:20:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK

```
at+cifsr          Success          ==> 100.107.209.248
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:20:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:21:04
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:13:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:14:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
Database is empty
Database is empty
s-----Live: 12/07/2015 09:21:15
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
```

```

at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr          Success      ==> 100.81.136.167
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
2
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:21:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:21:43

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 09:21:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr          Success      ==> 100.84.113.127
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```



```

2
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >

2
Success          ==> SEND OK ACK_FROM_SERVER

Packet:          dredger2;2015-07-12 09:21:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:22:21
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 09:22:32

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.84.62.192
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >

2
Success          ==> SEND OK ACK_FROM_SERVER

Packet:          dredger2;2015-07-12 09:22:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:22:59

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 09:23:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 23,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.86.197.122
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Success	==> CONNECT OK ACK_FROM_SERVER
at+cipsend	Success ==> >

2

Success	==> SEND OK ACK_FROM_SERVER
---------	-----------------------------

Packet: dredger2;2015-07-12 09:23:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:23:37

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

```

Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 09:23:48

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.107.26.88
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:23:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:24:14
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 09:24:25

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK

```

```

at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success            ==> OK
at+cifsr           Success          ==> 100.85.122.26
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success          ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:24:25;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:24:53
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 09:25:03

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success            ==> OK
at+cifsr           Success          ==> 100.88.247.191
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success          ==> >

```

2

3

4

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:25:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:25:35

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 12/07/2015 09:25:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.82.116.129
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER

at+cipsend Success ==> >

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:25:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

[illegible]

Database is empty  
s-----Live: 12/07/2015 09:27:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.84.234.241
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:27:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:27:28

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 09:27:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.107.137.25
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

```

2

3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:27:38;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:28:05
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 09:28:15

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 100.83.176.21
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

```

2

3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```



Packet: dredger2;2015-07-12 09:28:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:28:43

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 09:28:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.81.205.223
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK ACK_FROM_SERVER	
at+cipsend	Success	==> >
2		
Success	==> SEND OK ACK_FROM_SERVER	

Packet: dredger2;2015-07-12 09:28:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 09:29:23

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 09:29:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.83.245.147
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 09:30:04

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:30:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.84.82.38
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend	Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:30:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:30:49

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:31:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.86.90.18
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:31:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:31:33  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:31:47  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 20,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.109.246.59	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:31:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:32:18
at+cipsend      Error      ==> ERROR

    2
    3
    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:32:31

    ERROR: PLC DISCONNECTED !!

    RETURNING DUMMY PACKET

at          Success      ==> OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 20,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
    2
Success     ==> OK
at+cifsr    Success      ==> 100.88.130.75
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

    2

    3
Error       ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend  Error      ==> ERROR

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:32:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:33:02  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:33:16  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 20,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.109.66.54	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			
2			
3			
Error	==> STATE: TCP CLOSED CONNECT FAIL		
at+cipsend	Error	==> ERROR	

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:33:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:33:48

at+cipsend Error ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:34:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.88.106.163
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		



```
2
3
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:34:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:34:33
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:34:46
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY  OK
at+csq          Success      ==> +CSQ: 20,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1   OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```
2
Success          ==> OK
at+cifsr         Success          ==> 100.109.142.148
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:34:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:35:17
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:35:31
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at               Success          ==> OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY  OK
```

```
at+csq           Success      ==> +CSQ: 20,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.82.129.210
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:35:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:36:03
at+cipsend       Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:36:17
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success          ==> OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 20,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.109.4.163
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:36:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:36:47
at+cipsend       Error            ==> ERROR
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:37:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 20,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.82.76.46
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error           ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:37:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:37:32

```
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:37:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 23,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.84.8.153
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

```
Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:37:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:38:24

```
at+cipsend       Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:38:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 23,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.109.204.234
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:38:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:39:11  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:39:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
 at+cipclose=1 Error ==> ERROR  
 ate0 Success ==> OK  
 at+cpin? Success ==> +CPIN: READY OK  
 at+csq Success ==> +CSQ: 23,0 OK  
 at+creg? Success ==> +CREG: 1,1 OK  
 at+cgatt? Success ==> +CGATT: 1 OK  
 at+cipshut Success ==> SHUT OK  
 at+cstt="internet" Success ==> OK  
 at+ciicr  
 2  
 Success ==> OK  
 at+cifsr Success ==> 100.88.222.91  
 at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
 OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:39:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!



ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:39:56  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:40:10  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Error ==> ERROR  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 23,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.86.92.225  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:40:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:40:41  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:40:55  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Error ==> ERROR  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.107.74.246  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:40:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:41:25  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:41:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.109.122.20
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:41:39;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:42:13
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:42:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 23,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```
2
Success          ==> OK
at+cifsr         Success          ==> 100.108.11.218
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Error           ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend      Error           ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:42:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:42:58
at+cipsend      Error           ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:43:12
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success          ==> OK
at+cipclose=1   Error           ==> ERROR
ate0           Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
```

```
at+csq          Success      ==> +CSQ: 20,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1  OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success      ==> 100.87.75.187
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend      Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:43:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:43:43
at+cipsend      Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:43:57
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success          ==> OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 20,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.84.21.151
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:43:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:44:28
at+cipsend       Error            ==> ERROR
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:44:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 23,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.87.202.151
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:44:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:45:13

```
at+cipsend       Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!



ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:45:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 23,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.85.216.249
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:45:58

```
at+cipsend       Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:46:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 23,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.107.174.151
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error           ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:46:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:46:43

```
at+cipsend        Error           ==> ERROR
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:46:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 23,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.83.214.104
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:46:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:47:35  
at+cipsend Error ==> ERROR

2  
Other ==> +CMTI: "SM",7

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : returned "Other" status!!

ERROR CODE: 0x4 0xe 0x0 0x2

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:47:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK +CMTI: "SM",8
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK

2

3

Success	==> OK
at+cifsr	Success ==> 100.82.85.176

at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:47:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:48:27  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:48:41  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.81.127.11
at+cipstart="TCP", "52.74.229.218", "5001"  Other      ==>
OK

2
Other            ==> +CMTI: "SM",9
at+cipsend       Error        ==> STATE: TCP CLOSED  CONNECT FAIL  ERROR

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:48:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:49:11
at+cipsend      Error        ==> ERROR

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:49:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
```

```
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 22,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.81.162.84
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
2
3
Error             ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend        Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:49:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:49:56
at+cipsend        Error        ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:50:10
ERROR: PLC DISCONNECTED !!
```

## RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.109.124.222
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:50:10;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```

e-----Live: 12/07/2015 09:50:41
at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2



s-----Live: 12/07/2015 09:50:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.235.110
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:50:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:51:26

```

at+cipsend        Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:51:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 22,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.81.116.252
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error           ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:51:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:52:11

```
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:52:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.85.232.192
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error           ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend      Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:52:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:52:56

```
at+cipsend      Error            ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:53:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.85.135.213
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:53:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:53:41
at+cipsend      Error          ==> ERROR

    2
    3
    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:53:55

      ERROR: PLC DISCONNECTED !!

      RETURNING DUMMY PACKET
```

```
at          Success          ==> OK
at+cipclose=1 Error          ==> ERROR
ate0        Success          ==> OK
at+cpin?    Success          ==> +CPIN: READY OK
at+csq      Success          ==> +CSQ: 22,0 OK
at+creg?    Success          ==> +CREG: 1,1 OK
at+cgatt?   Success          ==> +CGATT: 1 OK
at+cipshut  Success          ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
Success          ==> OK
at+cifsr      Success          ==> 100.84.200.57
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

    2

    3
Error          ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend      Error          ==> ERROR

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:53:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:54:26  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:54:40  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.90.80.175
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:54:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:55:11  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:55:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.90.194.153
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend	Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:55:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:55:56  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:56:10  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 22,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.82.128.196	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR



2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:56:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:56:40  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:56:55  
 ERROR: PLC DISCONNECTED !!  
 RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.109.88.217
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:56:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:57:25
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:57:39
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success          ==> OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
at+csq          Success          ==> +CSQ: 22,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1   OK
at+cipshut      Success          ==> SHUT  OK
at+cstt="internet" Success       ==> OK
```

```
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.84.22.241
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:57:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:58:10
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 09:58:24
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success          ==> OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
```

```
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 22,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr         Success      ==> 100.81.180.33
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
  2
  3
  4
  5
  6
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error        ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:58:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 09:59:02
at+cipsend       Error        ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 09:59:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 22,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success     ==> OK
at+cifsr    Success      ==> 100.108.110.248
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Error      ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend Error      ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:59:16;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 09:59:49

```
at+cipsend Error      ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:00:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> OK
at+cipclose=1 Error          ==> ERROR
ate0        Success          ==> OK
at+cpin?    Success          ==> +CPIN: READY OK
at+csq      Success          ==> +CSQ: 22,0 OK
at+creg?    Success          ==> +CREG: 1,1 OK
at+cgatt?   Success          ==> +CGATT: 1 OK
at+cipshut  Success          ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
Success          ==> OK
at+cifsr        Success          ==> 100.88.156.121
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error          ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend     Error          ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:00:03;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:00:36

```
at+cipsend     Error          ==> ERROR
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:00:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.82.200.29
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:00:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:01:20

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:01:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.85.144.190
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:01:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!



ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:02:05  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:02:19  
ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 22,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.82.17.36	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

4

5

6

7

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:02:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:02:58  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:03:12  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 22,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.107.237.14	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:03:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:03:43  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:03:57  
 ERROR: PLC DISCONNECTED !!  
 RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.109.72.74
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:03:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:04:28
at+cipsend     Error          ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:04:42
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success          ==> OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 22,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.85.192.229
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
4
5
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:04:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:05:17
at+cipsend       Error            ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:05:31
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 22,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success     ==> OK
at+cifsr    Success      ==> 100.86.12.42
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Error       ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend  Error        ==> ERROR

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:05:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:06:02
at+cipsend  Error        ==> ERROR

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:06:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 22,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.85.157.72
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error           ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:06:16;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:06:47

```
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:07:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.82.12.173
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:07:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:07:31

```

at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2



BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:07:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 22,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success           ==> 100.81.158.7
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error             ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:07:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:08:17

```
at+cipsend        Error             ==> ERROR
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:08:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.90.176.224
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:08:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:09:02

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:09:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.85.241.31
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:09:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:09:47  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:10:01  
ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Error ==> ERROR  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
3  
Success ==> OK  
at+cifsr Success ==> 100.85.214.176  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:10:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:10:33  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:10:47  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Error ==> ERROR  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.84.5.208  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:10:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:11:18  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:11:32  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.82.18.180
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

```
4
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:11:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:12:07
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:12:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
at+csq          Success          ==> +CSQ: 22,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1   OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
Success          ==> OK
at+cifsr         Success          ==> 100.81.226.101
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
```

2

3

```
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:12:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:12:52
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:13:06
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Error          ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
at+csq          Success          ==> +CSQ: 22,0  OK
```



```
at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut          Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
  4
Success            ==> OK
at+cifsr           Success      ==> 100.109.115.4
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK
  2
  3
Error              ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend         Error        ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:13:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:13:40
at+cipsend         Error        ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:13:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 22,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.89.42.160
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error        ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:13:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:14:26
at+cipsend        Error        ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:14:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.82.225.155
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error            ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:14:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:15:12

at+cipsend Error ==> ERROR

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:15:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.88.201.247
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error           ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:15:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:15:58

at+cipsend Error ==> ERROR

2  
3  
4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:16:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.86.65.237
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:16:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:16:43

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:16:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.85.134.230
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:16:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:17:29

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:17:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.90.110.191
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:17:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:18:16  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:18:30  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.82.222.139
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend	Error ==> ERROR

2



3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:18:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:19:02

at+cipsend Error ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:19:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.86.2.131
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

```
3
4
5
6
Error at+cipsend      ==> STATE: TCP CLOSED  CONNECT FAIL
Error                  ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:19:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:19:54
at+cipsend      Error                  ==> ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:20:09
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 22,0  OK
```

```
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.109.201.105
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error       ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:20:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:20:39
at+cipsend        Error       ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:20:54
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success          ==> OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 22,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.108.214.205
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Error            ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:20:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:21:24
at+cipsend       Error            ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:21:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 22,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.90.112.230
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Error           ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:21:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:22:09

```
at+cipsend      Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:22:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
  4
Success           ==> OK
at+cifsr          Success          ==> 100.88.193.8
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error            ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 10:22:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:22:58

```

at+cipsend        Error            ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:23:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.88.67.61
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:23:12;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:23:43

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;Off;0;0;Off;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:23:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.84.177.172
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Error	==> STATE: TCP CLOSED	CONNECT FAIL
at+cipsend	Error	==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:23:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2



e-----Live: 12/07/2015 10:24:28  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:24:42  
 ERROR: PLC DISCONNECTED !!  
 RETURNING DUMMY PACKET

at Success ==> OK  
 at+cipclose=1 Error ==> ERROR  
 ate0 Success ==> OK  
 at+cpin? Success ==> +CPIN: READY OK  
 at+csq Success ==> +CSQ: 22,0 OK  
 at+creg? Success ==> +CREG: 1,1 OK  
 at+cgatt? Success ==> +CGATT: 1 OK  
 at+cipshut Success ==> SHUT OK  
 at+cstt="internet" Success ==> OK  
 at+ciicr  
 2  
 3  
 Success ==> OK  
 at+cifsr Success ==> 100.90.83.217  
 at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
 OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:24:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:25:15  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:25:29  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.82.40.50
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:25:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:26:02  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:26:16  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.108.188.144
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

```
Error          ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:26:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:26:48
at+cipsend     Error          ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:27:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
at+csq          Success          ==> +CSQ: 22,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1   OK
at+cipshut      Success          ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success         ==> OK
at+cifsr        Success          ==> 100.90.84.167
```

at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Error ==> STATE: TCP CLOSED CONNECT FAIL  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:27:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

e-----Live: 12/07/2015 10:27:34  
at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 10:27:48  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 22,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.85.60.205
at+cipstart="TCP", "52.74.229.218", "5001"  Other      ==>
OK
```

```
2
3
Error            ==> STATE: TCP CLOSED  CONNECT FAIL
at+cipsend       Error        ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:27:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:28:19
at+cipsend      Error        ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:28:33
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
```

```
at+cipclose=1      Error      ==> ERROR
ate0               Success     ==> OK
at+cpin?           Success     ==> +CPIN: READY OK
at+csq             Success     ==> +CSQ: 22,0 OK
at+creg?           Success     ==> +CREG: 1,1 OK
at+cgatt?          Success     ==> +CGATT: 1 OK
at+cipshut         Success     ==> SHUT OK
at+cstt="internet" Success     ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success     ==> 100.109.244.162
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Error              ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend         Error      ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 10:28:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:29:04
at+cipsend         Error      ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:29:18
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.84.133.117
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:29:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:29:45
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:29:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```

at+cipsend        Success          ==> >

```

2

3

```

Success           ==> SEND OK ACK_FROM_SERVER

```



Packet: dredger2;2015-07-12 09:30:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:29:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.107.242.55
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
2
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:29:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:30:26

```
at+cipsend        Success          ==> >
2
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:31:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:31:47;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:32:31;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:30:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 19,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.88.52.0
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success      ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:30:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:31:07  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:33:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:34:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:31:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2

```
Success          ==> OK
at+cifsr         Success          ==> 100.87.81.1
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:31:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:31:44
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:34:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:35:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:36:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:31:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 19,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.84.64.160
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
```

2

3

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:31:58;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:32:28

```
at+cipsend        Success      ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:37:01;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:37:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:32:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
3  
4  
Success ==> OK  
at+cifsr Success ==> 100.107.209.1  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2  
3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:32:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:33:09

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

```
Packet:         dredger2;2015-07-12 09:38:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2
```

```
BACKFILL : DATA SENDING SUCCESS . .
```

```
ERROR CODE: 0xc 0xe 0x0 0x2
```

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

```
Packet:         dredger2;2015-07-12 09:39:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2
```

```
BACKFILL : DATA SENDING SUCCESS . .
```

```
ERROR CODE: 0xc 0xe 0x0 0x2
```

```
at+cipsend      Success      ==> >
2
Success         ==> SEND OK ACK_FROM_SERVER
```

```
Packet:         dredger2;2015-07-12 09:40:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2
```

```
BACKFILL : DATA SENDING SUCCESS . .
```

```
ERROR CODE: 0xc 0xe 0x0 0x2
```

```
s-----Live: 12/07/2015 10:33:23
```

```
ERROR: PLC DISCONNECTED !!
```

```
RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 22,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success         ==> OK
```

```
at+cifsr          Success          ==> 100.87.251.149
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

```
Packet:          dredger2;2015-07-12 10:33:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:33:51
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

```
Packet:          dredger2;2015-07-12 09:40:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2
```

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

```
Packet:          dredger2;2015-07-12 09:41:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2
```

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:34:01
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET



```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.56.66
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:34:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:34:29
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:42:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:43:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:34:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.108.226.132
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:34:40;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:35:07

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:43:57;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend        Success          ==> >
```

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:44:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:35:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.87.50.139  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:35:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:35:47  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:46:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:46:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:47:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:36:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK

```
ate0          Success          ==> OK
at+cpin?      Success          ==> +CPIN: READY OK
at+csq        Success          ==> +CSQ: 19,0 OK
at+creg?      Success          ==> +CREG: 1,1 OK
at+cgatt?     Success          ==> +CGATT: 1 OK
at+cipshut    Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success       ==> OK
at+cifsr      Success          ==> 100.90.172.207
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success       ==> CONNECT OK ACK_FROM_SERVER
at+cipsend    Success          ==> >
Success       ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:36:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:36:28
at+cipsend    Success          ==> >

2
Success       ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:48:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend    Success          ==> >
Success       ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:49:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:50:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:36:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 21,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success         ==> OK
at+cifsr        Success      ==> 100.89.90.79
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success         ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:36:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:37:08

```
at+cipsend      Success      ==> >
```

2

```
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:50:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:51:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:37:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.109.14.147  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:37:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:37:45  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:52:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:53:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:53:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:37:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2



```
Success          ==> OK
at+cifsr         Success          ==> 100.109.75.12
at+cipstart="TCP", "52.74.229.218", "5001"  Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
```

2

3

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:37:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:38:28
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:54:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:55:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
s-----Live: 12/07/2015 10:38:39
```

ERROR: PLC DISCONNECTED !!

## RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 21,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.108.78.43
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

```

2
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
2
3
4
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:38:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:39:11
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:56:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```

at+cipsend       Success          ==> >
2
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 09:56:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 09:57:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:39:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 100.87.121.218
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success      ==> >
```

2

3

4

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:39:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:39:56  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:58:24;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success 2 ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 09:59:16;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:00:03;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:40:09  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK

```
at+csq          Success          ==> +CSQ: 21,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.86.191.21
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:40:09;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:40:38
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:00:50;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success          ==> >
```

2

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:01:35;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:02:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:40:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.107.162.125  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:40:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:41:20

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:03:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:03:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:41:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.85.40.7  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:41:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:41:56  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:04:42;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:05:31;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:42:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.107.57.102  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER



Packet: dredger2;2015-07-12 10:42:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:42:33  
at+cipsend Success ==> >

Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:06:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:07:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

Success<sup>2</sup> ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:07:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:42:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.90.40.190
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:42:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:43:14
at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:08:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:09:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:43:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.109.87.33
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >

2

3

4
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:43:25;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:43:57

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:10:01;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:10:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:11:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:44:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.84.99.3  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

2

3

4

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:44:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:44:43  
at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:12:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:13:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:44:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK

```
at+csq          Success          ==> +CSQ: 21,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success          ==> 100.108.165.6
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:44:54;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:45:20
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:13:55;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success          ==> >
2
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:14:40;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success          ==> >
```

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:15:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:45:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.107.103.12
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> ACK_FROM_SERVER SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:45:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 10:46:01
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:16:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:16:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:17:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:46:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 21,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
Success         ==> OK
at+cifsr        Success      ==> 100.90.102.208
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

```
2
3
Success         ==> CONNECT OK ACK_FROM_SERVER
```



at+cipsend Success ==> >

2

3

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:46:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:46:46

at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:18:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:19:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:20:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:47:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.85.120.14
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
```

2

3

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:47:01;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:47:31

```
at+cipsend        Success      ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:20:54;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:21:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:22:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:47:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 21,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.109.175.157  
at+cipstart="TCP","52.74.229.218","5001" Other ==>  
OK

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

2

3  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:47:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:48:15  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:23:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:23:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:24:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:48:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.66.141
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:48:30;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:48:58

```
at+cipsend        Success          ==> >
```

2

3

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:25:29;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend        Success          ==> >
```

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:26:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:49:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.87.81.45
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:49:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:49:35  
at+cipsend Success ==> >

2

Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:27:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:27:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:28:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x2

s-----Live: 12/07/2015 10:49:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 21,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.87.53.208
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:49:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:50:16

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 10:50:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 21,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.90.6.234	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==> CONNECT OK ACK_FROM_SERVER
at+cipsend	Success ==> >
Success	==> SEND OK ACK_FROM_SERVER

Packet: dredger2;2015-07-12 10:50:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:50:53

Database is empty  
Database is empty



```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:51:03

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.107.94.31
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:51:03;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:51:30
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:51:40

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK

```

```

ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 21,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
2
Success             ==> OK
at+cifsr            Success          ==> 100.109.97.216
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success             ==> CONNECT OK ACK_FROM_SERVER
at+cipsend          Success          ==> >
Success             ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:51:40;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:52:07
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:52:17

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success             ==> OK
at+cifsr            Success          ==> 100.90.177.34
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3

```

```

Success          ==> CONNECT OK
at+cipsend       Success          ==> ACK_FROM_SERVER >

```

2

3

4

```

Success          ==> SEND OK

```

```

Packet:          dredger2;2015-07-12 10:52:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

```

LIVE : DATA SENDING SUCCESS . .

```

```

ERROR CODE: 0x0 0xe 0x0 0x2

```

```

e-----Live: 12/07/2015 10:52:48

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

Database is empty

```

```

s-----Live: 12/07/2015 10:52:58

```

```

ERROR: PLC DISCONNECTED !!

```

```

RETURNING DUMMY PACKET

```

```

at              Success          ==> ACK_FROM_SERVER OK

```

```

at+cipclose=1   Success          ==> CLOSE OK

```

```

ate0            Success          ==> OK

```

```

at+cpin?        Success          ==> +CPIN: READY OK

```

```

at+csq          Success          ==> +CSQ: 21,0 OK

```

```

at+creg?        Success          ==> +CREG: 1,1 OK

```

```

at+cgatt?       Success          ==> +CGATT: 1 OK

```

```

at+cipshut      Success          ==> SHUT OK

```

```

at+cstt="internet" Success        ==> OK

```

```

at+ciicr

```

2

```

Success          ==> OK

```

```

at+cifsr        Success          ==> 100.83.213.143

```

```

at+cipstart="TCP", "52.74.229.218", "5001" Other ==>

```

```

OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER

```

```

at+cipsend      Success          ==> >

```

```

Success          ==> SEND OK ACK_FROM_SERVER

```

```

Packet:          dredger2;2015-07-12 10:52:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

```

LIVE : DATA SENDING SUCCESS . .

```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

Database is empty  
 Database is empty  
 Database is empty  
 s-----Live: 12/07/2015 10:54:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.88.142.99
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 10:54:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:54:45  
 at+cipsend Success ==> >

2

Success ==> ACK\_FROM\_SERVER SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 10:54:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 10:54:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.109.247.14
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:54:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:55:23

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 10:55:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
```

```

at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 21,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 100.81.40.135
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
4
5
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success      ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:55:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:56:03

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 10:56:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 100.86.15.96
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>

```

OK

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:56:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:56:40

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 10:56:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.86.58.222
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success          ==> CONNECT OK
at+cipsend       Success          ==> >

```

2

3

```

Success          ==> SEND OK ACK_FROM_SERVERACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:56:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2



LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:57:20

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 10:57:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.88.204.241
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

```
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 10:57:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:57:57

Database is empty  
Database is empty  
Database is empty  
Database is empty

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:58:08

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.81.21.196
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

4

5

6

```

Success           ==> CONNECT OK
at+cipsend        Success          ==> ACK_FROM_SERVER >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:58:08;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:58:41
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:58:51

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success          ==> OK
at+cipclose=1                   Success          ==> CLOSE OK
ate0                             Success          ==> OK
at+cpin?                        Success          ==> +CPIN: READY OK
at+csq                           Success          ==> +CSQ: 21,0 OK
at+creg?                        Success          ==> +CREG: 1,1 OK
at+cgatt?                       Success          ==> +CGATT: 1 OK
at+cipshut                      Success          ==> SHUT OK
at+cstt="internet"              Success          ==> OK
at+ciicr
2
Success                          ==> OK
at+cifsr                         Success          ==> 100.89.33.26
at+cipstart="TCP","52.74.229.218","5001" Other      ==>
OK

```

```

2
3
Success                          ==> CONNECT OK
at+cipsend                      Success          ==> ACK_FROM_SERVER >
2
3
Success                          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:58:51;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 10:59:20
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 10:59:30

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success          ==> OK
at+cipclose=1                   Success          ==> CLOSE OK
ate0                             Success          ==> OK
at+cpin?                        Success          ==> +CPIN: READY OK
at+csq                           Success          ==> +CSQ: 21,0 OK
at+creg?                        Success          ==> +CREG: 1,1 OK
at+cgatt?                       Success          ==> +CGATT: 1 OK
at+cipshut                      Success          ==> SHUT OK
at+cstt="internet"              Success          ==> OK
at+ciicr
2

```

```

Success          ==> OK
at+cifsr         Success          ==> 100.108.219.0
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 10:59:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 10:59:57

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 11:00:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 19,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.82.95.175
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:00:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```
e-----Live: 12/07/2015 11:01:10
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:01:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success          ==> 100.89.37.238
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
2
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:01:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:01:52

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:02:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
```

```

at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 19,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 100.87.212.61
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success      ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:02:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 11:02:29
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 11:02:39

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 19,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 100.82.204.170
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >
```

```
2
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:02:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:03:07

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:03:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 21,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.88.109.22
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```
3
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
Success          ==> ACK_FROM_SERVER SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:03:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .



ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:03:44

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:03:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.108.63.154
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:03:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:04:21

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:04:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.86.127.90
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:04:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:04:58

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:05:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success           ==> OK

```

```

at+cifsr          Success          ==> 100.85.116.211
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:05:08;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:05:35

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 11:05:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.90.205.198
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >

```

2

```

Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:05:45;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:06:13

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:06:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 21,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.84.85.74	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

4

5

6

Success	==> CONNECT OK	
at+cipsend	Success	==> ACK_FROM_SERVER >

2

Success	==> SEND OK ACK_FROM_SERVER
---------	-----------------------------

Packet: dredger2;2015-07-12 11:06:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger2;2015-07-12 11:07:08;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

[illegible]

Database is empty  
s-----Live: 12/07/2015 11:07:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 19,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success     ==> OK
at+cifsr    Success      ==> 100.90.217.90
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success     ==> CONNECT OK
at+cipsend  Success      ==> ACK_FROM_SERVER >
Success     ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:07:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:08:16

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:08:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 19,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
```

```

at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.108.179.39
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

```

2
3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:08:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:08:54

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:09:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.82.200.99
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

```

2
3
4
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:09:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:09:33

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:09:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 21,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.85.194.71	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend	Error	==> ERROR
------------	-------	-----------



2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:09:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 11:10:30  
 at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:09:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 11:10:44  
 ERROR: PLC DISCONNECTED !!  
 RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.86.194.221
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

```
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:10:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:11:10
at+cipsend       Success          ==> >
```

2

3

4

```
Success          ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:09:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

```
Database is empty
Database is empty
s-----Live: 12/07/2015 11:11:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr          2
Success           ==> OK
at+cifsr          Success          ==> 100.87.32.117
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```

3
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVERACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:11:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 11:11:48
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 12/07/2015 11:11:58

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success          ==> 100.83.232.229
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

3
Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend      Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:11:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:12:25

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:12:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 20,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.107.40.57	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==> CONNECT OK ACK_FROM_SERVER
at+cipsend	Success ==> >
Success	==> SEND OK ACK_FROM_SERVER

Packet: dredger2;2015-07-12 11:12:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:13:01

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:13:12

ERROR: PLC DISCONNECTED !!

## RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.108.247.132
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:13:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:13:39

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 11:13:50

ERROR: PLC DISCONNECTED !!

## RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

2

```

Success          ==> OK
at+cifsr         Success          ==> 100.90.160.224
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >

```

2

3

```

Success          ==> SEND OK ACK_FROM_SERVER

```

```

Packet:          dredger2;2015-07-12 11:13:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:14:19

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 12/07/2015 11:14:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 20,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success          ==> 100.85.234.59
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

```

2

3

```

Success          ==> CONNECT OK ACK_FROM_SERVER
at+cipsend       Success          ==> >
Success          ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:14:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:14:56  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
s-----Live: 12/07/2015 11:15:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.89.82.232
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Success	==> CONNECT OK ACK_FROM_SERVER
at+cipsend	Success ==> >

2

3

4

Success	==> SEND OK ACK_FROM_SERVER
---------	-----------------------------

Packet: dredger2;2015-07-12 11:15:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:15:38

Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty  
 Database is empty

s-----Live: 12/07/2015 11:15:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.90.205.110
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 11:15:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:16:22

at+cipsend Success ==> >

2



3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:15:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:16:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
6		
7		
8		
Success	==> OK	
at+cifsr	Success	==> 100.109.168.96
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger2;2015-07-12 11:16:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:17:13  
at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 11:15:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
s-----Live: 12/07/2015 11:17:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 22,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.89.0.104  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2  
3  
Success ==> CONNECT OK  
at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 11:17:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:17:50

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 12/07/2015 11:18:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.88.235.46
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

4

5

6

```

Success           ==> CONNECT OK
at+cipsend        Success          ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 11:18:38
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

s-----Live: 12/07/2015 11:18:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 19,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.86.53.8
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3

Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 11:18:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:19:22  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:19:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.83.243.33  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:19:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:20:07  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:20:21  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.87.6.169  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:20:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:20:51  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:21:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.82.79.210
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

```
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:21:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:21:38
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:21:52
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success          ==> OK
```



```
at+cifsr          Success          ==> 100.90.101.174
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:21:52;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:22:22
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:22:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 20,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
```

```
at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success          ==> 100.89.71.169
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

```
3
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:22:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:23:07
at+cipsend         Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:23:21
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 20,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
 12
 13
 14
Success          ==> OK
at+cifsr         Success      ==> 100.82.153.40
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger2;2015-07-12 11:23:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 11:24:15
at+cipsend     Success      ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:24:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.88.197.65
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:24:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:25:00  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:25:14  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 19,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
Success ==> OK  
at+cifsr Success ==> 100.107.176.108  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK

2

3

Success ==> CONNECT OK  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:25:14;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:25:45
at+cipsend      Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:25:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at      Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0      Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 22,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
3
4
Success      ==> OK
at+cifsr      Success      ==> 100.108.117.124
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

2
3
Success      ==> CONNECT OK
at+cipsend      Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:25:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:26:33  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:26:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.107.51.200
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

Success ==> CONNECT OK

```
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:26:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:27:18
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:27:31
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 19,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
```



4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Error, Time out, cntr = 21

at+cifsr

2

3

4

Other ==&gt; OK

at+cipstart="TCP", "52.74.229.218", "5001" Other ==&gt;

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend

Error

==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:27:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 11:29:02

at+cipsend Error ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:29:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.82.123.120
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

```
2
3
Success      ==> CONNECT OK ACK_FROM_SERVER
at+cipsend   Success      ==> >

2
Success      ==> SEND OK ACK_FROM_SERVER

Packet:      dredger2;2015-07-12 11:29:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:29:43
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER

Packet:      dredger2;2015-07-12 11:18:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2
```

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER

Packet:      dredger2;2015-07-12 11:18:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2
```

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend   Success      ==> >
Success      ==> SEND OK ACK_FROM_SERVER

Packet:      dredger2;2015-07-12 11:19:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2
```

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:29:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.89.70.31
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:29:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:30:22

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:20:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:21:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:21:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:30:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.82.121.125
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> ACK_FROM_SERVER >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:30:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:31:02  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:22:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:23:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:24:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:31:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK

```
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 100.83.197.123
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend         Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:31:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 11:32:02

```
at+cipsend         Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:25:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:32:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CONNECT OK ACK_FROM_SERVER OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.109.130.183
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

4

```

Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:32:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:32:45

```

at+cipsend        Success          ==> >

```

2

```

Success           ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:25:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .



ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
Success         ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:25:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:26:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:33:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> SEND OK ACK_FROM_SERVER OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.81.239.41
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3  
Success ==> CONNECT OK ACK\_FROM\_SERVER  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:33:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:33:36  
at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:26:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:27:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x1;0x402

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x1 0x402

at+cipsend Success ==> >

2  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:31:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 11:33:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.108.210.52
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:33:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:34:22

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:33:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:34:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
  4
  5
  6
  7
Success           ==> OK
at+cifsr          Success          ==> 100.107.179.116
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger2;2015-07-12 11:34:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:35:11

at+cipsend Success ==> >

```
  2
Success           ==> SEND OK
```

```
e-----Live: 12/07/2015 11:35:47
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

Database is empty  
Database is empty  
Database is empty

s-----Live: 12/07/2015 11:35:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.90.162.92
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:36:28

```
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:36:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.107.74.2
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

5

6

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:36:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:37:19

```
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:37:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	OK
at+cipclose=1	Success	==>	CLOSE OK
ate0	Success	==>	OK
at+cpin?	Success	==>	+CPIN: READY OK
at+csq	Success	==>	+CSQ: 17,0 OK
at+creg?	Success	==>	+CREG: 1,1 OK
at+cgatt?	Success	==>	+CGATT: 1 OK
at+cipshut	Success	==>	SHUT OK
at+cstt="internet"	Success	==>	OK
at+ciicr			
2			
Success	==>	OK	
at+cifsr	Success	==>	100.109.203.66
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

Success	==>	CONNECT OK	
at+cipsend	Success	==>	>

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:37:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2



```
e-----Live: 12/07/2015 11:38:04
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:38:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0      Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 17,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"      Success      ==> OK
at+ciicr
2
Success      ==> OK
at+cifsr      Success      ==> 100.87.177.137
at+cipstart="TCP", "52.74.229.218", "5001"      Other      ==>
OK

2

3

Success      ==> CONNECT OK
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:38:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:38:48

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:39:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.85.79.62
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

3

```

Success           ==> CONNECT OK
at+cipsend        Success          ==> >

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:39:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:39:33  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:39:47  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at Success ==> OK  
at+cipclose=1 Success ==> CLOSE OK  
ate0 Success ==> OK  
at+cpin? Success ==> +CPIN: READY OK  
at+csq Success ==> +CSQ: 20,0 OK  
at+creg? Success ==> +CREG: 1,1 OK  
at+cgatt? Success ==> +CGATT: 1 OK  
at+cipshut Success ==> SHUT OK  
at+cstt="internet" Success ==> OK  
at+ciicr  
2  
3  
Success ==> OK  
at+cifsr Success ==> 100.82.143.72  
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>  
OK  
2  
3  
Success ==> CONNECT OK  
at+cipsend Success ==> >  
2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:39:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:40:19  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:40:33  
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.84.215.187
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

```
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:40:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:41:04
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:41:18
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 22,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
```

2

3

4

5

6

7

8

9

10

11

12

```
Success          ==> OK
at+cifsr         Success          ==> 100.107.24.121
at+cipstart="TCP", "52.74.229.218", "5001" Other          ==>
OK
```

2

3

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:41:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:42:09
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:42:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.84.149.142
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:42:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:42:53

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:43:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 19,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.81.227.183
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:43:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:43:38

```
at+cipsend        Success          ==> >
2
3
```



4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:43:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.108.169.145
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:43:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:44:29
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:44:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.108.112.40
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:44:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:45:14  
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:45:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 18,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 100.87.36.179	
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>	
OK			

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 11:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

e-----Live: 12/07/2015 11:46:14

at+cipsend            Error            ==&gt; ERROR

2

3

4

Error, Time out, cntr = 4

Packet:            dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:46:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK

```
at+csq          Success      ==> +CSQ: 21,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1  OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr        Success      ==> 100.87.158.181
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success          ==> CONNECT OK
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:46:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:46:59
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:47:12
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.89.80.78
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:47:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:47:43
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:47:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.84.234.27
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:47:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:48:30

```
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:48:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.85.49.36
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:48:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:49:16

```
at+cipsend        Success      ==> >
  2
  3
  4
```



Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:49:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.109.212.182
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:49:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:50:01

```
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:50:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.84.152.222
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

4

5

6

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:50:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:50:53
at+cipsend      Success      ==> >

    2
    3
    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:51:06

      ERROR: PLC DISCONNECTED !!

      RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 21,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2
Success           ==> OK
at+cifsr          Success      ==> 100.84.74.93
at+cipstart="TCP", "52.74.229.218", "5001" Other      ==>
OK

    2

    3
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success      ==> >
Success           ==> SEND OK ACK_FROM_SERVER
```

Packet: dredger2;2015-07-12 11:51:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:51:33  
at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:35:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:36:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK ACK\_FROM\_SERVER

Packet: dredger2;2015-07-12 11:37:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:51:45  
  
ERROR: PLC DISCONNECTED !!  
  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 21,0 OK
at+creg?	Success	==> +CREG: 1,1 OK

```

at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success          ==> 100.88.50.33
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK

```

2

```

3
Success            ==> CONNECT OK ACK_FROM_SERVER
at+cipsend         Success          ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:51:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

e-----Live: 12/07/2015 11:52:11
at+cipsend         Success          ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:38:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

at+cipsend         Success          ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:39:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```

at+cipsend         Success          ==> >
Success            ==> SEND OK ACK_FROM_SERVER

```

Packet: dredger2;2015-07-12 11:39:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:52:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 21,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.82.237.242
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

```
Success           ==> CONNECT OK ACK_FROM_SERVER
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:52:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:52:54

```
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:40:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:53:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 20,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
5
6
7
8
9
Success           ==> OK
at+cifsr          Success      ==> 100.90.146.165
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger2;2015-07-12 11:53:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:53:49  
at+cipsend Success ==> >

2  
Success ==> SEND OK

Packet: dredger2;2015-07-12 11:40:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 11:41:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

at+cipsend Success ==> >  
Success ==> SEND OK

Packet: dredger2;2015-07-12 11:42:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:54:02  
  
ERROR: PLC DISCONNECTED !!  
  
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 19,0 OK
at+creg?	Success	==> +CREG: 1,1 OK



```
at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success          ==> 100.84.153.56
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
```

2

3

4

```
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
```

2

```
Success            ==> SEND OK
```

Packet: dredger2;2015-07-12 11:54:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:54:31
at+cipsend         Success          ==> >
Success            ==> SEND OK
```

Packet: dredger2;2015-07-12 11:43:07;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend         Success          ==> >
Success            ==> SEND OK
```

Packet: dredger2;2015-07-12 11:43:52;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

```
at+cipsend         Success          ==> >
Success            ==> SEND OK
```

Packet: dredger2;2015-07-12 11:44:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xe 0x0 0x2

s-----Live: 12/07/2015 11:54:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

```
Error, Time out, cntr = 21

at+cifsr
2
3
4
Other ==> OK
at+cipstart="TCP","52.74.229.218","5001" Other ==>
ERROR

2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2
3
4
Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:54:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x1;0x402

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x1 0x402

e-----Live: 12/07/2015 11:56:13
at+cipsend Error ==> ERROR

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 11:56:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 20,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success         ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success           ==> 100.88.237.245
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success           ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:56:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x0 0x2

e-----Live: 12/07/2015 11:56:57

```
at+cipsend        Success           ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 11:57:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 20,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.81.233.16
at+cipstart="TCP", "52.74.229.218", "5001"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger2;2015-07-12 11:57:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

e-----Live: 12/07/2015 11:57:42

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

s-----Live: 12/07/2015 11:57:56

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 20,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.82.3.137
at+cipstart="TCP", "52.74.229.218", "5001" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:57:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xe;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x0 0x2

```
e-----Live: 12/07/2015 11:58:27
at+cipsend      Success      ==> >

    2
    3
    4

Error, Time out, cntr = 4
```

Packet: dredger2;2015-07-12 11:45:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x4;0xe;0x0;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x4 0xe 0x0 0x2

```
s-----Live: 12/07/2015 11:58:40

    ERROR: PLC DISCONNECTED !!

    RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 18,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2
Success           ==> OK
at+cifsr
```