

[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.123.195.24
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.122.48.33
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:03:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:03:45

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:04:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.50.185.145
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 00:04:06;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:04:30

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:04:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 100.123.41.61
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:04:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:05:15

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:05:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.122.19.122
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:05:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:06:00

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:06:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.215.169	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:06:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.79.28.54
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:10:33

[illegible]

```
s-----Live: 20/07/2015 00:10:54
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                          Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1    OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"              Success      ==> OK
at+ciicr
2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.79.231.175
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:10:54;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:11:18

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:11:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.20.38.171
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:11:39;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:12:04

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:12:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.83.200.47
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:12:25;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:12:50

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:13:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.51.37.72	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:13:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.158.121.15
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.175.221.121
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:16:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:17:22

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:17:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:18:28;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:18:52

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:19:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.51.135.158
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:19:13;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:19:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:19:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.75.91	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:19:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 00:22:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.124.77.19
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 00:22:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:22:38
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 00:22:59

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.122.205.232
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                          Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1    OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:25:15;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:25:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:26:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.51.132.102
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:26:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:26:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:26:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.21.56.63	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:26:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.44.139.89
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:30:56

[illegible]

```
s-----Live: 20/07/2015 00:31:17
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.44.137.21
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:31:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:31:42

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:32:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error           ==> ERROR
ate0           Success          ==> OK
at+cpin?       Success          ==> +CPIN: READY OK
at+csq         Success          ==> +CSQ: 30,0 OK
at+creg?       Success          ==> +CREG: 1,1 OK
at+cgatt?      Success          ==> +CGATT: 1 OK
at+cipshut     Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 100.122.190.116
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:32:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:32:27

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:32:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.143.31
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:32:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:33:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:33:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.157.79.178	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:33:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:35:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success          ==> 10.51.146.108
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
    2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 00:35:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:36:12
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:36:33

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.61.68.41
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.157.125.192
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:37:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:37:42

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:38:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

Packet: dredger1;2015-07-20 00:38:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:38:27

[illegible]

```
s-----Live: 20/07/2015 00:38:48
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```

3
Success ==> OK
at+cifsr Success ==> 10.50.18.101
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:38:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:39:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:39:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.60.63.182
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:39:33;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:39:58

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:40:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.21.24.153	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:40:19;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:42:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.125.118.3
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 00:42:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:42:58
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:43:19

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 100.123.110.99
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK    CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.123.247.73
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:44:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:44:28

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:44:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 100.120.156.5
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:44:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:45:14

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:45:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.42.173.16
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

2

Packet: dredger1;2015-07-20 00:46:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:46:44

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:47:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.66.22	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 00:47:05;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:49:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 30,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success         ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success           ==> 10.82.190.197
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success           ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 00:49:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:49:45
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 00:50:06

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.83.40.231
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.82.100.99
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:50:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:51:15

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:51:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:52:22;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:52:46

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:53:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.24.179
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:53:07;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:53:31

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:53:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.155.196
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 00:53:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 00:56:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.44.127.183
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 00:56:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:56:32
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 00:56:53

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.125.140.22
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.21.217.171
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:57:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:58:03

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:58:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.61.100.73
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 00:58:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:58:48

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 00:59:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> CLOSED OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 30,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.156.230.241
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 00:59:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 00:59:34

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 00:59:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.61.71.32	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-20 00:59:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:00:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:00:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.157.85.24	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:00:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.44.80.108
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 01:02:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:02:36

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:02:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.156.203.239
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 01:02:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:03:21
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:03:42

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 100.120.123.160
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.43.119.118
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:04:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:04:52

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:05:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

Packet: dredger1;2015-07-20 01:05:13;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:05:38

[illegible]

```
s-----Live: 20/07/2015 01:05:59
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```

3
Success ==> OK
at+cifsr Success ==> 10.156.86.166
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:05:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:06:23

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:06:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.49.89.147
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 01:06:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:07:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:07:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.51.78.156	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:07:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:09:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.158.204.194
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 01:09:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:10:11
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:10:32

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.123.175.156
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.61.223.52
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:11:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:11:42

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:12:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:12:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:13:13

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:13:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.60.26.124
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 01:13:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:13:58

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:14:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.45.126.37	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:14:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:16:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.120.23.207
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 01:16:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:17:00
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:17:21

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.127.250.28
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.20.127.145
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:18:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:18:31

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:18:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0         Success      ==> OK
at+cpin?     Success      ==> +CPIN: READY OK
at+csq       Success      ==> +CSQ: 30,0  OK
at+creg?     Success      ==> +CREG: 1,1  OK
at+cgatt?    Success      ==> +CGATT: 1  OK
at+cipshut   Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.83.138.85
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:18:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:19:16

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:19:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 100.124.33.22
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

3
4
Other ==> CLOSED

Packet: dredger1;2015-07-20 01:19:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 20/07/2015 01:20:04
at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2
3
4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-20 01:19:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 20/07/2015 01:20:32
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

at Success ==> OK

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1    OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK

```

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet"  Success    ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr         Success      ==> 100.122.52.7
at+cipstart="TCP", "52.74.77.168", "5000"  Success    ==> OK   CONNECT
OK

```


Packet: dredger1;2015-07-20 01:22:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 01:25:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
at          Success          ==> CLOSED OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.158.59.110
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```


Packet: dredger1;2015-07-20 01:29:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xc 0x0 0x0

e-----Live: 20/07/2015 01:29:59

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-20 01:29:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xc;0x0;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xc 0x0 0x0

s-----Live: 20/07/2015 01:30:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.79.74.232
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:30:27;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 20/07/2015 01:30:52

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:31:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 100.125.207.56
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:31:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:31:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:31:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.31.20	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-20 01:31:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:32:22

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:32:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.48.190.54	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:32:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:35:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.45.216.230
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 01:35:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:35:24
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 01:35:45

ERROR: PLC DISCONNECTED !!


```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.43.250.94
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.43.227.90
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:36:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:36:53

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:37:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.44.188.17
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:37:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:37:38

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:37:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> CLOSED OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 30,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 100.127.209.171
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:37:59;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:38:23

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:38:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.49.26.223
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 01:38:44;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:39:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:39:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.77.43	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:39:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:41:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.122.9.21
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 01:41:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:42:11
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:42:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.51.157.27
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 01:42:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:42:56

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:43:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
```

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                       Success       ==> +CGATT: 1  OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:44:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:45:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:45:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.60.173.137
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 01:45:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:45:57

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:46:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.48.163.190	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:46:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

RETURNING DUMMY PACKET

```

at                                     Success          ==> CLOSED OK
at+cipclose=1                         Error             ==> ERROR
ate0                                  Success           ==> OK
at+cpin?                             Success           ==> +CPIN: READY OK
at+csq                               Success           ==> +CSQ: 30,0 OK
at+creg?                             Success           ==> +CREG: 1,1 OK
at+cgatt?                            Success           ==> +CGATT: 1 OK
at+cipshut                           Success           ==> SHUT OK
at+cstt="internet"                   Success           ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success           ==> 100.122.23.97
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success           ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 01:47:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:48:13

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:48:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 30,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success           ==> 10.20.29.143
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success           ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 01:48:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:48:58
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:49:19

ERROR: PLC DISCONNECTED !!


```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 10.49.53.6
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.158.199.80
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:50:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:50:29

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:50:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1  OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 100.124.5.220
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:50:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:51:15

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:51:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.43.212.248
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:51:36;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:52:00

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:52:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.21.202.235
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 01:52:21;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:52:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:53:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.60.26.238	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 01:53:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:55:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.127.12.185
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 01:55:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:55:46
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 01:56:07

ERROR: PLC DISCONNECTED !!


```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.120.103.112
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.125.29.36
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 01:56:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:57:18

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 01:57:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.61.171.136
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 01:57:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:58:03

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:58:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.60.69.185
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 01:58:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:58:48

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:59:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.60.117.60
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 01:59:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 01:59:34

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 01:59:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.65.143
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 01:59:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:00:20

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:00:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.175.23.114	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:00:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:01:07

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:04:08

[illegible]

```
s-----Live: 20/07/2015 02:04:28
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:05:37

[illegible]

s-----Live: 20/07/2015 02:05:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                           Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1   OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
    2
    3
Success                          ==> OK
at+cifsr                        Success      ==> 10.61.221.34
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                      Success      ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 02:05:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:06:23

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:06:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.37.171
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 02:06:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:07:08

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:07:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.124.223
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 02:07:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:07:52

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
s-----Live: 20/07/2015 02:09:45
```


RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:12:25

[illegible]

s-----Live: 20/07/2015 02:12:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.45.214.253
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success       ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 02:12:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:13:11

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:13:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.83.232.36	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:13:32;0;Close;0;Close;0;0;0;Off;0;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
s-----Live: 20/07/2015 02:16:34
```


RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

3

2

Packet: dredger1;2015-07-20 02:18:05;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

2

3

```
Success ==> OK
at+cifsr Success ==> 10.49.15.24
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

Other ==> CLOSED

Packet: dredger1;2015-07-20 02:19:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 20/07/2015 02:20:04

at+cipclose=1 Error ==> ERROR

at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

Success ==> SEND OK

Packet: dredger1;2015-07-20 02:19:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 20/07/2015 02:20:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK

at+cipclose=1 Success ==> CLOSE OK

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 30,0 OK

at+creg? Success ==> +CREG: 1,1 OK

at+cgatt? Success ==> +CGATT: 1 OK

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:21:42

[illegible]

s-----Live: 20/07/2015 02:22:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success          ==> 10.21.190.125
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 02:24:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 02:25:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at                                     Success                               ==> CLOSED OK
at+cipclose=1                         Error                                ==> ERROR
ate0                                  Success                              ==> OK
at+cpin?                             Success                            ==> +CPIN: READY OK
at+csq                                Success                            ==> +CSQ: 30,0 OK
at+creg?                             Success                            ==> +CREG: 1,1 OK
at+cgatt?                            Success                            ==> +CGATT: 1 OK
at+cipshut                           Success                            ==> SHUT OK
at+cstt="internet"                   Success                            ==> OK
at+ciicr
    2
        3
Success                               ==> OK
at+cifsr                             Success                              ==> 10.42.7.252
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:28:30

[illegible]

s-----Live: 20/07/2015 02:28:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                                Success         ==> +CSQ: 30,0 OK
at+creg?                              Success         ==> +CREG: 1,1 OK
at+cgatt?                             Success         ==> +CGATT: 1 OK
at+cipshut                            Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.123.203.18
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK CONNECT
OK
at+cipsend                            Success           ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 02:29:36;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE :returned "0ther" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 20/07/2015 02:30:04

at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-20 02:29:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 20/07/2015 02:30:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.157.130.207
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 02:30:32;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 20/07/2015 02:30:56

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:31:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.158.78.152
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 02:31:17;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:31:41

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:32:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.79.126.197
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 02:32:02;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:32:26

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:32:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.48.208.78	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:32:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 02:35:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.21.242.147
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 02:35:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:35:28
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 02:35:49

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.121.207.35
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```



```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.125.110.245
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 02:36:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:37:00

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 02:37:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 02:38:06;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:38:31

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:38:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.83.122.134
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 02:38:52;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:39:16

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:39:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.79.239.136	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Error	==> SEND FAIL		

Packet: dredger1;2015-07-20 02:39:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xc 0x0 0x0

e-----Live: 20/07/2015 02:39:59

at+cipclose=1 Success ==> CLOSE OK

```
at+cipstart="TCP","52.74.77.168","5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >
Success      ==> SEND OK
```

Packet: dredger1;2015-07-20 02:39:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xc;0x0;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xc 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 02:40:20
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success     ==> OK
at+cifsr    Success     ==> 100.122.59.158
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend  Success     ==> >

2
Success     ==> SEND OK
```

Packet: dredger1;2015-07-20 02:40:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 02:41:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 02:42:35;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
at          Success          ==> CLOSED  OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY   OK
at+csq                          Success       ==> +CSQ: 30,0   OK
at+creg?                        Success       ==> +CREG: 1,1   OK
at+cgatt?                       Success       ==> +CGATT: 1   OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
    2
    3
Success                          ==> OK
at+cifsr                        Success       ==> 100.120.65.30
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:45:59

[illegible]

s-----Live: 20/07/2015 02:46:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.83.70.120
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 02:46:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:46:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:47:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.48.129.224
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 02:47:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:47:29

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 02:47:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.175.176.192	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:47:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:48:14

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```

at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:51:16

[illegible]

s-----Live: 20/07/2015 02:51:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.44.247.121
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:53:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 02:53:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.175.69.58	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:53:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:54:18

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 02:54:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.44.219.174	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 02:54:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:55:04

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:58:06

[illegible]

s-----Live: 20/07/2015 02:58:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.82.231.89
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 02:59:36

[illegible]

s-----Live: 20/07/2015 02:59:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success         ==> 10.158.47.140
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 02:59:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:00:22

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:00:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.159.213	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:00:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:01:08

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 03:01:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.228.102	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:01:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:01:52

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:04:53

[illegible]

s-----Live: 20/07/2015 03:05:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 100.123.226.162
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2
Success ==> SEND OK

Packet: dredger1;2015-07-20 03:05:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:06:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:06:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 100.122.200.228
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

2
Success ==> SEND OK

Packet: dredger1;2015-07-20 03:06:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:07:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:07:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.45.95.5	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:07:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:07:55

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 03:08:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.43.173.57	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:08:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:08:40

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 03:09:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 03:10:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:11:42

[illegible]

s-----Live: 20/07/2015 03:12:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.83.1.202
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:13:13

[illegible]

s-----Live: 20/07/2015 03:13:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success          ==> 10.45.109.211
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 03:13:34;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:13:58

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:14:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.156.135.15
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 03:14:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:14:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:15:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.156.100.189	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:15:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:15:28

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
s-----Live: 20/07/2015 03:17:19
```


RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 03:17:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:18:28

[illegible]

s-----Live: 20/07/2015 03:18:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.157.66.88
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:20:00

[illegible]

s-----Live: 20/07/2015 03:20:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success         ==> 10.175.168.184
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 03:20:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:20:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:21:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.43.165.37	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 03:21:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 03:22:35;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.125.205.45
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 03:24:06;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:24:31

[illegible]

```
s-----Live: 20/07/2015 03:24:52
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
```

```

at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 100.121.128.133
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-20 03:24:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:25:17

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 03:25:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error        ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                             ==> OK
at+cifsr                             Success       ==> 100.124.141.231
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                             ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:27:33

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:27:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.48.220.149
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 03:27:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:28:18

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

ERROR: PLC DISCONNECTED !!


```

at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 10.45.36.78
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-20 03:31:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:32:05

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 03:32:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:32:51

[illegible]

s-----Live: 20/07/2015 03:33:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success          ==> 100.121.144.172
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK CONNECT
OK
at+cipsend                           Success           ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:34:21

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:34:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.79.252.53
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 03:34:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:35:06

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 03:36:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success                ==> CLOSED OK
at+cipclose=1     Error                  ==> ERROR
ate0              Success                ==> OK
at+cpin?          Success                ==> +CPIN: READY OK
at+csq            Success                ==> +CSQ: 30,0 OK
at+creg?          Success                ==> +CREG: 1,1 OK
at+cgatt?         Success                ==> +CGATT: 1 OK
at+cipshut        Success                ==> SHUT OK
at+cstt="internet" Success                ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success                ==> 10.49.94.56
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success                ==> >
2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 03:36:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:37:21
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 03:37:42

ERROR: PLC DISCONNECTED !!


```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.51.239.147
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```

```

at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 10.48.171.182
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-20 03:38:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:38:51

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 03:39:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success         ==> 100.123.118.168
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:41:08

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 03:41:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.175.254.12
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 03:41:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:41:51

Database is empty
Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```



```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```
at                                     Success                               ==> CLOSED    OK
at+cipclose=1                         Error                                ==> ERROR
ate0                                  Success                              ==> OK
at+cpin?                             Success                              ==> +CPIN: READY OK
at+csq                                Success                              ==> +CSQ: 30,0   OK
at+creg?                             Success                              ==> +CREG: 1,1   OK
at+cgatt?                            Success                              ==> +CGATT: 1    OK
at+cipshut                           Success                              ==> SHUT OK
at+cstt="internet"                   Success                              ==> OK
at+ciicr
      2
          3
Success                               ==> OK
at+cifsr                             Success                              ==> 10.45.201.231
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:46:23

[illegible]

s-----Live: 20/07/2015 03:46:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.175.135.198
at+cipstart="TCP","52.74.77.168","5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 03:49:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 03:49:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```



```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 03:53:12

[illegible]

s-----Live: 20/07/2015 03:53:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.121.224.114
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 03:56:33;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```



```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

[illegible]

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+csstt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.48.14.139
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 04:02:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

Packet: dredger1;2015-07-20 04:05:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```



```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.175.60.18
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK

```

```

  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 04:08:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:08:41

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 04:09:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK

```

```

      2
Success ==> CONNECT OK
at+cipsend Success ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-20 04:09:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:10:15

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:10:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.23.25
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 04:10:36;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:12:40

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 04:13:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.48.37.80	
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
OK			
2			
Success	==> CONNECT OK		
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-20 04:13:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:13:28

Database is empty
 Database is empty
 Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 04:13:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT  OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.44.138.178
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND  OK

```

Packet: dredger1;2015-07-20 04:13:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:14:18

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 04:16:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

Database is empty

s-----Live: 20/07/2015 04:17:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.21.186.0
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 04:17:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:17:32

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 20/07/2015 04:17:52

ERROR: PLC DISCONNECTED !!

Packet: dredger1;2015-07-20 04:17:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:18:21

[illegible]

```
s-----Live: 20/07/2015 04:18:42
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET


```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
```

```
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.42.126.243
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Error             ==> STATE: TCP CLOSED CONNECT FAIL
at+cipsend        Error            ==> ERROR
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 04:19:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0xa;0xa;0x0;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xe 0xe 0x4 0x2

```
e-----Live: 20/07/2015 04:20:03
at+cipclose=1      Error            ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

[illegible]

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.158.245.213
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 04:22:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:23:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:23:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.43.165.24
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
    2
Success                               ==> CONNECT OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 04:23:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```


Packet: dredger1;2015-07-20 04:25:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:25:51

[illegible]

```
s-----Live: 20/07/2015 04:26:11
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

```

2
3
Success          ==> OK
at+cifsr         Success          ==> 10.50.197.9
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
OK

```

```

2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 04:26:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:26:40

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 04:27:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success       ==> OK
at+ciicr

```

2

3

```

2
3
Success ==> OK
at+cifsr Success ==> 10.49.172.194
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

LIVE : DATA SENDING SUCCESS . .

3

Success ==> SEND OK

Packet: dredger1;2015-07-20 04:30:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:31:33

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:31:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.156.156.230
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 04:31:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 20/07/2015 04:33:12

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

3
Success ==> OK
at+cifsr Success ==> 10.83.40.38
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

Packet: dredger1;2015-07-20 04:35:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 04:36:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.61.182.176
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK

```

```

  2
  3
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 04:38:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:38:47

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 04:39:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2

```



```

3
Success ==> OK
at+cifsr Success ==> 10.42.220.109

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                              Success       ==> 10.50.59.36
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

```
Success ==> CONNECT OK
at+cipsend Success ==> >
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 04:43:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:43:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:44:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.20.92.0	
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
OK			
2			
Success	==> CONNECT OK		
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-20 04:44:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:44:27

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 04:44:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.126.164.30
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-20 04:44:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:45:16

Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 04:48:52;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.44.169.221
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
```

```
  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 04:51:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:51:46

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:52:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
```

2

2

```

3
Success ==> OK
at+cifsr Success ==> 10.42.140.246
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```


3

Success ==> SEND OK

Packet: dredger1;2015-07-20 04:54:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:54:55

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:55:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.157.137.244
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2	
Success	==> SEND OK

Packet: dredger1;2015-07-20 04:55:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:55:44

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:56:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.127.58
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 04:56:05;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:56:32

Database is empty

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 04:56:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 10.175.204.252
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 04:56:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 04:57:21

Database is empty
Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 04:57:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 04:59:16;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 05:00:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

```
s-----Live: 20/07/2015 05:00:51
```

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.158.138.9
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK
```

```
  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 05:01:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:02:08

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:02:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
```

```

2
3
Success ==> OK
at+cifsr Success ==> 10.82.26.125
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

```

2
Success ==> CONNECT OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:04:34

[illegible]

s-----Live: 20/07/2015 05:04:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success         ==> 10.156.156.231
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 05:04:55;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 20/07/2015 05:05:20

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:05:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.42.49.110
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 05:05:41;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:06:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:06:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.82.4.199
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 05:06:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:06:56


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
e-----Live: 20/07/2015 05:07:45
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 05:11:22;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```



```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.125.22.225
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK

```

```

  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 05:13:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:14:16

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 05:14:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 29,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2

```

2

```
Success ==> CONNECT OK
at+cipsend Success ==> >
```

Success ==> SEND OK

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:18:17

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:18:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.65.237
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 05:18:38;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 05:20:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

[illegible]


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
at+cipclose=1 Error          ==> ERROR
ate0        Success          ==> OK
at+cpin?    Success          ==> +CPIN: READY  OK
at+csq      Success          ==> +CSQ: 30,0  OK
at+creg?    Success          ==> +CREG: 1,1  OK
at+cgatt?   Success          ==> +CGATT: 1  OK
at+cipshut  Success          ==> SHUT  OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success     ==> OK
at+cifsr    Success          ==> 10.20.64.202
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

  2
Success     ==> CONNECT OK
at+cipsend  Success          ==> >

  2
Success     ==> SEND  OK
```

Packet: dredger1;2015-07-20 05:23:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:23:54

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:24:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
at+cipclose=1 Error          ==> ERROR
ate0        Success          ==> OK
at+cpin?    Success          ==> +CPIN: READY  OK
```


Packet: dredger1;2015-07-20 05:25:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:25:32

[illegible]

```
s-----Live: 20/07/2015 05:25:53
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

```

at+cifsr:
2
3
Success ==> OK
at+cifsr Success ==> 10.49.149.251

```

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 10.82.68.69
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```


Packet: dredger1;2015-07-20 05:29:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:29:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:29:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.45.228.196
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 05:29:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:31:10

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 05:31:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.61.133.61
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 05:31:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:31:57

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```



```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-20 05:35:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                          Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1    OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"              Success      ==> OK
at+ciicr
2

```

2

2

```

3
Success ==> OK
at+cifsr Success ==> 10.156.45.211
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

```

at                                     Success                               ==> CLOSED OK
at+cipclose=1                         Error                               ==> ERROR
ate0                                  Success                               ==> OK
at+cpin?                              Success                             ==> +CPIN: READY OK
at+csq                                Success                             ==> +CSQ: 30,0 OK
at+creg?                              Success                             ==> +CREG: 1,1 OK
at+cgatt?                             Success                             ==> +CGATT: 1 OK
at+cipshut                            Success                             ==> SHUT OK
at+cstt="internet"                   Success                             ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                              Success                             ==> 10.48.137.249
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
Success                               ==> CONNECT OK

```

```

Success      ==> CONNECT OK
at+cipsend   Success      ==> >
Error        ==> SEND FAIL

```

Packet: dredger1;2015-07-20 05:39:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x0 0x0

```
e-----Live: 20/07/2015 05:40:00
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 05:39:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x0;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 20/07/2015 05:40:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success      ==> 10.157.172.73
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 05:41:07;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:41:34

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:41:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.45.255.49
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
Success ==> CONNECT OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 05:41:55;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 05:45:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
 at+cipclose=1 Error ==> ERROR
 ate0 Success ==> OK
 at+cpin? Success ==> +CPIN: READY OK
 at+csq Success ==> +CSQ: 30,0 OK
 at+creg? Success ==> +CREG: 1,1 OK
 at+cgatt? Success ==> +CGATT: 1 OK
 at+cipshut Success ==> SHUT OK
 at+cstt="internet" Success ==> OK
 at+ciicr
 2
 3
 Success ==> OK
 at+cifsr Success ==> 10.82.135.58
 at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
 OK
 2
 Success ==> CONNECT OK
 at+cipsend Success ==> >
 2
 Success ==> SEND OK

Packet: dredger1;2015-07-20 05:45:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:45:39
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 05:46:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 05:47:39;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```

Packet: dredger1;2015-07-20 05:49:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

s-----Live: 20/07/2015 05:49:56

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```
at+cstt="internet"    Success          ==> OK
at+ciicr
    2
    3
Success              ==> OK
at+cifsr             Success          ==> 10.175.200.187
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

```
    2
    3
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
    2
Success              ==> SEND OK
```

Packet: dredger1;2015-07-20 05:49:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:50:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:50:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                    Success          ==> CLOSED OK
at+cipclose=1        Error            ==> ERROR
ate0                 Success          ==> OK
at+cpin?             Success          ==> +CPIN: READY OK
at+csq               Success          ==> +CSQ: 30,0 OK
at+creg?             Success          ==> +CREG: 1,1 OK
at+cgatt?            Success          ==> +CGATT: 1 OK
at+cipshut           Success          ==> SHUT OK
at+cstt="internet"   Success          ==> OK
at+ciicr
    2
```

2

3

2

```
LIVE : DATA SENDING SUCCESS . .
```

e-----Live: 20/07/2015 05:51:14

```
s-----Live: 20/07/2015 05:51:34
```

RETURNING DUMMY PACKET

2

3

2

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
Success          ==> SEND OK
```

Packet: dredger1;2015-07-20 05:53:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 05:54:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 05:54:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.192.169
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 05:54:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
e-----Live: 20/07/2015 05:55:17
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK  +PDP: DEACT
at+cipsend        Error           ==> ERROR

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 05:54:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
at+cipclose=1      Error      ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
ERROR

2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11

at+cipsend        Error           ==> ERROR

2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 05:54:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

s-----Live: 20/07/2015 05:56:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 30,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success           ==> 100.125.60.89
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success           ==> >

2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 05:56:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 20/07/2015 05:56:36
at+cipclose=1     Success           ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

2

3

4

5
```

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success         ==> SEND OK
```

Packet: dredger1;2015-07-20 05:54:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x4 0x0

s-----Live: 20/07/2015 05:57:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success      ==> 100.127.166.16
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 05:57:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 05:58:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xa 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 06:00:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET


```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.123.18.26
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 06:01:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:02:14

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:02:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
```

Packet: dredger1;2015-07-20 06:02:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 29,0   OK
at+creg?    Success      ==> +CREG: 1.1   OK
```

Packet: dredger1;2015-07-20 06:03:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:03:53

[illegible]

s-----Live: 20/07/2015 06:04:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 29,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2

```

```

at                                     Success          ==> CLOSED   OK
at+cipclose=1                         Error            ==> ERROR
ate0                                   Success          ==> OK
at+cpin?                              Success          ==> +CPIN: READY   OK
at+csq                                Success          ==> +CSQ: 30,0   OK
at+creg?                              Success          ==> +CREG: 1,1   OK
at+cgatt?                             Success          ==> +CGATT: 1   OK
at+cipshut                            Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK

```

```
Success          ==> OK
at+cifsr         Success          ==> 10.79.164.68
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
Success          ==> SEND OK
```

LIVE : DATA SENDING SUCCESS . .

e-----Live: 20/07/2015 06:08:40


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```
e-----Live: 20/07/2015 06:09:29
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

Packet: dredger1;2015-07-20 06:13:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```


Packet: dredger1;2015-07-20 06:14:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

s-----Live: 20/07/2015 06:15:30

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 28,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK

```



```

at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 100.121.34.9
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
OK

```

```

2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 06:15:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:15:58

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 06:16:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2

```

```

2
3
Success          ==> OK
at+cifsr         Success          ==> 10.49.11.37
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

Success² ==> CONNECT OK

Packet: dredger1;2015-07-20 06:18:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:19:12

[illegible]

```
s-----Live: 20/07/2015 06:19:33
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                                     Success      ==> CLOSED OK
at+ciptime=1                          Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                              Success        ==> +CPIN: READY OK
at+csq                                Success        ==> +CSQ: 30,0 OK
at+creg?                              Success        ==> +CREG: 1,1 OK
at+cgatt?                             Success        ==> +CGATT: 1 OK
at+cipshut                            Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success        ==> 10.42.52.61
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
Success                               ==> CONNECT OK
at+cipsend                            Success        ==> >
    2
Success                               ==> SEND OK
```

Packet: dredger1;2015-07-20 06:19:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:21:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:21:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY  OK
at+csq            Success           ==> +CSQ: 30,0  OK
at+creg?          Success           ==> +CREG: 1,1  OK
at+cgatt?         Success           ==> +CGATT: 1  OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success         ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success           ==> 100.123.179.208
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success           ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 06:21:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:22:26

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

3
Success ==> OK
at+cifsr Success ==> 10.156.0.116
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

Packet: dredger1;2015-07-20 06:25:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

s-----Live: 20/07/2015 06:26:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.79.5.206
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
```

```
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 06:26:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:26:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:26:53

ERROR: PLC DISCONNECTED !!

Packet: dredger1;2015-07-20 06:26:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:27:19

[illegible]

```
s-----Live: 20/07/2015 06:27:39
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at+cstt="internet"    Success          ==> OK
at+ciicr
    2
    3
Success              ==> OK
at+cifsr             Success          ==> 10.156.82.142
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

```

    2
Success              ==> CONNECT OK
at+cipsend           Success          ==> >

    2
Success              ==> SEND OK

```

Packet: dredger1;2015-07-20 06:28:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:28:57

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 06:29:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                  Success          ==> CLOSED OK
at+cipclose=1      Error            ==> ERROR
ate0               Success          ==> OK
at+cpin?           Success          ==> +CPIN: READY OK
at+csq             Success          ==> +CSQ: 30,0 OK
at+creg?           Success          ==> +CREG: 1,1 OK
at+cgatt?          Success          ==> +CGATT: 1 OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
    2
    3

```



```

at                                     Success      ==> CLOSED   OK
at+ciptime=1                          Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.49.58.138
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
    2
Success                               ==> CONNECT OK
at+cipsend                            Success       ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-20 06:30:03;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:30:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:30:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.42.107.26
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 06:30:50;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:32:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:32:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.82.103.146
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 06:32:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:32:54

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:33:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.175.138.198
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 06:33:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:33:44

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 06:34:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]


```
s-----Live: 20/07/2015 06:37:16
```

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 06:37:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

Packet: dredger1;2015-07-20 06:38:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:39:22

[illegible]

s-----Live: 20/07/2015 06:39:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 10.82.56.96
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>

```

2

Packet: dredger1;2015-07-20 06:41:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:41:46

[illegible]

s-----Live: 20/07/2015 06:42:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                       Success       ==> +CGATT: 1  OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr

```

```

3
Success ==> OK
at+cifsr Success ==> 100.125.98.194
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

```

2
3
Success ==> CONNECT OK

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 06:42:56;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:43:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:43:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.43.65.220
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
Success ==> CONNECT OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 06:43:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:46:41

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 06:47:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.45.1.233	
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
OK			
2			
Success	==> CONNECT OK		
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-20 06:47:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:47:28

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

Database is empty

s-----Live: 20/07/2015 06:50:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.50.74.193
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 06:50:14;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:50:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:51:04

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```



```
Success ==> OK
at+cifsr Success ==> 10.82.98.208
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
```

Success² ==> CONNECT OK

```
Success ==> CONNECT OK
at+cipsend Success ==> >
Success ==> SEND OK
```

Packet: dredger1;2015-07-20 06:56:42;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
Success          ==> OK
at+cifsr         Success          ==> 10.48.212.66
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

Success ==> SEND OK

Packet: dredger1;2015-07-20 06:57:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 06:58:00

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 06:58:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.45.141.171
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 06:58:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 20/07/2015 06:59:38

[illegible]

s-----Live: 20/07/2015 06:59:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

```

      2
      3
Success      ==> OK
at+cifsr      Success      ==> 10.44.29.178
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK

```

```

      2
Success ==> CONNECT OK
at+cipsend Success ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 06:59:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:00:26

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```
e-----Live: 20/07/2015 07:01:15
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

Packet: dredger1;2015-07-20 07:04:51;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

3

```
Success ==> OK
at+cifsr Success ==> 10.21.33.75
at+cipstart="TCP","52.74.77.168","5000" Other ==>
```

2

Success² ==> SEND OK

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

```
e-----Live: 20/07/2015 07:15:02
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0       Success      ==> OK
at+cpin?   Success      ==> +CPIN: READY OK
at+csq     Success      ==> +CSQ: 30,0  OK
```

Packet: dredger1;2015-07-20 07:20:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```

2
3
Success          ==> OK
at+cifsr         Success          ==> 10.20.109.202
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

```

2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 07:21:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:21:32

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 07:21:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error           ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

2

3

```
Success ==> OK
at+cifsr Success ==> 10.48.171.72
at+cipstart="TCP","52.74.77.168","5000" Other ==>
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 07:23:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:23:57

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:24:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.44.116.109
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
Success ==> CONNECT OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 07:24:18;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 07:25:06;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:25:34

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:25:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.83.212.94
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 07:25:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:27:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:27:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 30,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success           ==> 10.49.228.85
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success           ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 07:27:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:28:02

Database is empty
Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 07:28:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.132.202
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 07:28:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:28:51

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK

```

Packet: dredger1;2015-07-20 07:33:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK

```

```

at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 10.44.100.71
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
OK

```

```

2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 07:34:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:34:29

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 07:34:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```

2
3
Success ==> OK
at+cifsr Success ==> 100.122.61.212
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

2

Packet: dredger1;2015-07-20 07:36:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:36:55

[illegible]

s-----Live: 20/07/2015 07:37:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                          Success      ==> +CSQ: 30,0 OK
at+creg?                        Success      ==> +CREG: 1,1 OK
at+cgatt?                       Success      ==> +CGATT: 1 OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```

```

3
Success ==> OK
at+cifsr Success ==> 100.120.82.136
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 07:37:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

e-----Live: 20/07/2015 07:38:05

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x6 0x2

```
s-----Live: 20/07/2015 07:38:34
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                                     Success      ==> OK
at+ciptime=1                          Success      ==> CLOSE OK
ate0                                  Success      ==> OK
at+cpin?                              Success      ==> +CPIN: READY OK
at+csq                                Success      ==> +CSQ: 30,0 OK
at+creg?                              Success      ==> +CREG: 1,1 OK
at+cgatt?                             Success      ==> +CGATT: 1 OK
at+cipshut                            Success      ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
        3
Success                               ==> OK
at+cifsr                             Success      ==> 10.45.24.119
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
Success                               ==> CONNECT OK
at+cipsend                            Success      ==> >
    2
Success                               ==> SEND OK
```

Packet: dredger1;2015-07-20 07:38:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xa 0x0 0x0

e-----Live: 20/07/2015 07:39:00

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success          ==> CLOSED OK
at+cipclose=1                         Error             ==> ERROR
ate0                                  Success           ==> OK
at+cpin?                             Success           ==> +CPIN: READY OK
at+csq                               Success           ==> +CSQ: 30,0 OK
at+creg?                             Success           ==> +CREG: 1,1 OK
at+cgatt?                            Success           ==> +CGATT: 1 OK
at+cipshut                           Success           ==> SHUT OK
at+cstt="internet"                   Success           ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success           ==> 10.156.180.94
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
    2
Success                               ==> CONNECT OK
at+cipsend                           Success           ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 07:41:47;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:42:15

[illegible]

```
s-----Live: 20/07/2015 07:42:36
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

Packet: dredger1;2015-07-20 07:43:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:43:52

[illegible]

```
s-----Live: 20/07/2015 07:44:13
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```

2
Success          ==> OK
at+cifsr         Success          ==> 100.120.3.201
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

2

3

```

4
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 07:44:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:44:42

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 07:45:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success          ==> CLOSED OK
at+cipclose=1    Error            ==> ERROR
ate0             Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 30,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr

```

2

3


```
Success ==> OK
at+cifsr Success ==> 100.121.122.143
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
```

```
Success ==> CONNECT OK
at+cipsend Success ==> >
```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 07:48:18;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:48:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:49:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 100.122.133.184
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 07:49:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:49:36

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:49:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.57.254
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 07:49:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:50:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 07:50:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 10.51.29.66
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 07:50:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:51:13

Database is empty
Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 07:51:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.22.174
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 07:51:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 07:52:02

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.124.83.240
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 07:55:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
e-----Live: 20/07/2015 07:56:08
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
2
3
4
5
6
7
8
9
10
11
```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 07:57:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.82.187.186
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK

```

```

  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 08:01:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:01:50

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 08:02:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2

```

```

at+cifsr,2
3
Success ==> OK
at+cifsr Success ==> 10.50.218.70

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 100.122.233.62
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

3

Success² ==> SEND OK

Packet: dredger1;2015-07-20 08:06:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

e-----Live: 20/07/2015 08:07:29

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 08:07:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.45.26.47	
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
OK			
2			
3			
Success	==> CONNECT OK		
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-20 08:07:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:08:18

Database is empty
 Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 08:08:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.175.239.11
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 08:08:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:09:07

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 08:11:52;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET


```
at          Success          ==> CLOSED  OK
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

Packet: dredger1;2015-07-20 08:14:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:14:47

[illegible]

s-----Live: 20/07/2015 08:15:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2

```

3

2

3

```
LIVE : DATA SENDING SUCCESS . .
```

e-----Live: 20/07/2015 08:15:36

```
s-----Live: 20/07/2015 08:15:57
```

RETURNING DUMMY PACKET

2

3

```
Success ==> OK
at+cifsr Success ==> 10.175.210.239
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
```

2

Packet: dredger1;2015-07-20 08:16:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:17:15

[illegible]

s-----Live: 20/07/2015 08:17:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.127.18.227
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-20 08:18:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:20:25

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 08:20:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.44.61.172
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 08:20:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:21:12

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

[illegible]

```
s-----Live: 20/07/2015 08:24:48
```

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 08:24:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

```
s-----Live: 20/07/2015 08:25:37
```

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 08:25:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```



```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK

```

Packet: dredger1;2015-07-20 08:27:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                          Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1   OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK

```

Success³ ==> OK

```

at                                     Success                               ==> CLOSED OK
at+cipclose=1                         Error                               ==> ERROR
ate0                                  Success                               ==> OK
at+cpin?                             Success                               ==> +CPIN: READY OK
at+csq                               Success                               ==> +CSQ: 30,0 OK
at+creg?                             Success                               ==> +CREG: 1,1 OK
at+cgatt?                            Success                               ==> +CGATT: 1 OK
at+cipshut                           Success                               ==> SHUT OK
at+cstt="internet"                   Success                               ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success                               ==> 100.126.110.175
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

2

Packet: dredger1;2015-07-20 08:30:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:31:00

[illegible]

s-----Live: 20/07/2015 08:31:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                       Success       ==> +CGATT: 1  OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```

```

3
Success ==> OK
at+cifsr Success ==> 10.21.236.28
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

```

3
Success ==> CONNECT OK
at+cipsend Success ==> >

```

2
Success ==> SEND OK

Packet: dredger1;2015-07-20 08:31:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:31:49

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 08:32:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3
Success ==> OK
at+cifsr Success ==> 100.124.181.155
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

2

3
Success ==> CONNECT OK
at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-20 08:32:58;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:33:27

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 08:33:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 10.82.248.241
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

Success	==> CONNECT OK
at+cipsend	Success ==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 08:33:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 08:35:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.49.29.165
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2	
Success	==> SEND OK

Packet: dredger1;2015-07-20 08:35:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:35:52

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

[illegible]

Database is empty

s-----Live: 20/07/2015 08:38:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.21.224.189
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 08:38:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:39:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 08:39:30

Packet: dredger1;2015-07-20 08:40:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:40:47

[illegible]

```
s-----Live: 20/07/2015 08:41:08
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

[illegible]

2

Packet: dredger1;2015-07-20 08:43:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:43:58

[illegible]

s-----Live: 20/07/2015 08:44:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr

```

```

3
Success ==> OK
at+cifsr Success ==> 10.79.95.59
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

```

3
Success ==> CONNECT OK
at+cipsend Success ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-20 08:45:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:46:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 08:46:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 27,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.158.124.215
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 08:46:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 08:48:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 27,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.120.75.94
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-20 08:48:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:48:48
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

```
s-----Live: 20/07/2015 08:52:24
```



```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```



```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 29,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
```

Packet: dredger1;2015-07-20 08:54:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:55:19

[illegible]

s-----Live: 20/07/2015 08:55:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                          Success      ==> +CSQ: 29,0  OK
at+creg?                        Success      ==> +CREG: 1,1  OK
at+cgatt?                       Success      ==> +CGATT: 1   OK
at+cipshut                     Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

2

Packet: dredger1;2015-07-20 08:56:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:56:55

[illegible]

s-----Live: 20/07/2015 08:57:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                          Success      ==> +CSQ: 29,0 OK
at+creg?                        Success      ==> +CREG: 1,1 OK
at+cgatt?                       Success      ==> +CGATT: 1 OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```

```

3
Success ==> OK
at+cifsr Success ==> 100.123.177.83
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK

```

```

2
3
Success ==> CONNECT OK

```

Success² ==> SEND OK

Packet: dredger1;2015-07-20 08:58:54;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 08:59:22

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 08:59:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.47.110
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 08:59:42;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 09:02:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 100.121.237.211
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 09:02:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:02:38

Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 09:03:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 09:04:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

s-----Live: 20/07/2015 09:05:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.82.97.25
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
```

```
2
3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 09:05:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:05:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:06:12

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 29,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 100.124.216.223
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-20 09:06:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 29,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1    OK
```



```

at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
  2
  3
Success             ==> OK
at+cifsr            Success          ==> 100.123.75.175
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

```

  2
  3
Success             ==> CONNECT OK
at+cipsend          Success          ==> >
Success             ==> SEND OK

```

Packet: dredger1;2015-07-20 09:07:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:08:15

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 09:08:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                  Success          ==> CLOSED OK
at+cipclose=1      Error            ==> ERROR
ate0               Success          ==> OK
at+cpin?           Success          ==> +CPIN: READY OK
at+csq             Success          ==> +CSQ: 29,0 OK
at+creg?           Success          ==> +CREG: 1,1 OK
at+cgatt?          Success          ==> +CGATT: 1 OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2

```

2

```
Success ==> CONNECT OK
at+cipsend Success ==> >
```

Success ==> SEND OK

Packet: dredger1;2015-07-20 09:11:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

2

2

2

Packet: dredger1;2015-07-20 09:12:38;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:13:07

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:13:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 29,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.157.63.7	
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
OK			
2			
3			
Success	==> CONNECT	OK	
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-20 09:13:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:15:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 29,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.51.222.74
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
3
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 09:15:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:16:25

Database is empty
Database is empty
Database is empty

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:16:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.75.169
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 09:16:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:17:15

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-20 09:18:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Database is empty

s-----Live: 20/07/2015 09:19:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.157.139.133
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-20 09:19:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:19:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:19:58

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-20 09:19:58;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```



```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 29,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK

```

Packet: dredger1;2015-07-20 09:22:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

s-----Live: 20/07/2015 09:23:15

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 29,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at+ciicr
2
3
Success          ==> OK
at+cifsr          Success          ==> 10.60.148.254
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
OK

```

```

2
3
Success          ==> CONNECT OK
at+cipsend        Success          ==> >
2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-20 09:23:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:23:44

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 20/07/2015 09:24:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

```

```

2
3
Success          ==> OK
at+cifsr         Success          ==> 10.49.102.96
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```


at+cipsend Success ==> >

2

3

Success ==> SEND OK

Packet: dredger1;2015-07-20 09:25:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:26:12

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 20/07/2015 09:26:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK

at+cipclose=1 Error ==> ERROR

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 29,0 OK

at+creg? Success ==> +CREG: 1,1 OK

at+cgatt? Success ==> +CGATT: 1 OK

at+cipshut Success ==> SHUT OK

at+cstt="internet" Success ==> OK

at+ciicr

2

3

Success ==> OK

at+cifsr Success ==> 10.156.255.83

at+cipstart="TCP", "52.74.77.168", "5000" Other ==>

OK

2

3

Success ==> CONNECT OK

at+cipsend Success ==> >

5

```
Success          ==> CONNECT OK
at+cipsend       Success
```

4

Success ==> SEND OK

Packet: dredger1;2015-07-20 09:27:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:28:02

[illegible]

s-----Live: 20/07/2015 09:28:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 28,0    OK
at+creg?          Success      ==> +CREG: 1,1    OK
at+cgatt?         Success      ==> +CGATT: 1     OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.51.117.237
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```


3

Packet: dredger1;2015-07-20 09:28:23;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

2

Packet: dredger1;2015-07-20 09:29:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:30:26

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:30:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.161.146
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 09:30:47;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 09:33:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 100.122.92.56
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK
at+cipsend	Success ==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 09:33:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:33:43
 Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

```
e-----Live: 20/07/2015 09:34:32
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK

```

Packet: dredger1;2015-07-20 09:38:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 29,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1    OK
```

Packet: dredger1;2015-07-20 09:39:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:40:13

[illegible]

```
s-----Live: 20/07/2015 09:40:34
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 29,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```

2
3
Success          ==> OK
at+cifsr         Success          ==> 10.45.206.55
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success          ==> CONNECT OK

```

at+cipsend Success ==> >

2

3

Success ==> SEND OK

Packet: dredger1;2015-07-20 09:41:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:41:46

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 20/07/2015 09:42:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK

at+cipclose=1 Error ==> ERROR

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 29,0 OK

at+creg? Success ==> +CREG: 1,1 OK

at+cgatt? Success ==> +CGATT: 1 OK

at+cipshut Success ==> SHUT OK

at+cstt="internet" Success ==> OK

at+ciicr

2

3

4

5

6

Success ==> OK

at+cifsr Success ==> 10.45.100.227

at+cipstart="TCP", "52.74.77.168", "5000" Other ==>

OK

2

Success ==> SEND OK

Packet: dredger1;2015-07-20 09:43:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:44:21

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:44:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 27,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.51.126.88
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
3
Success ==> CONNECT OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-20 09:45:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:46:00

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:46:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 10.60.189.193
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-20 09:46:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:46:49

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 20/07/2015 09:47:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.202.86
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 09:47:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:48:28

[illegible]

s-----Live: 20/07/2015 09:48:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 29,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 10.61.179.169
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK

```

```

2
3
Success ==> CONNECT OK
at+cipsend Success ==> >

2
Success ==> SEND OK

```

Packet: dredger1;2015-07-20 09:48:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:49:18

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 20/07/2015 09:49:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 29,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.72.97
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2		
3		
Success	==> CONNECT OK	
at+cipsend	Success	==> >
2		
3		
Success	==> SEND OK	

Packet: dredger1;2015-07-20 09:49:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 20/07/2015 09:50:09

Database is empty
 Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 20/07/2015 09:50:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
 at+cipclose=1 Error ==> ERROR
 ate0 Success ==> OK
 at+cpin? Success ==> +CPIN: READY OK
 at+csq Success ==> +CSQ: 29,0 OK
 at+creg? Success ==> +CREG: 1,1 OK
 at+cgatt? Success ==> +CGATT: 1 OK
 at+cipshut Success ==> SHUT OK
 at+cstt="internet" Success ==> OK
 at+ciicr
 2
 Success ==> OK
 at+cifsr Success ==> 10.43.109.78
 at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
 OK
 at+cipsend Success ==> >
 2
 3
 4
 Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 20/07/2015 09:50:57
 at+cipclose=1 Success ==> CLOSE OK
 at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
 OK
 Success ==> CONNECT OK
 at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:51:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.42.148.77
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:51:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 09:51:59
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:52:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.45.96.25
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:52:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 09:53:01

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:53:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.50.100.181
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:53:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 09:54:04
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
2
3
4
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:54:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.120.108.173
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:54:46;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 09:55:12
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:55:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.82.19.219
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:55:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 09:56:16
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:56:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.44.55.235
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:56:51;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 09:57:19

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:57:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.48.19.138
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:57:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 09:58:23
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 09:58:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.127.50.127
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:58:59;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 09:59:27

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:00:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.156.247.152
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:00:03;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:00:31
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:01:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.45.184.130
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:01:07;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:01:35

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:02:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.44.244.102
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:02:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:02:38
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:03:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.124.178.112
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:03:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:03:40

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:04:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.157.59.123
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:04:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 10:04:44
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:05:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.126.9.149
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:05:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:05:48

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:06:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.43.254.68
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:06:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:06:51
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:07:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.125.150.104
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:07:27;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:07:55

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:08:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.48.73.20
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:08:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:08:59
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:09:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.175.26.64
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:09:35;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:10:03

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:10:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.123.253.253
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:10:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:11:07
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:11:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.60.54.40
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:11:43;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:12:11

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```


Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:12:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.48.149.172
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:12:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:13:15
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:13:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.79.127.198
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:13:51;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:14:20

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:14:56

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.175.73.57
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:14:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:15:24

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2

3

4

5

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:16:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.157.33.185
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:16:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:16:34
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:17:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
```

```
at+cifsr          Success          ==> 10.21.95.207
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:17:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:17:37
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:18:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.126.137.44
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:18:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:18:42
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:19:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 29,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

Success ==> OK

```
at+cifsr          Success          ==> 10.21.151.76
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:19:18;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:19:46
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:20:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.50.166.132
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:20:22;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:20:49

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:21:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK  +PDP: DEACT
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.126.217.56
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:21:46;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:22:14
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:22:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.49.19.177
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:22:50;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:23:17
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:23:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```



```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.60.139.2
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:23:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 10:24:22
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:24:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.61.224.79
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:24:58;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:25:26
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:26:02
ERROR: PLC DISCONNECTED !!
```

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.83.166.68
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:26:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:26:30
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:27:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.123.76.15
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:27:06;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:27:34
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK

2
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:28:13
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.45.121.226
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 10:28:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 10:28:41
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:29:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.44.56.60
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:29:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:29:45
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:30:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.123.91.121
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:30:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:30:50
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:31:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.83.130.62
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:31:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:31:52
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:32:28
ERROR: PLC DISCONNECTED !!
```

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.83.123.45
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:32:28;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 10:32:55
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:33:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 27,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.125.6.21
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:33:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:34:00
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:34:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 27,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.120.248.146
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:34:37;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:35:05
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0


```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:35:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.120.44.239
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:35:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:36:10
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 10:36:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                               Success      ==> OK
at+cipclose=1                   Success      ==> CLOSE OK
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                           Success      ==> +CSQ: 29,0 OK
at+creg?                        Success      ==> +CREG: 1,1 OK
at+cgatt?                       Success      ==> +CGATT: 1 OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"              Success      ==> OK
at+ciicr
2
Success                          ==> OK
at+cifsr                        Success      ==> 100.124.211.230
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                      Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:36:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:37:12
at+cipclose=1                   Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success                          ==> CONNECT OK
at+cipsend                      Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:37:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.44.20.129
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:37:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:38:16

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:38:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.158.61.177
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:38:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:39:19
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:39:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

3

Success          ==> OK
at+cifsr          Success          ==> 10.83.97.217
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:39:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:40:23
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK

2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11

at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```


Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:41:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK  +PDP: DEACT
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.43.154.206
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:41:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:41:47

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:42:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.127.177.32
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:42:23;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:42:50

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:43:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.122.76.114
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:43:27;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:43:54

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:44:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.124.27.53
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:44:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 10:44:57
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:45:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.79.195.94
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:45:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 10:46:02

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:46:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.60.248.110
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

```


3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:46:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 10:47:07

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:47:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.20.85.230
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:47:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:48:12

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:48:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.50.120.63
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:48:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:49:16

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:49:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.83.180.86
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:49:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:50:23

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:50:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.157.49.116
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:50:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:51:29

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:52:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.124.186.12
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:52:06;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:52:35

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```


4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:53:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.127.93.78
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:53:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:53:39
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:54:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.125.96.35
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:54:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:54:44

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:55:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.61.167.1
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:55:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 10:55:48
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:56:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.122.19.144
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:56:24;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:56:52

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:57:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.156.210.33
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 10:57:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:57:57

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:58:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.79.70.77
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:58:32;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 10:59:00

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 10:59:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.175.253.148
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 10:59:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:00:05
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:00:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.45.193.128
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:00:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:01:10

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:01:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.60.194.187
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:01:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:02:13
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:02:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.157.205.175
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:02:50;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:03:18

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:03:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.158.193.168
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:03:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:04:23

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:04:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.21.94.37
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:04:59;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:05:27

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:06:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.48.103.247
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:06:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:06:30

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:07:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.42.242.177
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:07:06;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:07:35

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:08:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.120.213.157
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:08:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:08:37
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:09:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.156.218.56
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:09:14;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:09:42

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```


Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:10:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.49.180.144
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK

2
3
4
Success           ==> CONNECT OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:10:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:10:52
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:11:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.156.82.54
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:11:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:11:56

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:12:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.83.22.161
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:12:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:13:01
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:13:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.156.136.62
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:13:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:14:04

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:14:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 28,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success ==> OK
at+cifsr Success ==> 10.83.72.188
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:14:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:15:10

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2

3

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:15:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK


```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.122.164.21
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:15:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:16:01
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:16:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.156.84.223
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:16:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:17:04

at+cipclose=1 Success ==> CLOSE OK

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK

2
3
4
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:17:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
```

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
Success       ==> OK
at+cifsr      Success      ==> 100.124.117.189
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
3
4
5
Success       ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:17:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:18:21
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success       ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:18:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0     Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut     Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

2
3
4
5
Success      ==> OK
at+cifsr      Success      ==> 100.126.63.42
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend     Success      ==> >

2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 11:18:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:19:30
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:20:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.44.102.49
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:20:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:20:37

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
```

2

```
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:20:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.122.154.231
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
```

2

3

4

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:20:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:21:31

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
```


2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:22:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 28,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success ==> OK
at+cifsr Success ==> 10.82.246.135
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:22:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:22:36

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP", "52.74.77.168", "5000" Success ==>

OK

2

3

4

5

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:23:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK

at+cipclose=1 Success ==> CLOSE OK

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 28,0 OK

```
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 100.125.173.152
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:23:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:23:30
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:24:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 28,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.45.254.197	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:24:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:24:37
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
2
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 11:25:16
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at      Success      ==> OK
```

```

at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 28,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success      ==> 10.157.209.146
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 11:25:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 11:25:43
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
2
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:26:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 10.42.175.192
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:26:03;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:26:30
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
```

2

3

4

```
Success      ==> CONNECT OK
at+cipsend    Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:27:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0     Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"      Success      ==> OK
at+ciicr
2
Success      ==> OK
at+cifsr      Success      ==> 10.48.98.71
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend    Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:27:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:27:39
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:28:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.125.248.237
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:28:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:28:45

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:29:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.21.133.204
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:29:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:29:53
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:30:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.123.101.55
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:30:29;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:30:56

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:31:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.158.196.44
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:31:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:32:02
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:32:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.21.142.209
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:32:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:33:06

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK

2

3
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:33:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.175.188.238
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:33:28;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:33:56

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:34:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr          Success      ==> 10.50.242.244
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:34:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:35:00

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2

3

4

5

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:35:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 100.123.65.174
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:35:45;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:36:12

at+cipclose=1	Success	==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>
OK		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:36:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.122.14.101
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:36:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:37:15
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:37:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.60.65.155
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:37:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:38:21
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:38:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.44.135.190
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```



```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:38:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:39:24
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:40:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success          ==> 100.120.224.124
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:40:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 11:40:29

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
```

2

```
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:40:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.20.120.59
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:40:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:41:18

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:41:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?         Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 28,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 10.50.20.225
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:41:55;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:42:24
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:43:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.79.64.73
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:43:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:43:28

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:44:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
2
3
Success          ==> OK
at+cifsr          Success          ==> 10.43.234.14
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:44:05;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:44:33
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
2
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
2
```


3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:45:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.158.152.181
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:45:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:45:40

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:46:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.157.151.183
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:46:17;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:46:45
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:47:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 26,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.45.224.207
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:47:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:47:50

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:48:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.49.177.89
at+cipstart="TCP", "52.74.77.168", "5000"  Other      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:48:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:48:56
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==>
OK
  2
Success          ==> CONNECT OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:49:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                  Success          ==> OK
at+cipclose=1      Success          ==> CLOSE OK
ate0               Success          ==> OK
at+cpin?           Success          ==> +CPIN: READY OK
at+csq             Success          ==> +CSQ: 29,0 OK
at+creg?           Success          ==> +CREG: 1,1 OK
at+cgatt?          Success          ==> +CGATT: 1 OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success          ==> 10.21.110.182
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend         Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:49:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:50:03
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:50:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
```



```
at+csq          Success      ==> +CSQ: 29,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1  OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr         Success      ==> 10.51.216.39
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:50:40;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:51:07
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:51:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 29,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 10.82.165.35	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:51:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:52:11

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:52:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success      ==> 10.82.84.221
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:52:48;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:53:14
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:53:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.21.41.33
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:53:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:54:18

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:54:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                  Success          ==> OK
at+cipclose=1      Success          ==> CLOSE OK
ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 29,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
```

```
Success          ==> OK
at+cifsr         Success          ==> 10.45.86.38
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:54:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:55:22
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:55:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 29,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.122.23.200
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:55:58;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 11:56:27

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:57:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.42.18.168
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:57:04;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:57:33
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:58:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.50.214.75
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 11:58:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 11:58:37
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 11:59:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

Success ==> OK

```
at+cifsr          Success          ==> 10.175.46.141
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 11:59:14;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 11:59:43
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:00:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.42.64.113
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:00:19;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:00:48
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:01:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 26,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

Success ==> OK

```
at+cifsr          Success          ==> 10.20.89.23
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:01:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:01:53
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:02:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.21.200.1
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:02:30;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:02:58
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:03:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.42.151.141
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
```

```
OK
at+cipsend          Success          ==> >

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:03:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:04:02
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:04:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success          ==> 100.125.125.58
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
    2
    3
    4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 12:04:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:05:07

```

at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
    2
    3

```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:05:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.61.204.184
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
```

```
OK
at+cipsend          Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:05:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:06:13
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend          Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend          Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:06:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.50.248.173
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:06:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:07:16

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:07:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.127.94.61
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:07:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:08:22
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:08:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.60.122.197
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:08:59;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:09:27

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:10:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.121.17.34
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:10:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 12:10:32

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

2

3

4

5

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:10:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK

at+cipclose=1 Success ==> CLOSE OK

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

```
at+csq           Success      ==> +CSQ: 26,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.127.153.29
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:10:58;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:11:26
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
```

```
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:12:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 28,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
Success         ==> OK
at+cifsr        Success      ==> 10.60.81.135
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:12:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:12:32
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:13:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at
at+cipclose=1      Success      ==> OK
ate0
at+cpin?           Success      ==> +CPIN: READY OK
```

```
at+csq          Success          ==> +CSQ: 28,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr        Success          ==> 10.158.87.121
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:13:09;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:13:38
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
```



```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:14:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 28,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success         ==> OK
at+cifsr        Success          ==> 10.49.223.180
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
Success         ==> CONNECT OK
at+cipsend      Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:14:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:14:44
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:15:22
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at
at+cipclose=1      Success      ==> OK
                  Success      ==> CLOSE OK
```

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 26,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
  2
Success       ==> OK
at+cifsr      Success      ==> 10.50.214.68
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success       ==> CONNECT OK
at+cipsend    Success      ==> >

  2

  3

  4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:15:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:15:49
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

  2
Success       ==> CONNECT OK
at+cipsend    Success      ==> >

  2

  3

  4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:16:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.158.245.87
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 12:16:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 12:16:38
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:17:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 100.127.144.164
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 12:17:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:17:45
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
2
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:18:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.122.240.228
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:18:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:18:51

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:19:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success            ==> OK
at+cifsr           Success      ==> 10.49.158.36
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK

2

3

4

5

6

Success            ==> CONNECT OK
at+cipsend         Success      ==> >

```


2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:19:29;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 12:20:07

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:20:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.43.7.32
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:20:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:21:12

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:21:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.49.144.108
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:21:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:22:16
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:22:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.45.177.121
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:22:55;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 12:23:22

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:23:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.42.83.246
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:23:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:24:09

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:24:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.20.103.197
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:24:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:24:57

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:25:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```



```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
Success          ==> OK
at+cifsr         Success      ==> 10.82.110.252
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:25:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:26:01
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:26:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	OK
at+cipclose=1	Success	==>	CLOSE OK
ate0	Success	==>	OK
at+cpin?	Success	==>	+CPIN: READY OK
at+csq	Success	==>	+CSQ: 28,0 OK
at+creg?	Success	==>	+CREG: 1,1 OK
at+cgatt?	Success	==>	+CGATT: 1 OK
at+cipshut	Success	==>	SHUT OK
at+cstt="internet"	Success	==>	OK
at+ciicr			
2			
Success	==>		OK
at+cifsr	Success	==>	100.122.66.151
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	OK CONNECT
OK			
at+cipsend	Success	==>	>

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:26:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:27:08

at+cipclose=1	Success	==>	CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

    2
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:27:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.122.192.142
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:27:47;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:28:16
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
  2
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:28:36
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.60.100.16
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:28:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:29:05
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:29:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.127.14.82
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:29:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:30:10
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:30:48
ERROR: PLC DISCONNECTED !!
```

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.60.52.229
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:30:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:31:17
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:31:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.48.214.27
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:31:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:32:21
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:32:59

      ERROR: PLC DISCONNECTED !!

      RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.156.208.193
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:32:59;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:33:26
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:34:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.79.165.220
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:34:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:34:31
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
2
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:35:10
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.120.20.58
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:35:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:35:37
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:35:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.122.9.92
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:35:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:36:26

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:37:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.50.152.24
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```


Packet: dredger1;2015-07-20 12:37:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:37:32
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:38:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.79.42.50
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:38:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:38:37

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:39:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.50.8.49
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:39:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:39:44
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:40:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.50.249.149
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:40:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:40:50

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:41:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.43.89.45
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:41:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:41:55
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:42:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.51.28.159
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:42:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:43:00

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:43:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.124.86.188
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:43:38;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:44:04
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:44:42
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.83.167.22
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 12:44:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 12:45:10
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:45:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.49.75.248
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK

2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:45:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 12:46:17
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:46:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.126.248.37
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:46:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:47:23

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:48:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.60.176.161
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:48:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:48:28
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:49:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.43.118.159
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:49:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:49:34

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
  2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:49:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.83.124.177
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:49:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:50:23

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:51:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.51.26.232
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:51:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:51:29

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:52:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.51.65.252
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:52:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:52:34

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:53:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.44.135.42
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:53:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 12:53:41

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==>

OK

Success ==> CONNECT OK

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:54:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.60.92.195
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:54:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:54:47

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
2
3
4
5
```



```
6
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:55:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 28,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success         ==> OK
at+cifsr        Success          ==> 10.43.93.250
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend      Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 12:55:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 12:55:44
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:56:22
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK

```

ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 28,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success             ==> OK
at+cifsr            Success          ==> 10.175.112.145
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 12:56:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 12:56:50
at+cipclose=1       Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success             ==> CONNECT OK
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

at+cipclose=1       Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>

```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:57:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

3

Success          ==> OK
at+cifsr         Success          ==> 100.127.98.109
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:57:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:57:56
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 12:58:34
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at
at+cipclose=1      Success      ==> OK
                  Success      ==> CLOSE OK
```

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
3
Success      ==> OK
at+cifsr      Success      ==> 100.120.245.246
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:58:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 12:59:02
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 12:59:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

3

Success          ==> OK
at+cifsr         Success          ==> 100.120.217.199
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
```

```
2

3

4

5

6

Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 12:59:40;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:00:19
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:00:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success      ==> OK
at+cifsr     Success      ==> 10.61.216.243
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend   Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:00:57;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:01:25

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:02:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 10.20.24.139
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:02:03;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:02:32
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:03:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.45.152.119
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:03:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 13:03:38

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:04:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> +PDP: DEACT OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK

```
at+csq          Success          ==> +CSQ: 28,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr        Success          ==> 100.124.193.94
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend      Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:04:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:05:05
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend      Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
```

```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:05:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                  Success          ==> OK
at+cipclose=1      Success          ==> CLOSE OK
ate0               Success          ==> OK
at+cpin?           Success          ==> +CPIN: READY OK
at+csq             Success          ==> +CSQ: 28,0 OK
at+creg?           Success          ==> +CREG: 1,1 OK
at+cgatt?          Success          ==> +CGATT: 1 OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success            ==> OK
at+cifsr           Success          ==> 10.157.201.117
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:05:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:06:10
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:06:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 28,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

Success ==> OK
at+cifsr Success ==> 100.122.255.18
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:06:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:06:57
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:07:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 100.120.184.122
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:07:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:08:03
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:08:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.125.23.14
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:08:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:09:08
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:09:46
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at      Success      ==> OK
```

```
at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 28,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 10.82.102.66
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:09:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:10:14
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
```

```
at+cipstart="TCP","52.74.77.168","5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:10:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0      Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2

3

Success      ==> OK
at+cifsr      Success      ==> 10.83.95.202
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK CONNECT
OK
at+cipsend      Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:10:52;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:11:20

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:11:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 28,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2
Success ==> OK
at+cifsr Success ==> 10.45.164.173
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:11:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:12:08
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:12:47
```


ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 10.21.173.212
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:12:47;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:13:14
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:13:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.157.227.153
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:13:52;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:14:20
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:14:59
ERROR: PLC DISCONNECTED !!
```

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 10.42.214.225
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:14:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:15:26
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:16:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.43.86.65
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:16:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:16:31
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:17:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.21.118.52
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:17:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:17:37
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success      ==> CLOSE OK
```

```
at+cipstart="TCP","52.74.77.168","5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:18:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0    Success      ==> OK
at+cpin? Success      ==> +CPIN: READY OK
at+csq   Success      ==> +CSQ: 28,0 OK
at+creg? Success      ==> +CREG: 1,1 OK
at+cgatt? Success      ==> +CGATT: 1 OK
at+cipshut Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

2

3

Success      ==> OK
at+cifsr     Success      ==> 10.82.179.77
at+cipstart="TCP","52.74.77.168","5000" Other      ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:18:15;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 13:18:44

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:19:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.120.90.72
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:19:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:19:50
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:20:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.82.81.170
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:20:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 13:20:56
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >
2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >
2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:21:34
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

at Success ==> OK

```
at+cipclose=1      Success      ==> CLOSE OK
ate0               Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY OK
at+csq             Success      ==> +CSQ: 28,0 OK
at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success            ==> OK
at+cifsr           Success      ==> 10.158.144.78
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend         Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:21:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:22:02
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
```

```
at+cipstart="TCP","52.74.77.168","5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:22:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1 Success  ==> CLOSE OK
ate0    Success      ==> OK
at+cpin? Success      ==> +CPIN: READY OK
at+csq   Success      ==> +CSQ: 28,0 OK
at+creg? Success      ==> +CREG: 1,1 OK
at+cgatt? Success      ==> +CGATT: 1 OK
at+cipshut Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success      ==> OK
at+cifsr      Success  ==> 10.61.170.167
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend   Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:22:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:23:07
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:23:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
```

```
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.48.194.113
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:23:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:24:14
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
  2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:24:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.20.19.49
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:24:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:25:03
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:25:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.44.223.127
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:25:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:26:09
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:26:47
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
  4
  5
Success           ==> OK
at+cifsr          Success          ==> 100.127.52.170
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 13:26:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 13:27:19
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
  2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:27:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.156.166.40
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:27:40;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:28:08

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
  2
  3
  4
```

5

6

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:28:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 28,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
4
5
6
Success ==> OK
at+cifsr Success ==> 10.21.239.197
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:28:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:29:12
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:29:50
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.43.18.95
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:29:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:30:18
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:30:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

3

Success           ==> OK
at+cifsr          Success      ==> 100.120.226.220
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:30:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:31:23
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:32:02
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.123.145.75
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:32:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:32:29
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:33:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cipin?         Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 10.158.101.186
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:33:06;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:33:33
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:34:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.175.155.79
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:34:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:34:39
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:35:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.226.248
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:35:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:35:47
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 13:36:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET
```

```
at
at+cipclose=1      Success      ==> OK
ate0               Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> +CPIN: READY OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> +CSQ: 28,0 OK
```



```
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 10.175.102.1
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:36:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:36:52
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:37:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.45.102.142
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:37:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:37:58

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:38:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.83.7.141
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:38:36;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:39:05
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:39:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	OK
at+cipclose=1	Success	==>	CLOSE OK
ate0	Success	==>	OK
at+cpin?	Success	==>	+CPIN: READY OK
at+csq	Success	==>	+CSQ: 28,0 OK
at+creg?	Success	==>	+CREG: 1,1 OK
at+cgatt?	Success	==>	+CGATT: 1 OK
at+cipshut	Success	==>	SHUT OK
at+cstt="internet"	Success	==>	OK
at+ciicr			
2			
3			
Success	==>	OK	
at+cifsr	Success	==>	10.49.158.235
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	OK CONNECT
OK			
at+cipsend	Success	==>	>

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:39:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:40:11

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:40:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.44.58.203
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:40:49;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:41:17
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:41:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 27,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.21.243.170
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:41:55;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:42:23


```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:43:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 25,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
Success        ==> OK
at+cifsr      Success      ==> 10.51.149.188
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend     Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:43:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:43:27
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend     Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend     Success      ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:44:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 24,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 100.121.74.166
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:44:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:44:34

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:45:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 24,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
```

```
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 10.45.103.122
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:45:12;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:45:40
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:46:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 24,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.61.86.234	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:46:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:46:47

at+cipclose=1	Success	==> CLOSE OK	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:47:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 24,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success          ==> 10.175.54.8
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:47:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:47:54
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
  2
Other            ==> +CREG: 1
```


Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : returned "Other" status!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:48:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.79.248.189
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-20 13:48:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```

e-----Live: 20/07/2015 13:48:51
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2

```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:49:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 27,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success          ==> OK
at+cifsr         Success      ==> 10.60.60.250
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:49:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:49:57
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:50:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
Success           ==> OK
at+cifsr          Success      ==> 10.42.182.234
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 13:50:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:51:03

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:51:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

4

```
Success           ==> OK
at+cifsr          Success      ==> 10.20.31.248
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:51:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:52:11
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:52:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.61.38.140
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:52:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:53:18
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:53:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 26,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.125.180.198
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```



```
at+cipsend          Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:53:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:54:24
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:55:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.20.121.16
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:55:02;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 13:55:30

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
  3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:56:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 29,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.48.247.235
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:56:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:56:37
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
3
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:57:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.156.184.89
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:57:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 13:57:47
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2

3

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:58:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 27,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK

```
at+cstt="internet"    Success          ==> OK
at+ciicr
    2
    3
Success              ==> OK
at+cifsr             Success          ==> 100.121.165.166
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:58:30;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 13:58:59
at+cipclose=1         Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1         Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
    2
    3
```

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 13:59:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 27,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr

2

3

Success          ==> OK
at+cifsr          Success          ==> 10.42.3.218
at+cipstart="TCP","52.74.77.168","5000" Other ==>
OK
```

```
2

3

4

Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 13:59:41;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

e-----Live: 20/07/2015 14:00:16

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2

3

4

5

6

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:00:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 27,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

Success ==> OK
at+cifsr Success ==> 10.44.52.144

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:00:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:01:13
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend      Success      ==> >

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:01:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 27,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.123.8.7
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:01:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:02:20
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:02:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 25,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

```
Success           ==> OK
at+cifsr          Success      ==> 10.158.0.80
```

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:02:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:03:27
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:04:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 25,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.45.98.243
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:04:07;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:04:35

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:05:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.43.50.167
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:05:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:05:42
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:06:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.50.62.196
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:06:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:06:48

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:07:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.50.163.47
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:07:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:07:55
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:08:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.60.136.201
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:08:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:09:01

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:09:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.43.64.191
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:09:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:10:08
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:10:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.45.178.169
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:10:47;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:11:15

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:11:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.44.190.130
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
```


4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:11:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:12:22
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:13:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.120.99.40
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:13:00;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:13:28

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:14:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.127.41.202
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:14:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:14:35
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:15:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.156.11.12
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:15:14;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:15:42

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:16:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> +PDP: DEACT  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 28,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1    OK
at+cipshut        Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.20.71.254
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:16:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:17:10
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:17:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.121.3.221
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:17:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:18:16
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 14:18:54
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at
at+cipclose=1      Success      ==> OK
                  Success      ==> CLOSE OK
```

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
3
Success       ==> OK
at+cifsr      Success      ==> 100.121.178.29
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:18:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:19:22
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success       ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:20:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

3

Success          ==> OK
at+cifsr         Success          ==> 10.61.69.216
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:20:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:20:29
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
3
4
Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:21:07
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
3
Success       ==> OK
at+cifsr      Success      ==> 10.42.114.212
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:21:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:21:35
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success       ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:22:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

3

Success          ==> OK
at+cifsr          Success          ==> 10.48.202.52
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >

2

3

4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:22:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:22:42
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
s-----Live: 20/07/2015 14:23:20
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at
at+cipclose=1      Success      ==> OK
                  Success      ==> CLOSE OK
```

```
ate0          Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq        Success      ==> +CSQ: 28,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?     Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
at+cstt="internet" Success  ==> OK
at+ciicr
2
3
Success      ==> OK
at+cifsr      Success      ==> 10.156.54.182
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:23:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:23:48
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
```


OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:24:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> +PDP: DEACT OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 28,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
Success	==> OK		
at+cifsr	Success	==> 10.49.46.226	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:24:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 20/07/2015 14:25:14

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2

3

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:25:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr          Success      ==> 10.49.232.11
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:25:37;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:26:05
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:26:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.163.200
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:26:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:27:12

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:27:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr          Success      ==> 10.50.230.220
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:27:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:28:19
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend          Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:28:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.156.16.235
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:28:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:29:25

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:30:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```



```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.51.224.162
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:30:04;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:30:32
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:31:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.51.203.175
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:31:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:31:39

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:32:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.21.200.240
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:32:17;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:32:45
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:33:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 28,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.189.16	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:33:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:33:52

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:34:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
2
Success          ==> OK
at+cifsr          Success      ==> 10.175.163.35
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:34:31;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:34:57
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:35:36

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.158.176.20
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:35:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:36:04

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```



```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:36:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cipin?        Success          ==> +CPIN: READY OK
at+csq           Success          ==> +CSQ: 25,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 100.120.26.82
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:36:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:37:11
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:37:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 25,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.123.86.43
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:37:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:38:18

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:38:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1    Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cipin?        Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 27,0 OK
at+creg?         Success          ==> +CREG: 1,1 OK
at+cgatt?        Success          ==> +CGATT: 1 OK
at+cipshut       Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 10.157.157.64
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:38:57;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:39:25
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:40:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 27,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.21.143.1
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:40:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:40:32

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
```

```
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

    2

    3

    4

Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:41:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cipin?         Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 26,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
```

```
at+ciicr
2
3
Success      ==> OK
at+cifsr     Success      ==> 10.175.200.81
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:41:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xe 0x4 0x0

```
e-----Live: 20/07/2015 14:41:42
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend        Success      ==> >

2
```


3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:42:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 26,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.93.91
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:42:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:42:49

at+cipclose=1	Success	==> CLOSE OK
---------------	---------	--------------

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:43:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0     Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 26,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
```

```
at+cstt="internet"    Success          ==> OK
at+ciicr
    2
    3
Success              ==> OK
at+cifsr             Success          ==> 10.20.115.204
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend           Success          ==> >
    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 14:43:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 20/07/2015 14:43:56
at+cipclose=1         Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
    2
    3
    4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1         Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
    2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:44:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 26,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.44.14.235
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-20 14:44:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 20/07/2015 14:45:03

at+cipclose=1	Success	==> CLOSE OK
---------------	---------	--------------

```
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend    Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-20 09:50:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 20/07/2015 14:45:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0    Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 26,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut    Success      ==> SHUT OK
```

```
at+cstt="internet"    Success          ==> 0K
at+ciicr
    2
    3
Success              ==> 0K
```