

REFERENCE:

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP", "52.74.229.218", "5000"
```

#####

```
Enter the GSM error code: 0x4
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM           ==> at+cipsend
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP", "52.74.229.218", "5000"
```

#####

```
Enter the GSM error code: 0x8
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM           ==> at+cipclose=1
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP", "52.74.229.218", "5000"
```

#####

```
Enter the GSM error code: 0x4
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x1
Enter the UNKNOWN error code: 0x402
GSM           ==> at+cipsend
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb
TIMEOUT       ==> at+ciicr

UNKNOWN       ==> at+cipstart="TCP", "52.74.229.218", "5000"

UNKNOWN       ==> at+cifsr
```

#####

```
Enter the GSM error code: 0x8
Enter the MAIN error code: 0x8
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x0
GSM           ==> at+cipclose=1
MAIN          ==> plcUsb
```

#####

```
Enter the GSM error code: 0x4
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2002
GSM           ==> at+cipsend
```

```
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"

UNKNOWN       ==> liveSend
```

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0x1f
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x0
MAIN          ==> boot
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb
MAIN          ==> gsmUsb
```

#####

```
Enter the GSM error code: 0x8
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2002
GSM           ==> at+cipclose=1
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"

UNKNOWN       ==> liveSend
```

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0xc
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x0
MAIN          ==> liveSend
MAIN          ==> plcUsb
```

#####

```
Enter the GSM error code: 0xc
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x1
Enter the UNKNOWN error code: 0x402
GSM           ==> at+cipsend
GSM           ==> at+cipclose=1
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb
TIMEOUT       ==> at+ciicr

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"

UNKNOWN       ==> at+cifsr
```

#####

```
Enter the GSM error code: 0x4
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x401
Enter the UNKNOWN error code: 0x2
GSM           ==> at+cipsend
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb
TIMEOUT       ==> at+ciicr
```

```
TIMEOUT          ==> at+cifsr

UNKNOWN          ==> at+cipstart="TCP", "52.74.229.218", "5000"

#####

Enter the GSM error code: 0x0
Enter the MAIN error code: 0xa
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
MAIN             ==> gsmInit
MAIN             ==> plcUsb

UNKNOWN          ==> at+cipstart="TCP", "52.74.229.218", "5000"

#####

Enter the GSM error code: 0x8
Enter the MAIN error code: 0xf
Enter the TIME error code: 0x403
Enter the UNKNOWN error code: 0x0
GSM              ==> at+cipclose=1
MAIN             ==> boot
MAIN             ==> gsmInit
MAIN             ==> liveSend
MAIN             ==> plcUsb
TIMEOUT          ==> at+ciicr
TIMEOUT          ==> at+cipstart="TCP", "52.74.229.218", "5000"
TIMEOUT          ==> at+cifsr

#####

Enter the GSM error code: 0xc
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM              ==> at+cipsend
GSM              ==> at+cipclose=1
MAIN             ==> gsmInit
MAIN             ==> liveSend
MAIN             ==> plcUsb

UNKNOWN          ==> at+cipstart="TCP", "52.74.229.218", "5000"

#####

Enter the GSM error code: 0x8
Enter the MAIN error code: 0xf
Enter the TIME error code: 0x403
Enter the UNKNOWN error code: 0xa
GSM              ==> at+cipclose=1
MAIN             ==> boot
MAIN             ==> gsmInit
MAIN             ==> liveSend
MAIN             ==> plcUsb
TIMEOUT          ==> at+ciicr
TIMEOUT          ==> at+cipstart="TCP", "52.74.229.218", "5000"
TIMEOUT          ==> at+cifsr

UNKNOWN          ==> at+cipstart="TCP", "52.74.229.218", "5000"

UNKNOWN          ==> at+cipclose=1

#####

Enter the GSM error code: 0xc
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM              ==> at+cipsend
GSM              ==> at+cipclose=1
MAIN             ==> gsmInit
```

```
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"
```

#####

```
Enter the GSM error code: 0x8
Enter the MAIN error code: 0x9
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x0
GSM           ==> at+cipclose=1
MAIN          ==> boot
MAIN          ==> plcUsb
```

#####

```
Enter the GSM error code: 0x8
Enter the MAIN error code: 0xb
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM           ==> at+cipclose=1
MAIN          ==> boot
MAIN          ==> gsmInit
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"
```

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0x8
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x0
MAIN          ==> plcUsb
```

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x403
Enter the UNKNOWN error code: 0x0
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb
TIMEOUT       ==> at+ciicr
TIMEOUT       ==> at+cipstart="TCP","52.74.229.218","5000"
TIMEOUT       ==> at+cifsr
```

#####

```
Enter the GSM error code: 0x0
Enter the MAIN error code: 0xe
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2002
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP","52.74.229.218","5000"

UNKNOWN       ==> liveSend
```

#####

```
Enter the GSM error code: 0xc
Enter the MAIN error code: 0xf
Enter the TIME error code: 0x0
Enter the UNKNOWN error code: 0x2
GSM           ==> at+cipsend
GSM           ==> at+cipclose=1
MAIN          ==> boot
```

```
MAIN          ==> gsmInit
MAIN          ==> liveSend
MAIN          ==> plcUsb

UNKNOWN       ==> at+cipstart="TCP", "52.74.229.218", "5000"
```

```
#####
```