

```
s-----Live: 15/07/2015 17:19:10
```

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

3

2

Packet: dredger1;2015-07-15 17:20:42;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

e-----Live: 15/07/2015 17:21:07

s-----Live: 15/07/2015 17:21:28

2

3

```
Success ==> OK
at+cifsr Success ==> 100.120.226.226
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

Success ==> SEND OK

Packet: dredger1;2015-07-15 17:21:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:21:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:22:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 28,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.83.123.0	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-15 17:22:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:22:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:23:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.127.2.152	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 17:23:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 28,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.50.57.159
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-15 17:24:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 17:26:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```

Packet: dredger1;2015-07-15 17:27:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 15/07/2015 17:28:24
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 28,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 17:29:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:29:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:29:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.61.181.56
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 17:29:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:30:22

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:30:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.123.193.185
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 17:30:43;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:31:10

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:31:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
Success	==> OK		
at+cifsr	Success	==> 10.49.9.86	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 17:31:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:31:59

Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 17:33:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error        ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-15 17:35:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 15/07/2015 17:36:09
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success                               ==> CLOSED   OK
at+cipclose=1                         Error                               ==> ERROR
ate0                                   Success                              ==> OK
at+cpin?                              Success                              ==> +CPIN: READY   OK
at+csq                                 Success                              ==> +CSQ: 30,0   OK
at+creg?                              Success                              ==> +CREG: 1,1   OK
at+cgatt?                             Success                              ==> +CGATT: 1   OK
at+cipshut                            Success                              ==> SHUT OK
at+cstt="internet"                   Success                              ==> OK
at+ciicr
2
3
Success                               ==> OK

```

2

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:38:18

[illegible]

s-----Live: 15/07/2015 17:38:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+ciptime=1                          Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                             Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success         ==> 100.125.111.67
at+cipstart="TCP","52.74.77.168","5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.121.211.198
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 17:41:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:42:11

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at                                     Success                               ==> CLOSED   OK
at+cipclose=1                         Error                                ==> ERROR
ate0                                  Success                              ==> OK
at+cpin?                             Success                            ==> +CPIN: READY   OK
at+csq                               Success                           ==> +CSQ: 30,0    OK
at+creg?                             Success                           ==> +CREG: 1,1    OK
at+cgatt?                            Success                           ==> +CGATT: 1     OK
at+cipshut                           Success                           ==> SHUT OK
at+cstt="internet"                   Success                           ==> OK
at+ciicr
      2
      3
Success                               ==> OK
at+cifsr                             Success                            ==> 10.156.149.181
```


Packet: dredger1;2015-07-15 17:46:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:46:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:47:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.60.202.209	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 17:47:08;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:47:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:47:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.174.33	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-15 17:47:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:48:21

Database is empty
Database is empty
Database is empty

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.20.35.115
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 17:48:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 10.83.31.119
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-15 17:51:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 15/07/2015 17:52:32
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                 Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK

```


Packet: dredger1;2015-07-15 17:53:16;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:53:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 17:54:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.45.82.11	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 17:54:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 17:56:16

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.125.224.215
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 17:56:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 17:56:42
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 17:57:03

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.61.162.39
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-15 17:57:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 17:58:18

```
s-----Live: 15/07/2015 17:58:39
```

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1    OK
at+cipshut        Success      ==> SHUT OK

```

```
at+cstt="internet"    Success          ==> OK
at+ciicr
  2
  3
  4
  5
  6
  7
  8
Success              ==> OK
at+cifsr             Success          ==> 10.49.233.216
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
  2
  3
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-15 17:58:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
e-----Live: 15/07/2015 17:59:22
at+cipclose=1         Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success              ==> CONNECT OK
at+cipsend           Success          ==> >
  2
Success              ==> SEND OK
```

Packet: dredger1;2015-07-15 17:58:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x4 0x0

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 17:59:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.51.43.133
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Error            ==> ERROR
  2
  3
Other             ==> CLOSED

```

Packet: dredger1;2015-07-15 17:59:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 15/07/2015 18:00:08

```

at+cipclose=1     Error            ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
  2
  3
  4
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK

```

Packet: dredger1;2015-07-15 17:59:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:00:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

Success	==> OK	
at+cifsr	Success	==> 10.175.208.115
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		

2

3

4

Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

Success	==> SEND OK
---------	-------------

Packet: dredger1;2015-07-15 18:00:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 15/07/2015 18:00:59

Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:01:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
e-----Live: 15/07/2015 18:01:46
at+cipclose=1          Success          ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK   CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success         ==> SEND OK
```

Packet: dredger1;2015-07-15 18:01:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 15/07/2015 18:02:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> OK
at+cipclose=1   Success      ==> CLOSE OK
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2
3
Success         ==> OK
at+cifsr        Success      ==> 100.126.213.142
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend      Success      ==> >
Success         ==> SEND OK
```

Packet: dredger1;2015-07-15 18:02:15;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 18:02:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:02:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
Success	==> OK	
at+cifsr	Success	==> 100.123.19.95
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 18:02:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:03:27

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:03:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.48.216.145	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 18:03:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:04:17

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:04:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.124.144.245
at+cipstart="TCP", "52.74.77.168", "5000" Success       ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 18:05:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:05:47

[illegible]


```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:07:17

[illegible]

```
s-----Live: 15/07/2015 18:07:37
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success        ==> OK
at+cpin?                        Success        ==> +CPIN: READY OK
at+csq                          Success        ==> +CSQ: 30,0 OK
at+creg?                        Success        ==> +CREG: 1,1 OK
at+cgatt?                       Success        ==> +CGATT: 1 OK
at+cipshut                      Success        ==> SHUT OK
at+cstt="internet"             Success        ==> OK
at+ciicr
```

3

2

3

```
Success ==> OK
at+cifsr Success ==> 10.79.36.111
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:08:48

[illegible]

s-----Live: 15/07/2015 18:09:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
2
3
4
Success                               ==> OK
at+cifsr                             Success        ==> 10.45.157.233
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-15 18:09:08;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 15/07/2015 18:11:14

at+cipclose=1 Success ==> SEND OK CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2
Success ==> SEND OK

Packet: dredger1;2015-07-15 18:10:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 15/07/2015 18:11:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

```
Success          ==> OK
at+cifsr         Success          ==> 10.79.111.107
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 18:11:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 15/07/2015 18:12:11
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
```

2

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 18:11:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1    Success          ==> SEND OK  CLOSED  ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
```

2

```
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

```
Success          ==> SEND OK
```


[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+csstt="internet"                  Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success       ==> 10.156.63.52
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	


```

at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success          ==> 100.122.74.68
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
2
3
4
5
6
7
8
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-15 18:16:45;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 18:17:47;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 15/07/2015 18:18:32
```

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

Packet: dredger1;2015-07-15 18:18:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:18:57

[illegible]

```
s-----Live: 15/07/2015 18:19:18
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                          Success      ==> +CSQ: 30,0  OK
at+creg?                        Success      ==> +CREG: 1,1  OK
at+cgatt?                       Success      ==> +CGATT: 1   OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```


3

2

Packet: dredger1;2015-07-15 18:19:18;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

e-----Live: 15/07/2015 18:19:43

s-----Live: 15/07/2015 18:20:04

2

3

```
Success ==> OK
at+cifsr Success ==> 10.21.18.0
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2
Success ==> SEND OK

Packet: dredger1;2015-07-15 18:20:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:20:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:20:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
Success	==> OK	
at+cifsr	Success	==> 100.123.103.94
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                   Success        ==> OK
at+cpin?                              Success        ==> +CPIN: READY OK
at+csq                                Success        ==> +CSQ: 30,0 OK
at+creg?                              Success        ==> +CREG: 1,1 OK
at+cgatt?                             Success        ==> +CGATT: 1 OK
at+cipshut                            Success        ==> SHUT OK
at+csstt="internet"                  Success        ==> OK
at+ciicr
    2
    3
    4
    5
    6
    7
Success                               ==> OK
at+cifsr                              Success        ==> 100.122.73.231
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                            Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                                Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success          ==> 10.44.9.225
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 18:24:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Database is empty

s-----Live: 15/07/2015 18:25:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 10.43.51.169
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 18:25:34;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:25:58

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty
Database is empty

Database is empty
Database is empty

Database is empty
Database is empty

Database is empty
Database is empty

Database is empty
Database is empty

Database is empty
Database is empty

Database is empty
S.....I..v...

S-----Live: 15/07/2015 18:26:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 18:26:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 18:26:45

s-----Live: 15/07/2015 18:27:06

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-15 18:27:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success                               ==> CLOSED   OK
at+cipclose=1                         Error                                ==> ERROR
ate0                                  Success                               ==> OK
at+cpin?                             Success                               ==> +CPIN: READY   OK
at+csq                               Success                               ==> +CSQ: 30,0   OK
at+creg?                             Success                               ==> +CREG: 1,1   OK
at+cgatt?                            Success                               ==> +CGATT: 1   OK
at+cipshut                           Success                               ==> SHUT   OK
at+cstt="internet"                   Success                               ==> OK
at+ciicr
2
3
Success                               ==> OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                 Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cshtt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.45.73.154
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

Database is empty

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 18:31:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.233.103
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
OK		
Success	==> CONNECT OK	
at+cipsend	Success	==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 18:31:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

e-----Live: 15/07/2015 18:32:13

at+cipclose=1	Success	==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		

2

3

4

5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-15 18:31:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x4 0x0

s-----Live: 15/07/2015 18:32:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.49.247.189
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-15 18:32:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .


```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:35:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.60.145.209
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

Packet: dredger1;2015-07-15 18:37:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED  OK
at+ciptime=1                          Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY  OK
at+csq                                Success       ==> +CSQ: 30,0  OK
at+creg?                              Success       ==> +CREG: 1,1  OK
at+cgatt?                             Success       ==> +CGATT: 1  OK
at+ciptime                             Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
4
Success                               ==> OK

```

Packet: dredger1;2015-07-15 18:38:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:39:11

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:39:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.121.142.109
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
3		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 18:39:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

```

at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success            ==> OK
at+cifsr           Success      ==> 10.83.247.229
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
  2
  3
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 18:44:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:44:36

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 18:44:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 100.121.40.106
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 18:46:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 15/07/2015 18:47:15
```

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.156.154.2
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 18:48:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:51:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
```

Packet: dredger1;2015-07-15 18:51:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

ERROR CODE: 0x8 0xa 0x0 0x0

s-----Live: 15/07/2015 18:52:44

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK

```

```

at                Success      ==> CLOSED    OK
at+cipclose=1    Error         ==> ERROR
ate0             Success       ==> OK
at+cpin?         Success       ==> +CPIN: READY  OK
at+csq           Success       ==> +CSQ: 30,0   OK
at+creg?         Success       ==> +CREG: 1,1   OK
at+cgatt?        Success       ==> +CGATT: 1    OK
at+cipshut       Success       ==> SHUT OK
at+cstt="internet" Success     ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success      ==> 10.48.109.31
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK

```


at+cipsend Success ==> >

2

3

Success ==> SEND OK

Packet: dredger1;2015-07-15 18:53:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:53:56

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 15/07/2015 18:54:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK

at+cipclose=1 Error ==> ERROR

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 30,0 OK

at+creg? Success ==> +CREG: 1,1 OK

at+cgatt? Success ==> +CGATT: 1 OK

at+cipshut Success ==> SHUT OK

at+cstt="internet" Success ==> OK

at+ciicr

2

3

Success ==> OK

at+cifsr Success ==> 10.50.71.187

at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT

OK

at+cipsend Success ==> >

2

Success ==> SEND OK

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:55:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 18:55:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.30.154
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
3		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 18:55:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:56:16

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 18:56:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.20.59.205
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 18:56:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 18:57:02

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:57:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 18:58:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 100.122.84.163
at+cipstart="TCP", "52.74.77.168", "5000" Success       ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 18:59:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:00:10

[illegible]

```
s-----Live: 15/07/2015 19:00:31
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
```


Packet: dredger1;2015-07-15 19:00:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 19:00:54

s-----Live: 15/07/2015 19:01:15

RETURNING DUMMY PACKET

```
at                               Success                      ==> CLOSED OK
at+cipclose=1                   Error                        ==> ERROR
ate0                             Success                     ==> OK
at+cpin?                         Success                  ==> +CPIN: READY OK
at+csq                           Success                  ==> +CSQ: 30,0 OK
at+creg?                         Success                  ==> +CREG: 1,1 OK
at+cgatt?                        Success                  ==> +CGATT: 1 OK
at+cipshut                       Success                 ==> SHUT OK
at+cstt="internet"              Success                ==> OK
at+ciicr
    2
    3
Success                          ==> OK
at+cifsr                         Success                    ==> 10.21.160.39
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:01:40

[illegible]

s-----Live: 15/07/2015 19:02:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.126.167.177
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:04:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 19:05:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:06:56

[illegible]

s-----Live: 15/07/2015 19:07:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```



```

3
Success ==> OK
at+cifsr Success ==> 100.125.61.139
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:09:23

[illegible]

s-----Live: 15/07/2015 19:09:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```

3
Success ==> OK
at+cifsr Success ==> 10.44.70.74
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK

```

Packet: dredger1;2015-07-15 19:09:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:10:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:10:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.156.28.221
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:10:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:10:50

Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:11:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 19:13:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```



```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
  2
  3
  4
Success            ==> OK
at+cifsr           Success          ==> 10.79.139.77
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend         Success          ==> >
  2
Success            ==> SEND OK
```

Packet: dredger1;2015-07-15 19:15:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:15:34

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:15:55

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                  Success          ==> CLOSED OK
at+cipclose=1       Error            ==> ERROR
ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 30,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
  2
  3
```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.120.18.67
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK CONNECT
OK
at+cipsend                           Success           ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 19:18:36

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:18:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.20.24.239	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 19:18:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:19:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT  OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.61.100.43
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 19:21:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:21:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:22:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:22:26

[illegible]

s-----Live: 15/07/2015 19:22:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.51.55.82
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

2
Success ==> SEND OK

Packet: dredger1;2015-07-15 19:23:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:23:57

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:24:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.21.46.241
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:24:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:24:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:25:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.98.209
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:25:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:25:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:25:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.42.215.145	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 19:25:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:26:15

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:27:23;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:29:18

[illegible]

s-----Live: 15/07/2015 19:29:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT   OK
at+cstt="internet" Success    ==> OK

```

```
at+ciicr
  2
  3
  4
Success      ==> OK
at+cifsr     Success      ==> 10.44.120.70
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend   Error        ==> ERROR
  2
  3
Other        ==> CLOSED
```

Packet: dredger1;2015-07-15 19:29:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

```
e-----Live: 15/07/2015 19:30:08
at+cipclose=1 Error      ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
at+cipsend   Success      ==> >
  2
Success      ==> SEND OK
```

Packet: dredger1;2015-07-15 19:29:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 15/07/2015 19:30:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.21.146.220
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 19:30:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 19:31:02

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

s-----Live: 15/07/2015 19:31:22

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.48.82.237
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

3

2

Packet: dredger1;2015-07-15 19:32:56;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error      ==> ERROR
ate0                                  Success     ==> OK
at+cpin?                             Success     ==> +CPIN: READY OK
at+csq                               Success     ==> +CSQ: 30,0 OK
at+creg?                             Success     ==> +CREG: 1,1 OK
at+cgatt?                            Success     ==> +CGATT: 1 OK
at+cipshut                           Success     ==> SHUT OK
at+cstt="internet"                   Success     ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success     ==> 100.125.31.184
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend                           Success     ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:34:05

[illegible]

s-----Live: 15/07/2015 19:34:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 10.158.94.205
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 19:34:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:34:50

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:35:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.51.189.103
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:35:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:35:35

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:36:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:38:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.21.117.212
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-15 19:40:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:40:52

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:41:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.236.242	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 19:41:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:43:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

ERROR: PLC DISCONNECTED !!

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK

```

Packet: dredger1;2015-07-15 19:48:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 19:51:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
Success                               ==> OK

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+csitt="internet"                  Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.79.196.228
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:56:17

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:56:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.120.158
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:56:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:57:01

Database is empty
Database is empty
Database is empty

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 19:57:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
6		
7		
8		
Success	==> OK	
at+cifsr	Success	==> 100.122.239.237
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 19:57:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 19:57:54

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.156.165.124
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 19:58:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 20:00:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-15 20:01:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 100.121.39.131
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```



```
2
3
4
Success      ==> CONNECT OK
at+cipsend   Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-15 20:02:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
e-----Live: 15/07/2015 20:02:37
at+cipclose=1      Success      ==> SEND OK  CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success      ==> CONNECT OK
at+cipsend      Success      ==> >

2
Success      ==> SEND OK
```

Packet: dredger1;2015-07-15 20:02:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x4 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 20:02:57
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 20:02:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 20:03:22

s-----Live: 15/07/2015 20:03:43

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.44.242.93
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-15 20:05:12;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:05:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:05:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.124.101.13
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 20:05:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:06:23

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:06:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.122.50.17	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 20:06:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
e-----Live: 15/07/2015 20:07:12
at+cipclose=1      Success      ==> SEND OK   CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
Success            ==> SEND OK
```

Packet: dredger1;2015-07-15 20:06:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:07:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
5
6
Success           ==> OK
at+cifsr          Success      ==> 100.124.223.218
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 20:07:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:08:02

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:08:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.157.44.237
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 20:08:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:08:48

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 20:09:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.175.60.202	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 20:09:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:09:36

Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:09:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:10:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY  OK
at+csq            Success           ==> +CSQ: 30,0  OK
at+creg?          Success           ==> +CREG: 1,1  OK
at+cgatt?         Success           ==> +CGATT: 1  OK
at+cipshut        Success           ==> SHUT  OK
at+cstt="internet" Success         ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success           ==> 10.21.210.51
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success           ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 20:11:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:11:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:12:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:12:37

[illegible]

s-----Live: 15/07/2015 20:12:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 100.121.166.227
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:14:52

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:15:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.60.90.86	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-15 20:15:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:15:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:16:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
6		
7		
8		
Success	==> OK	
at+cifsr	Success	==> 100.120.151.84
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 20:16:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:17:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:18:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
7			
8			
9			
10			
Success	==> OK		
at+cifsr	Success	==> 10.79.249.39	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 20:18:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:19:09
Database is empty
Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:19:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]


```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```



```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0   OK
at+creg?                        Success       ==> +CREG: 1,1   OK
at+cgatt?                       Success       ==> +CGATT: 1    OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
    2
    3
Success                         ==> OK
at+cifsr                       Success       ==> 100.127.103.233
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

```

Packet: dredger1;2015-07-15 20:24:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:24:27

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:24:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.31.46	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 20:24:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:25:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:25:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.61.180.45	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 20:25:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:25:58

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:27:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 20:27:51;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED  OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```



```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

3

2

Packet: dredger1;2015-07-15 20:30:17;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

3

4

```
Success ==> OK
at+cifsr Success ==> 10.49.127.107
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
```

Packet: dredger1;2015-07-15 20:31:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:34:51;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:35:33;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error        ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```



```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.79.186.93
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 20:36:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:36:46

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 20:37:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

3

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+csstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.60.163.89
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 20:38:41;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 20:41:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
7			
8			
Success	==> OK		
at+cifsr	Success	==> 10.42.103.135	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-15 20:41:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:41:35

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:41:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:42:41;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
s-----Live: 15/07/2015 20:44:14
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT  OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.50.69.72
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 20:44:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:44:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:45:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
```

```

at+cpin?           Success      ==> +CPIN: READY  OK
at+csq             Success      ==> +CSQ: 30,0  OK
at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?           Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2
    3
Success            ==> OK
at+cifsr           Success      ==> 100.121.81.136
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 20:45:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:45:23

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 20:45:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?           Success      ==> +CPIN: READY  OK
at+csq             Success      ==> +CSQ: 30,0  OK
at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?           Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2
    3

```

```

at                Success                ==> CLOSED OK
at+cipclose=1     Error                  ==> ERROR
ate0              Success                 ==> OK
at+cpin?          Success                 ==> +CPIN: READY OK
at+csq            Success                 ==> +CSQ: 30,0 OK
at+creg?          Success                 ==> +CREG: 1,1 OK
at+cgatt?         Success                 ==> +CGATT: 1 OK
at+cipshut        Success                 ==> SHUT OK
at+cstt="internet" Success               ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success                 ==> 100.127.205.104
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success                 ==> >
Success           ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:48:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 20:49:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
7			
Success	==> OK		
at+cifsr	Success	==> 10.82.189.46	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
4			
Other	==> CLOSED		

Packet: dredger1;2015-07-15 20:49:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 15/07/2015 20:50:07
at+cipclose=1 Error ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
2
3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success          ==> SEND OK
```

Packet: dredger1;2015-07-15 20:49:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 15/07/2015 20:50:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.82.48.208
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 20:50:35;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 20:51:00

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 20:51:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.79.60.164	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-15 20:51:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:51:44

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:52:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 20:53:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 15/07/2015 20:54:21
```

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
```

```
at                                     Success      ==> CLOSED   OK
at+ciptime=1                          Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
        3
Success                               ==> OK
at+cifsr                             ==> 100.125.219.10
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 20:56:23

[illegible]

s-----Live: 15/07/2015 20:56:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0    OK
at+creg?                              Success       ==> +CREG: 1,1    OK
at+cgatt?                             Success       ==> +CGATT: 1     OK
at+cipshut                            Success       ==> SHUT OK
at+csstt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 100.126.198.176
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:58:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 20:59:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty
```



```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:03:13

[illegible]

s-----Live: 15/07/2015 21:03:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                                Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.120.93.255
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 21:05:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 21:06:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.61.126.138
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 21:08:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:09:21

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 21:09:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3

```

```

Success          ==> OK
at+cifsr         Success          ==> 10.83.85.234
at+cipstart="TCP", "52.74.77.168", "5000" Error          ==> OK  STATE: TCP CLOSED  CONNECT
FAIL

```

```

Error in gsmInit
PACKET PUSHED TO BACKUP db

```

ERROR CODE: 0xa 0xe 0x0 0x0

```

e-----Live: 15/07/2015 21:10:02
at+cipclose=1    Error          ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 21:09:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0xa;0xe;0x0;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xa 0xe 0x0 0x0

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 21:10:23

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED  OK
at+cipclose=1   Error          ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY  OK
at+csq          Success          ==> +CSQ: 30,0  OK
at+creg?        Success          ==> +CREG: 1,1  OK
at+cgatt?       Success          ==> +CGATT: 1  OK
at+cipshut      Success          ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success          ==> OK
at+cifsr         Success          ==> 10.175.147.228
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK  CONNECT

```


Success ==> OK

2
3
4
5

```
==> CONNECT OK
Success                               ==> >
==> SEND OK
```

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 21:11:50

s-----Live: 15/07/2015 21:12:11

RETURNING DUMMY PACKET

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:12:35

[illegible]

s-----Live: 15/07/2015 21:12:56

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 10.43.148.176
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 21:15:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 21:15:56;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

s-----Live: 15/07/2015 21:16:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.20.76.129
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 21:16:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:17:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:17:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
```



```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

4

3

```
Success ==> OK
at+cifsr Success ==> 100.120.82.85
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK
```

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY  OK
at+csq                               Success        ==> +CSQ: 30,0  OK
at+creg?                             Success        ==> +CREG: 1,1  OK
at+cgatt?                            Success        ==> +CGATT: 1  OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
    5
    6
Success                               ==> OK
at+cifsr                             Success        ==> 10.48.243.89
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```



```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

```
e-----Live: 15/07/2015 21:22:35
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
s-----Live: 15/07/2015 21:24:30
```


RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

Packet: dredger1;2015-07-15 21:26:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:26:26

[illegible]

s-----Live: 15/07/2015 21:26:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

3

4

5

```
Success ==> OK
at+cifsr Success ==> 10.79.23.127
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
```

Packet: dredger1;2015-07-15 21:28:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:28:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:29:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.20.47.55	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 21:29:12;0;Close;0;Close;0;0;0;Off;0;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

```
s-----Live: 15/07/2015 21:33:09
```

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
ate0          Success          ==> OK
at+cpin?      Success          ==> +CPIN: READY OK
at+csq        Success          ==> +CSQ: 30,0 OK
at+creg?      Success          ==> +CREG: 1,1 OK
at+cgatt?     Success          ==> +CGATT: 1 OK
at+cipshut    Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
5
6
7
Success       ==> OK
at+cifsr      Success          ==> 10.45.63.42
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend    Success          ==> >
Success       ==> SEND OK
```

Packet: dredger1;2015-07-15 21:33:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:34:27

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:34:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success          ==> CLOSED OK
at+cipclose=1 Error          ==> ERROR
ate0        Success          ==> OK
at+cpin?    Success          ==> +CPIN: READY OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.125.73.100
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 21:34:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:35:13

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 21:35:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

Packet: dredger1;2015-07-15 21:36:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 21:39:18;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

Packet: dredger1;2015-07-15 21:40:50;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

3

3

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 21:42:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:42:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:43:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.120.98
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Other	==> +PDP: DEACT	

Packet: dredger1;2015-07-15 21:43:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 15/07/2015 21:43:28

at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Other ==>
ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 21:43:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 15/07/2015 21:44:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK

```
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.61.225.171
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 21:44:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 15/07/2015 21:44:30
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

2
3
4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

```
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 21:43:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 15/07/2015 21:44:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.157.11.176
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 21:44:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:45:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:45:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.122.139.236
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 21:45:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:46:11

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:46:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.126.172.11
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 21:46:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:46:57

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 21:47:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0         Success      ==> OK
at+cpin?     Success      ==> +CPIN: READY OK
at+csq       Success      ==> +CSQ: 30,0  OK
at+creg?     Success      ==> +CREG: 1,1  OK
at+cgatt?    Success      ==> +CGATT: 1  OK
at+cipshut   Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.48.8.217
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-15 21:47:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:47:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:48:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> OK
at+cipclose=1   Success          ==> CLOSE OK
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.44.249.195
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 21:48:04;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 15/07/2015 21:48:32

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 21:48:04;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 15/07/2015 21:49:10

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success      ==> OK
at+cifsr     Success      ==> 10.83.241.9
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend   Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-15 21:49:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 15/07/2015 21:49:38

```
at+cipclose=1 Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
2
3
4
5
6
7
8
9
```

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Other ==> CLOSED

Packet: dredger1;2015-07-15 21:48:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : returned "Other" status!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 15/07/2015 21:50:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at Success ==> OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 100.127.153.34
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK
```

Packet: dredger1;2015-07-15 21:50:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:50:36

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-15 21:48:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 15/07/2015 21:51:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.61.136.206
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-15 21:51:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:51:29
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-15 21:49:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 15/07/2015 21:51:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK

```

at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success            ==> OK
at+cifsr           Success      ==> 100.120.45.76
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 21:51:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 15/07/2015 21:52:24

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 21:52:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

Success ==> SEND OK

Packet: dredger1;2015-07-15 21:54:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 21:54:42

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 21:55:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.49.216.15	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 21:55:03;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

RETURNING DUMMY PACKET


```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

Packet: dredger1;2015-07-15 21:58:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 15/07/2015 21:59:13

[illegible]

```
s-----Live: 15/07/2015 21:59:34
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success                               ==> CLOSED   OK
at+cipclose=1                         Error                               ==> ERROR
ate0                                  Success                               ==> OK
at+cpin?                             Success                               ==> +CPIN: READY   OK
at+csq                               Success                               ==> +CSQ: 30,0   OK
at+creg?                             Success                               ==> +CREG: 1,1   OK
at+cgatt?                            Success                               ==> +CGATT: 1   OK
at+cipshut                           Success                               ==> SHUT OK
at+cstt="internet"                   Success                               ==> OK
at+ciicr
2
3
Success                               ==> OK

```


Success ==> SEND OK

Packet: dredger1;2015-07-15 22:00:18;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:00:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:01:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.157.61.233
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 22:01:08;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:01:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:01:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.156.239.162	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 22:01:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 22:03:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]


```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-15 22:06:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 100.124.235.69
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-15 22:08:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

RETURNING DUMMY PACKET


```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.42.89.188
at+cipstart="TCP","52.74.77.168","5000" Success       ==> OK CONNECT

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success          ==> 100.121.153.242
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:15:14

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:15:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.51.76.225	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-15 22:15:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:15:59

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 22:16:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 22:17:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:17:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY  OK
at+csq            Success           ==> +CSQ: 30,0  OK
at+creg?          Success           ==> +CREG: 1,1  OK
at+cgatt?         Success           ==> +CGATT: 1  OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success         ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success           ==> 10.21.136.150
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success           ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-15 22:17:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:18:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:18:40

ERROR: PLC DISCONNECTED !!


```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

```

at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success          ==> 10.83.248.171
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success          ==> >

2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 22:20:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:20:40

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 22:21:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success            ==> OK

```

2
3
4
5
6
7

```
8
Success          ==> OK
at+cifsr         Success          ==> 10.60.70.144
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-15 22:21:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:22:21

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:22:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.20.75.143
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 22:22:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:23:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:23:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.243.23
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 22:23:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:23:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:24:12

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.126.221.129
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 22:24:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:24:39

[illegible]

s-----Live: 15/07/2015 22:24:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error        ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                             ==> OK
at+cifsr                             Success       ==> 10.156.233.204
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                             ==> SEND OK

```

Packet: dredger1;2015-07-15 22:24:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:25:24

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]


```
at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success        ==> OK
at+cpin?                        Success        ==> +CPIN: READY OK
at+csq                          Success        ==> +CSQ: 30,0  OK
at+creg?                        Success        ==> +CREG: 1,1  OK
at+cgatt?                       Success        ==> +CGATT: 1   OK
at+cipshut                      Success        ==> SHUT OK
at+cstt="internet"             Success        ==> OK
at+ciicr
```


Success ==> SEND OK

Packet: dredger1;2015-07-15 22:29:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:29:57

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:30:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.157.74.228
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 22:30:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:30:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:31:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.60.96.12	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 22:31:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 22:33:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.21.90.128	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 22:33:20;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:33:46
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 15/07/2015 22:34:07

ERROR: PLC DISCONNECTED !!

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

```

ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 30,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
2
3
Success             ==> OK
at+cifsr            Success          ==> 100.122.148.126
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend          Success          ==> >
Success             ==> SEND OK

```

Packet: dredger1;2015-07-15 22:34:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:35:17

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 22:35:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 100.126.107.125
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-15 22:35:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:36:03

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:36:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.60.179.96
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 22:36:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:36:48

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:37:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.161.252
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
3		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 22:37:09;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 22:37:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:38:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 22:38:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.125.211.9	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 22:38:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 22:41:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

Packet: dredger1;2015-07-15 22:42:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.61.114.150
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-15 22:44:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 22:48:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-15 22:50:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 100.123.43.18
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-15 22:51:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .


```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.61.236.66
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-15 22:54:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 22:56:23;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1.1  OK
```

```

at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success          ==> 10.82.0.176
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success          ==> >

2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 22:57:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 22:57:35

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 22:57:56

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success            ==> OK

```

Packet: dredger1;2015-07-15 22:58:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```



```

4
Success          ==> OK
at+cifsr         Success          ==> 10.21.176.234
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-15 23:03:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:04:20

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 23:04:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.79.64.158
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 23:04:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:05:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:05:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK
at+cipclose=1 Error ==> ERROR
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.79.233.113
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-15 23:05:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:05:52

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:06:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.124.78.24	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 23:06:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:06:38

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:06:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
6		
Success	==> OK	
at+cifsr	Success	==> 100.120.211.199
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:06:59;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:07:28

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:07:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 15/07/2015 23:09:19
```

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT   OK
at+cstt="internet" Success      ==> OK
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success      ==> 10.61.3.48
at+cipstart="TCP", "52.74.77.168", "5000" Success    ==> OK   CONNECT
OK

```

Packet: dredger1;2015-07-15 23:12:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:12:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:13:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.47.100
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:13:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:13:30

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 23:13:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.217.118	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 23:13:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:14:16

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:14:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:15:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 23:16:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

```

at+cpin?           Success      ==> +CPIN: READY  OK
at+csq             Success      ==> +CSQ: 30,0  OK
at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2

    3
Success            ==> OK
at+cifsr           Success      ==> 100.123.154.148
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 23:16:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:17:16

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 23:17:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT  OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2

    3

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-15 23:18:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 15/07/2015 23:18:50

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

Success ==> SEND OK

Packet: dredger1;2015-07-15 23:18:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 15/07/2015 23:19:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1.1   OK

```



```

at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success            ==> OK
at+cifsr           Success      ==> 10.21.255.140
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-15 23:20:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:20:33

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 15/07/2015 23:20:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

Success ==> SEND OK

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:22:49

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:23:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.123.126.21
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:23:10;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:23:32

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:24:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```


Packet: dredger1;2015-07-15 23:26:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success          ==> CLOSED   OK
at+cipclose=1                         Error            ==> ERROR
ate0                                   Success          ==> OK
at+cpin?                              Success          ==> +CPIN: READY   OK
at+csq                                Success          ==> +CSQ: 30,0   OK
at+creg?                              Success          ==> +CREG: 1,1   OK
at+cgatt?                             Success          ==> +CGATT: 1   OK
at+cipshut                            Success          ==> SHUT   OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+csstt="internet"                 Success        ==> OK
at+ciicr
    2
    3
Success                             ==> OK
at+cifsr                            Success        ==> 10.79.192.127
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                             ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:29:41

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:30:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.121.163.142
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:30:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Packet: dredger1;2015-07-15 23:33:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1    OK
at+cipshut       Success      ==> SHUT OK
```


Packet: dredger1;2015-07-15 23:33:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.83.171.140
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-15 23:35:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:35:48

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:36:09

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.76.91
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:36:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 15/07/2015 23:37:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:37:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.94.77
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-15 23:37:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:38:08

Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:38:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:39:15;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY   OK
at+csq                          Success       ==> +CSQ: 30,0   OK
at+creg?                        Success       ==> +CREG: 1,1   OK
at+cgatt?                       Success       ==> +CGATT: 1   OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
    2
    3
Success                         ==> OK
at+cifsr                       Success       ==> 100.124.176.135
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

```

Packet: dredger1;2015-07-15 23:43:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:44:08

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 15/07/2015 23:44:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.175.44.49	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 23:44:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:44:56

Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+ciptime=1                          Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success          ==> 10.48.56.237
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-15 23:45:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:46:04;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET


```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:49:30

[illegible]

s-----Live: 15/07/2015 23:49:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-15 23:49:51;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-15 23:52:54;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success       ==> 10.50.234.177
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-15 23:55:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:56:22

[illegible]

```
s-----Live: 15/07/2015 23:56:43
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30.0  OK

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:57:53

[illegible]

s-----Live: 15/07/2015 23:58:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
2
3
4
Success                               ==> OK
at+cifsr                             Success        ==> 10.48.115.235
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:58:40

[illegible]

s-----Live: 15/07/2015 23:59:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

2

```

3
Success ==> OK
at+cifsr Success ==> 10.49.207.87
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK

```

Packet: dredger1;2015-07-15 23:59:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 15/07/2015 23:59:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 15/07/2015 23:59:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.132.198	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-15 23:59:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:00:09

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 00:00:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.48.77.163
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 00:02:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:03:11

[illegible]

```
s-----Live: 16/07/2015 00:03:32
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30.0  OK

```

Packet: dredger1;2015-07-16 00:03:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 16/07/2015 00:03:55

s-----Live: 16/07/2015 00:04:16

RETURNING DUMMY PACKET

```
at                                     Success                      ==> CLOSED OK
at+cipclose=1                         Error                        ==> ERROR
ate0                                  Success                      ==> OK
at+cpin?                             Success                     ==> +CPIN: READY OK
at+csq                               Success                     ==> +CSQ: 30,0 OK
at+creg?                             Success                     ==> +CREG: 1,1 OK
at+cgatt?                            Success                     ==> +CGATT: 1 OK
at+cipshut                           Success                     ==> SHUT OK
at+cstt="internet"                   Success                     ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success                       ==> 10.175.193.30
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:04:39

[illegible]

s-----Live: 16/07/2015 00:05:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success          ==> 10.21.100.254
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:07:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
Success	==> OK		
at+cifsr	Success	==> 100.123.97.65	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 00:07:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:07:49

Database is empty
Database is empty
Database is empty
Database is empty


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 00:08:10;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 00:08:56;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

s-----Live: 16/07/2015 00:09:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.125.85.248
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Error        ==> ERROR
  2
  3
Other             ==> CLOSED

```

Packet: dredger1;2015-07-16 00:09:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 16/07/2015 00:10:08

```

at+cipclose=1     Error        ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

2
3
4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 00:12:05;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 16/07/2015 00:12:51
```

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

Packet: dredger1;2015-07-16 00:12:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY OK
at+csq                          Success      ==> +CSQ: 30,0 OK
at+creg?                        Success      ==> +CREG: 1,1 OK
at+cgatt?                       Success      ==> +CGATT: 1 OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"              Success      ==> OK
at+ciicr

```

3

3

```

Success          ==> OK
at+cifsr         Success          ==> 100.126.233.179
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
Success          ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:15:30

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:15:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.0.195	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-16 00:15:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:16:16

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

ERROR: PLC DISCONNECTED !!

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.42.108.205
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success         ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```

at                Success      ==> CLOSED   OK
at+cipeclose=1    Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK

```

```

at+cgatt?          Success          ==> +CGATT: 1  OK
at+cipshut         Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success            ==> OK
at+cifsr           Success          ==> 10.157.77.194
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success          ==> >
Error              ==> SEND FAIL

```

Packet: dredger1;2015-07-16 00:19:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xc 0x0 0x0

```

e-----Live: 16/07/2015 00:20:02
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success          ==> >

  2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 00:19:40;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xc;0x0;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xc 0x0 0x0

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 00:20:23

```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR

```

```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```


3

Packet: dredger1;2015-07-16 00:21:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

3

```

Success          ==> OK
at+cifsr         Success          ==> 10.49.254.109
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xa 0x0 0x0

e-----Live: 16/07/2015 00:22:18

[illegible]

s-----Live: 16/07/2015 00:22:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success       ==> 10.60.237.234
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 00:22:39;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 00:25:42;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.42.229.2
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 00:26:26;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:26:50

[illegible]

```
s-----Live: 16/07/2015 00:27:11
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30.0  OK

```

```

at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut          Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 10.61.227.41
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend          Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 00:27:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:27:37

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 00:27:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut          Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```



```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY  OK
at+csq                               Success        ==> +CSQ: 30,0  OK
at+creg?                             Success        ==> +CREG: 1,1  OK
at+cgatt?                            Success        ==> +CGATT: 1  OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
2
3
4
Success                               ==> OK
at+cifsr                             Success        ==> 10.21.213.138
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success        ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:29:08

[illegible]

s-----Live: 16/07/2015 00:29:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
2
3
4
Success                               ==> OK
at+cifsr                             Success        ==> 10.49.26.114
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-16 00:29:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```
e-----Live: 16/07/2015 00:32:21
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.42.107.135
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 00:32:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET


```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```


Packet: dredger1;2015-07-16 00:37:13;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:37:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:37:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.121.177.174
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 00:37:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```



```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.51.103.94
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```


Success ==> SEND OK

Packet: dredger1;2015-07-16 00:43:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:43:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:44:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.177.223
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 00:44:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:44:28

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:44:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.79.88.110	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 00:44:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:45:16

[illegible]

s-----Live: 16/07/2015 00:45:37

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 100.123.98.107
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 00:45:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:46:02

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

[illegible]


```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.50.52.164
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 00:50:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 16/07/2015 00:53:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.79.31.41
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-16 00:53:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:54:22
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 16/07/2015 00:54:43

ERROR: PLC DISCONNECTED !!

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	


```
at                Success      ==> CLOSED  OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

3

Packet: dredger1;2015-07-16 00:56:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

3

2

Success ==> SEND OK

Packet: dredger1;2015-07-16 00:57:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:57:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:57:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.121.229.96
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 00:57:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:58:09

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 00:58:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.51.75.60	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-16 00:58:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 00:58:52

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 00:59:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 100.125.69.211
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success        ==> OK
at+cpin?                              Success        ==> +CPIN: READY   OK
at+csq                                Success        ==> +CSQ: 30,0   OK
at+creg?                              Success        ==> +CREG: 1,1   OK
at+cgatt?                             Success        ==> +CGATT: 1   OK
at+cipshut                            Success        ==> SHUT   OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK

```



```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success      ==> +CPIN: READY   OK
at+csq                               Success      ==> +CSQ: 30,0   OK
at+creg?                             Success      ==> +CREG: 1,1   OK
at+cgatt?                            Success      ==> +CGATT: 1   OK
at+cipshut                           Success      ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success      ==> 10.83.39.165
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success      ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:04:06

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:04:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.38.27
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:04:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:04:50

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 01:05:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:06:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:07:28;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

Packet: dredger1;2015-07-16 01:08:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:08:36

[illegible]

```
s-----Live: 16/07/2015 01:08:57
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success       ==> 10.50.230.47
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:10:05

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:10:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.61.222.5	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 01:10:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:10:50

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 01:11:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-16 01:14:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 100.124.84.122
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1   OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success          ==> 10.20.36.216
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```


Packet: dredger1;2015-07-16 01:16:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:16:57

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:17:18

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.229.233
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:17:18;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:17:41

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 01:18:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:20:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY OK
at+csq                               Success        ==> +CSQ: 30,0 OK
at+creg?                             Success        ==> +CREG: 1,1 OK
at+cgatt?                            Success        ==> +CGATT: 1 OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.121.226.179
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```



```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY   OK
at+csq                               Success          ==> +CSQ: 30,0   OK
at+creg?                             Success          ==> +CREG: 1,1   OK
at+cgatt?                            Success          ==> +CGATT: 1    OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.121.202.24
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 01:24:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1    OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.175.144.175
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:29:46

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:30:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.44.165.129	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 01:30:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:30:32

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 01:30:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.120.164.135
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:30:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:31:19

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

[illegible]

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

Packet: dredger1;2015-07-16 01:33:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr

```


Packet: dredger1;2015-07-16 01:36:15;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:36:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:37:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.44.34.205	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 01:37:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
s-----Live: 16/07/2015 01:40:03
```

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:40:03;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 16/07/2015 01:40:47
```

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY  OK
```

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                      Success       ==> +CGATT: 1  OK
at+cipshut                     Success       ==> SHUT OK
at+cstt="internet"             Success     ==> OK
at+ciicr
2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.79.152.212
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
OK
```

2

3

4

5

```
6
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 01:41:32;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xa;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xe 0x4 0x0

```
e-----Live: 16/07/2015 01:42:11
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend       Success          ==> >
```

2

3

Success ==> SEND OK

Packet: dredger1;2015-07-16 01:41:32;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xe;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xe 0x4 0x0

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```
s-----Live: 16/07/2015 01:43:19
```


RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:43:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 01:44:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

Packet: dredger1;2015-07-16 01:44:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK

```

Packet: dredger1;2015-07-16 01:46:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:46:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:47:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.126.41.173
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:47:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.175.46.50
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 01:48:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 01:49:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
7			
8			
Success	==> OK		
at+cifsr	Success	==> 10.83.226.130	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
4			
Other	==> CLOSED		

Packet: dredger1;2015-07-16 01:49:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 16/07/2015 01:50:06
at+cipclose=1 Error ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success         ==> SEND OK
```

Packet: dredger1;2015-07-16 01:49:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 16/07/2015 01:50:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.175.25.161
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 01:50:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 01:50:59

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:51:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.58.96
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:51:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 01:52:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT   OK
at+cstt="internet" Success      ==> OK
```

Packet: dredger1;2015-07-16 01:55:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:55:26

[illegible]

s-----Live: 16/07/2015 01:55:47

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error         ==> ERROR
ate0             Success       ==> OK
at+cpin?         Success       ==> +CPIN: READY OK
at+csq           Success       ==> +CSQ: 30,0 OK
at+creg?         Success       ==> +CREG: 1,1 OK
at+cgatt?        Success       ==> +CGATT: 1 OK
at+cipshut       Success       ==> SHUT OK
at+cstt="internet" Success     ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr         Success       ==> 10.49.66.217
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

```

2
3
Success ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:57:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 01:58:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.206.238
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 01:58:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 01:58:29

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success          ==> CLOSED OK
at+cipclose=1                         Error             ==> ERROR
ate0                                  Success           ==> OK
at+cpin?                             Success           ==> +CPIN: READY OK
at+csq                               Success           ==> +CSQ: 30,0 OK
at+creg?                             Success           ==> +CREG: 1,1 OK
at+cgatt?                            Success           ==> +CGATT: 1 OK
at+cipshut                           Success           ==> SHUT OK
at+cstt="internet"                   Success           ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success           ==> 10.21.239.65
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success           ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 01:58:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```

Packet: dredger1;2015-07-16 02:01:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.44.173.227
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 02:03:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 100.125.24.177
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 02:05:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-16 02:08:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.156.73.77
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 02:10:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 02:13:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

Packet: dredger1;2015-07-16 02:15:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.157.108.72
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 02:17:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:17:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 02:17:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.126.82
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 02:17:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:18:08

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 02:18:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at          Success      ==> CLOSED  +PDP: DEACT  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 28,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK

```

```
at+cstt="internet"    Success          ==> OK
at+ciicr
2
Success              ==> OK
at+cifsr             Success          ==> 10.156.136.116
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend           Success          ==> >
Other                ==> +PDP: DEACT
```

Packet: dredger1;2015-07-16 02:21:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

```
e-----Live: 16/07/2015 02:21:50
at+cipclose=1      Error              ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend         Error              ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:21:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 16/07/2015 02:22:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 28,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.42.227.131
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:22:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:22:52

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
```

2
3
4
5
6
7
8
9
10
11

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 02:24:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> +PDP: DEACT OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	+PDP: DEACT
at+cifsr	Error	==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
ERROR		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend	Error	==> ERROR
------------	-------	-----------

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:24:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x408;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

e-----Live: 16/07/2015 02:24:53
at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Other ==>
ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:24:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

s-----Live: 16/07/2015 02:25:30
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK

```
at+csq          Success      ==> +CSQ: 28,0  OK
at+creg?        Success      ==> +CREG: 1,1  OK
at+cgatt?       Success      ==> +CGATT: 1  OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
  4
Success          ==> OK
at+cifsr         Error       ==> +PDP: DEACT  ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Error       ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:25:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x408;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

e-----Live: 16/07/2015 02:26:21

```
at+cipclose=1    Error       ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:24:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

s-----Live: 16/07/2015 02:26:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                      Success                      ==> OK
at+cipclose=1           Error                      ==> ERROR
ate0                    Success                      ==> OK
at+cpin?                Success                      ==> +CPIN: READY OK
at+csq                  Success                      ==> +CSQ: 28,0 OK
at+creg?                Success                      ==> +CREG: 1,1 OK
at+cgatt?               Success                      ==> +CGATT: 1 OK
at+cipshut              Success                      ==> SHUT OK
at+cstt="internet"      Success                      ==> OK
at+ciicr
2
Success                      ==> OK
at+cifsr                Success                      ==> 100.125.2.124
at+cipstart="TCP", "52.74.77.168", "5000"      Success                      ==> OK CONNECT
OK
at+cipsend              Success                      ==> >

2
Success                      ==> SEND OK
```

Packet: dredger1;2015-07-16 02:26:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:27:21
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success ==> CONNECT OK
at+cipsend Success ==> >

2
Success ==> SEND OK

Packet: dredger1;2015-07-16 02:24:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x40c 0xe 0x6 0x2

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-16 02:25:30;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x40c 0xe 0x6 0x2

Database is empty
Database is empty
s-----Live: 16/07/2015 02:27:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK

```
at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.48.160.129
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:27:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 02:28:10
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
at+cipsend       Success      ==> >
  2
  3
  4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:27:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:28:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==>	OK	
at+cipclose=1	Success	==>	CLOSE OK	
ate0	Success	==>	OK	
at+cpin?	Success	==>	+CPIN: READY OK	
at+csq	Success	==>	+CSQ: 28,0 OK	
at+creg?	Success	==>	+CREG: 1,1 OK	
at+cgatt?	Success	==>	+CGATT: 1 OK	
at+cipshut	Success	==>	SHUT OK	
at+cstt="internet"	Success	==>	OK	
at+ciicr				
2				
3				
4				
Success	==>	OK		
at+cifsr	Success	==>	10.42.18.32	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	OK CONNECT	
OK				
at+cipsend	Success	==>	>	
2				
3				
4				

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:28:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 02:29:18

at+cipclose=1	Success	==>	CLOSE OK	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==>	OK CONNECT	

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:27:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:29:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> +PDP: DEACT OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		

2

3

4

Success ==> OK


```
at+cifsr          Success          ==> 10.20.60.143
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:29:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 02:30:22
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:27:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 02:32:27;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0   OK
at+creg?    Success      ==> +CREG: 1.1   OK
```

Packet: dredger1;2015-07-16 02:33:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success        ==> OK
at+cpin?                              Success        ==> +CPIN: READY   OK
at+csq                                Success        ==> +CSQ: 30,0   OK
at+creg?                              Success        ==> +CREG: 1,1   OK
at+cgatt?                             Success        ==> +CGATT: 1   OK
at+cipshut                            Success        ==> SHUT   OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK

```

Packet: dredger1;2015-07-16 02:34:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

[illegible]

Packet: dredger1;2015-07-16 02:39:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                               Success      ==> +PDP: DEACT  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0   OK
at+creg?                        Success       ==> +CREG: 1,1   OK
at+cgatt?                       Success       ==> +CGATT: 1    OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success     ==> OK
at+ciicr
2

```

```
3
4
Success          ==> OK
at+cifsr         Success          ==> 100.125.42.96
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
3
Other            ==> +PDP: DEACT
```

Packet: dredger1;2015-07-16 02:40:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

```
e-----Live: 16/07/2015 02:40:28
at+cipclose=1      Error          ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
ERROR
```

```
2
3
4
5
6
7
8
9
10
11
```

Error, Time out, cntr = 11

```
at+cipsend       Error          ==> ERROR
```

```
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:40:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 16/07/2015 02:41:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.158.241.176
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >

2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:41:05;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:41:28

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:40:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

[illegible]

```
s-----Live: 16/07/2015 02:43:22
```


RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 02:43:22;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+ciptime Success      ==> CLOSE OK
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
```

```

at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success            ==> OK
at+cifsr           Success      ==> 10.42.181.26
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 02:44:06;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 02:44:32

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 02:44:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 10.48.224.253
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 02:45:21
at+cipclose=1    Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend       Success          ==> > +PDP: DEACT ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:46:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success          ==> 10.44.55.3
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> > +PDP: DEACT ERROR
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 16/07/2015 02:46:28

```
at+cipclose=1     Error            ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
ERROR
```

2
3
4
5
6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:47:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                      Success                      ==> OK
at+cipclose=1           Error                      ==> ERROR
ate0                    Success                      ==> OK
at+cpin?                Success                      ==> +CPIN: READY OK
at+csq                  Success                      ==> +CSQ: 30,0 OK
at+creg?                Success                      ==> +CREG: 1,1 OK
at+cgatt?               Success                      ==> +CGATT: 1 OK
at+cipshut              Success                      ==> SHUT OK
at+cstt="internet"      Success                      ==> OK
at+ciicr
2
Success                      ==> OK
at+cifsr                Success                      ==> 10.60.240.39
at+cipstart="TCP", "52.74.77.168", "5000"      Success                      ==> OK CONNECT
OK
at+cipsend              Success                      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:47:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 16/07/2015 02:47:31
at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:48:09
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 100.126.243.90
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:48:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 02:48:37
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
at+cipsend        Success      ==> >
  2
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:49:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Success	==> CLOSE OK
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.51.34.176
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
3		
4		
Other	==> +PDP: DEACT	

Packet: dredger1;2015-07-16 02:49:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x0 0x8 0x0 0x2000

e-----Live: 16/07/2015 02:49:44

at+cipclose=1	Error	==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:50:21

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.192.82
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT OK +PDP:

```
DEACT
at+cipsend      Error      ==> ERROR

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:50:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xc 0x4 0x0

```
e-----Live: 16/07/2015 02:50:50
at+cipclose=1      Error      ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
ERROR
```

```
  2
  3
  4
  5
  6
  7
  8
  9
 10
 11
Error, Time out, cntr = 11
```

```
at+cipsend      Error      ==> ERROR

  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:51:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error             ==> ERROR
ate0              Success           ==> OK
at+cpin?          Success           ==> +CPIN: READY OK
at+csq            Success           ==> +CSQ: 30,0 OK
at+creg?          Success           ==> +CREG: 1,1 OK
at+cgatt?         Success           ==> +CGATT: 1 OK
at+cipshut        Success           ==> SHUT OK
at+cstt="internet" Success         ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success           ==> 100.127.64.45
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success           ==> >
  2
  3
Other             ==> +PDP: DEACT
```

Packet: dredger1;2015-07-16 02:51:28;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 16/07/2015 02:51:54

```
at+cipclose=1     Error             ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:52:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                    Success            ==> OK
at+cipclose=1        Error            ==> ERROR
ate0                 Success           ==> OK
at+cpin?             Success           ==> +CPIN: READY OK
at+csq                Success           ==> +CSQ: 30,0 OK
at+creg?             Success           ==> +CREG: 1,1 OK
at+cgatt?            Success           ==> +CGATT: 1 OK
at+cipshut           Success           ==> SHUT OK
at+cstt="internet"   Success           ==> OK
at+ciicr
2
Success              ==> OK
at+cifsr             Success           ==> 10.49.226.68
at+cipstart="TCP", "52.74.77.168", "5000" Success           ==> OK CONNECT
OK
at+cipsend           Success           ==> >
2
Success              ==> SEND OK
```

Packet: dredger1;2015-07-16 02:52:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 02:52:54
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
Other              ==> +PDP: DEACT
at+cipsend          Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Error        ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other      ==>
ERROR
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend          Error        ==> ERROR
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 02:53:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
Success           ==> OK
at+cifsr          Success      ==> 100.125.228.65
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >

2
Success           ==> SEND OK

```

Packet: dredger1;2015-07-16 02:53:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 02:54:13

```

at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK

2
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> SEND OK

```

Packet: dredger1;2015-07-16 02:44:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK

```

2

3

4

5

6

```

Other      ==> +PDP: DEACT
at+cipsend Error      ==> ERROR

```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 02:54:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at      Success      ==> OK
at+cipclose=1      Error      ==> ERROR
ate0      Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"      Success      ==> OK
at+ciicr
2
Success      ==> OK
at+cifsr      Success      ==> 10.60.254.104
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend      Success      ==> >
Success      ==> SEND OK

```

Packet: dredger1;2015-07-16 02:54:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 02:55:12
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11

at+cipsend         Success      ==> >

2
3
4
```


Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 02:56:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.175.56.202
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:56:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 02:56:36

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 02:57:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 100.123.126.19
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:57:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 02:57:42

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==>
OK

2

Success ==> CONNECT OK
at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 02:58:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.51.88.67
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:58:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 02:59:08
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11

at+cipsend         Success      ==> >

2
3
```

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 03:00:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK  CLOSED
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.156.148.121
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:00:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 03:00:29
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
  2
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 02:46:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-16 02:47:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 03:01:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK

```

at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
  4
Success          ==> OK
at+cifsr          Success      ==> 100.121.198.180
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 03:01:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

```

e-----Live: 16/07/2015 03:01:33
at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==>
OK
  2
Success          ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 02:48:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```

at+cipclose=1    Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==>
OK
Success          ==> CONNECT OK
at+cipsend        Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 02:49:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xc 0x4 0x0

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 02:51:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

```

at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 02:56:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 03:02:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.125.76.28
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-16 03:02:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 03:03:09

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
Success ==> SEND OK

Packet: dredger1;2015-07-16 02:57:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success ==> CONNECT OK
at+cipsend Success ==> >

2
Success ==> SEND OK

Packet: dredger1;2015-07-16 02:58:40;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

Database is empty

s-----Live: 16/07/2015 03:03:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK CLOSED

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.83.98.158
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:05:24

[illegible]

s-----Live: 16/07/2015 03:05:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cshtt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.83.53.223
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK    CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 03:05:45;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:06:10

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:06:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.246.119
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 03:06:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:06:54


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 03:08:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+ciptime=1                          ==> ERROR
ate0                                  ==> OK
at+cpin?                              ==> +CPIN: READY   OK
at+csq                                ==> +CSQ: 30,0   OK
at+creg?                              ==> +CREG: 1,1   OK
at+cgatt?                             ==> +CGATT: 1   OK
at+cipshut                            ==> SHUT OK
at+cstt="internet"                   ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                              ==> 10.21.172.136
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK   CONNECT
OK
at+cipsend                            ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 03:09:32;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.124.148.56
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-16 03:10:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:10:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:11:01

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
  4
```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                                Success          ==> +CSQ: 30,0 OK
at+creg?                              Success          ==> +CREG: 1,1 OK
at+cgatt?                             Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 10.157.134.232
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                   Success        ==> OK
at+cpin?                              Success        ==> +CPIN: READY   OK
at+csq                                Success        ==> +CSQ: 30,0   OK
at+creg?                              Success        ==> +CREG: 1,1   OK
at+cgatt?                             Success        ==> +CGATT: 1   OK
at+cipshut                            Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success        ==> 10.83.19.119
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success        ==> >
    2
    3
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 03:15:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:15:56

[illegible]

```
s-----Live: 16/07/2015 03:16:16
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:16:41

[illegible]

s-----Live: 16/07/2015 03:17:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.50.47.100
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

Packet: dredger1;2015-07-16 03:18:34;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:18:58

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:19:19

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR +PDP: DEACT
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
Success	==> OK	
at+cifsr	Success	==> 10.44.231.166 +PDP: DEACT
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
ERROR		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:19:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

e-----Live: 16/07/2015 03:20:07

at+cipclose=1 Error ==> ERROR

at+cipstart="TCP","52.74.77.168","5000" Other ==>

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:19:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

s-----Live: 16/07/2015 03:20:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.60.252.38
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:20:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 03:21:10
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:19:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x6 0x2

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 100.124.52.56
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 03:21:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:21:53

[illegible]

Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:22:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> +PDP: DEACT	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
Success	==> OK		
at+cifsr	Error	==> +PDP: DEACT	ERROR
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>	
ERROR			

2
3
4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend	Error	==> ERROR
------------	-------	-----------

2
3
4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:22:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x408;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

e-----Live: 16/07/2015 03:23:07

at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Other ==>
ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:22:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

s-----Live: 16/07/2015 03:23:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK

```
at+cgatt?      Success      ==> +CGATT: 1  OK
at+cipshut     Success      ==> SHUT OK
at+cstt="internet"  Success    ==> OK
at+ciicr
2
3
4
Success        ==> OK
at+cifsr       Success      ==> 10.48.208.241
at+cipstart="TCP", "52.74.77.168", "5000"  Success    ==> OK  CONNECT
OK
at+cipsend     Success      ==> >
2
Success        ==> SEND OK
```

Packet: dredger1;2015-07-16 03:23:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 03:24:11
at+cipclose=1   Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000"  Success    ==> OK  CONNECT
OK
2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11
at+cipsend     Success      ==> >
Success        ==> SEND OK
```

Packet: dredger1;2015-07-16 03:22:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.49.158.30
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-16 03:25:24;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:25:49

[illegible]

```
s-----Live: 16/07/2015 03:26:10
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipeclose=1    Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```

```

at                Success      ==> CLOSED   OK
at+cipeclose=1    Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```

```

at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 10.48.149.19
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 03:27:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:27:28

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 03:27:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```



```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                                Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 100.122.114.13
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:30:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:31:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.123.226
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 03:31:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:31:25

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 03:31:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK   +PDP: DEACT
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1    OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
2

```



```
4
5
Success          ==> OK
at+cifsr         Success          ==> 10.157.158.124  +PDP: DEACT
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
ERROR
```

```
2
3
4
5
6
7
8
9
10
11
```

Error, Time out, cntr = 11

```
at+cipsend      Error          ==> ERROR
```

```
2
3
4
```

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:35:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

```
e-----Live: 16/07/2015 03:36:28
at+cipclose=1      Error          ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Other          ==>
ERROR
```

```
2
3
4
5
6
7
```

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:35:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

s-----Live: 16/07/2015 03:37:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> +PDP: DEACT OK	
at+cifsr	Error	==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000"	Other	==>
ERROR		

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:37:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x408;0xa;0x2;0x2

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x40c 0xe 0x6 0x2

e-----Live: 16/07/2015 03:37:56

at+cipclose=1 Error ==> ERROR

at+cipstart="TCP","52.74.77.168","5000" Other ==>

ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 03:35:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0xc;0xe;0x6;0x2

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0xc 0xe 0x6 0x2

s-----Live: 16/07/2015 03:38:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.45.135.211
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:38:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 03:38:58
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
2
3
4
```

5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-16 03:35:35;0;Close;0;Close;0;0;Off;0;0;Off;0xc;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0xc 0xe 0x6 0x2

s-----Live: 16/07/2015 03:39:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
4
Success ==> OK
at+cifsr Success ==> 10.49.14.246
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-16 03:39:26;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

```
e-----Live: 16/07/2015 03:39:53
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
Success            ==> SEND OK
```

Packet: dredger1;2015-07-16 03:37:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x40c;0xe;0x6;0x2

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x40c 0xe 0x6 0x2

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 03:40:13
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 10.83.114.208
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:40:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:41:22

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:41:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.91.33	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 03:41:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:42:07

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 03:43:14;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
  4
Success           ==> OK
at+cifsr          Success          ==> 10.51.3.67
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 03:43:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:44:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:44:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:45:10

[illegible]

s-----Live: 16/07/2015 03:45:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

Success ==> SEND OK

LIVE : DATA SENDING SUCCESS . .

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:47:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 03:47:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.50.252.97
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 03:47:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:48:10


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 03:48:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.44.114.58
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

Packet: dredger1;2015-07-16 03:53:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 03:56:02;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.126.77.13
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 03:56:46;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:57:11

[illegible]

```
s-----Live: 16/07/2015 03:57:32
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipeclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK

```

```

at+creg?           Success      ==> +CREG: 1,1 OK
at+cgatt?          Success      ==> +CGATT: 1 OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success            ==> OK
at+cifsr           Success      ==> 100.120.43.12
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 03:57:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 03:57:56

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 03:58:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```

Packet: dredger1;2015-07-16 03:59:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:02:02;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT  OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.175.156.165
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 04:02:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:03:10

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 04:03:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:03:56

[illegible]

s-----Live: 16/07/2015 04:04:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```
Success ==> OK
at+cifsr Success ==> 10.175.82.141
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK
```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:07:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:08:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is emptv  
Database is empty  
Database is empty  
Database is empty  
Database is empty  
Database is empty
```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:09:52

[illegible]

s-----Live: 16/07/2015 04:10:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 100.126.243.133
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:11:24

[illegible]

s-----Live: 16/07/2015 04:11:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
3
4
Success                               ==> OK
at+cifsr                             Success       ==> 10.60.71.195
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >

```

Success² ==> SEND OK

Packet: dredger1;2015-07-16 04:11:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:13:01

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 04:13:22

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED +PDP: DEACT	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.83.33.231	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> > +PDP: DEACT	ERROR
2			
3			
4			
Error, Time out, cntr = 4			

Packet: dredger1;2015-07-16 04:13:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

e-----Live: 16/07/2015 04:13:50

at+cipclose=1 Error ==> ERROR
at+cipstart="TCP","52.74.77.168","5000" Other ==>
ERROR

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Error ==> ERROR

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 04:13:22;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 04:14:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK

```
at                Success      ==> OK
at+cipclose=1    Success      ==> CLOSE OK
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
```



```

at                                     Success      ==> +PDP: DEACT   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY  OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
2
Success                               ==> OK
at+cifsr                              Success       ==> 10.175.238.156
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK

```

Packet: dredger1;2015-07-16 04:16:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

ERROR CODE: 0x0 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 04:18:38
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 04:18:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend         Success      ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 04:18:10;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 04:19:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success           ==> OK
at+cifsr          Success      ==> 100.127.255.82
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 04:19:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 04:20:04

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
2
3
4
```

5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-16 04:18:10;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 04:20:31

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.45.125.126
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-16 04:20:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 04:20:56

at+cipclose=1 Success ==> CLOSE OK

at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT

OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

Success ==> SEND OK

Packet: dredger1;2015-07-16 04:19:33;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 04:21:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

4

Success ==> OK

at+cifsr Success ==> 10.83.237.107

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:22:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 04:22:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.44.244.69	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 04:22:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:23:17

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 04:23:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.156.41.222
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 04:23:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:24:03

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:25:09;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.45.61.221
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```


Packet: dredger1;2015-07-16 04:28:59;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0


```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:34:38

[illegible]

s-----Live: 16/07/2015 04:34:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 04:34:59;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:36:05

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 04:36:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.157.210.193
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 04:36:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:36:53

Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:37:14;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:37:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 04:38:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

```
Success ==> OK
at+cifsr Success ==> 10.42.140.49
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
```

Packet: dredger1;2015-07-16 04:41:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:42:12

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 04:42:32

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.82.171.0	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 04:42:32;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:42:55

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:43:16;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:44:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

[illegible]

Packet: dredger1;2015-07-16 04:47:47;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:48:54

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 04:49:15

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 100.126.206.155	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 04:49:15;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:49:40

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 04:51:32;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+ciptime=1      Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```

```
at                                     Success                               ==> CLOSED OK
at+cipclose=1                         Error                                ==> ERROR
ate0                                  Success                              ==> OK
at+cpin?                             Success                            ==> +CPIN: READY OK
at+csq                               Success                           ==> +CSQ: 30,0 OK
at+creg?                             Success                           ==> +CREG: 1,1 OK
at+cgatt?                            Success                          ==> +CGATT: 1 OK
at+cipshut                           Success                          ==> SHUT OK
at+cstt="internet"                   Success                          ==> OK
at+ciicr
    2
        3
Success                               ==> OK
at+cifsr                             Success                             ==> 10.49.190.16
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 04:53:24

[illegible]

s-----Live: 16/07/2015 04:53:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.60.210.60
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:56:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 04:56:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY OK
at+csq                               Success         ==> +CSQ: 30,0 OK
at+creg?                             Success         ==> +CREG: 1,1 OK
at+cgatt?                            Success         ==> +CGATT: 1 OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success         ==> 100.123.150.190
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success       ==> 10.175.92.39
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                              ==> SEND OK

```



```
Database is empty
Database is empty
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:02:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:03:37;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 05:04:21;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY OK
at+csq                          Success       ==> +CSQ: 30,0 OK
at+creg?                        Success       ==> +CREG: 1,1 OK
at+cgatt?                       Success       ==> +CGATT: 1 OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.49.198.203
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

```

2

3

Success ==> SEND OK

Packet: dredger1;2015-07-16 05:06:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:07:03

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

Database is empty

s-----Live: 16/07/2015 05:07:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> CLOSED OK

at+cipclose=1 Error ==> ERROR

ate0 Success ==> OK

at+cpin? Success ==> +CPIN: READY OK

at+csq Success ==> +CSQ: 30,0 OK

at+creg? Success ==> +CREG: 1,1 OK

at+cgatt? Success ==> +CGATT: 1 OK

at+cipshut Success ==> SHUT OK

at+cstt="internet" Success ==> OK

at+ciicr

2

3

Success ==> OK

at+cifsr Success ==> 100.121.126.173

at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT

OK ==> >

at+cipsend Success ==> >

Success ==> SEND OK

Packet: dredger1;2015-07-16 05:07:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:07:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:08:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.124.251.229
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 05:08:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 05:09:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.51.204.80	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
4			
Other	==> CLOSED		

Packet: dredger1;2015-07-16 05:09:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 16/07/2015 05:10:06

at+cipclose=1	Error	==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		

2

3

4

5

```
6
7
8
9
10
11
Other      ==> +PDP: DEACT
at+cipsend Error      ==> ERROR
```

```
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:09:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 16/07/2015 05:10:44

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?    Success      ==> +CREG: 1,1 OK
at+cgatt?   Success      ==> +CGATT: 1 OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
Success     ==> OK
at+cifsr    Success      ==> 10.48.96.38
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend  Success      ==> >
Success     ==> SEND OK
```

Packet: dredger1;2015-07-16 05:10:44;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
e-----Live: 16/07/2015 05:11:05
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >
Success            ==> SEND OK
```

Packet: dredger1;2015-07-16 05:09:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 05:11:25
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 10.43.9.139
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:11:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 05:11:50

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:12:11

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> OK	
at+cipclose=1	Success	==> CLOSE OK	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.114.111	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND OK		

Packet: dredger1;2015-07-16 05:12:11;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 05:12:34

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

RETURNING DUMMY PACKET

```

at                                     Success      ==> OK
at+cipclose=1                         Success      ==> CLOSE OK
ate0                                  Success      ==> OK
at+cpin?                              Success      ==> +CPIN: READY OK
at+csq                                Success      ==> +CSQ: 30,0 OK
at+creg?                              Success      ==> +CREG: 1,1 OK
at+cgatt?                             Success      ==> +CGATT: 1 OK
at+cipshut                            Success      ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success      ==> 10.48.48.243
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                            Success      ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 05:13:39;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 05:14:04

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:14:25

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success          ==> 10.175.8.107
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 05:14:53

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

at+cipclose=1 Success ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:15:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK


```
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
  4
Success            ==> OK
at+cifsr          Success      ==> 100.123.76.136
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:15:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 05:16:19
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success            ==> CONNECT OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
```

at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:17:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr

2

3

Success ==> OK
at+cifsr Success ==> 10.61.111.120

```
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK  CONNECT
OK
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:17:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 05:17:42
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK  CONNECT
OK
2
3
4
5
6
7
8
9
10
11
Error, Time out, cntr = 11
at+cipsend      Success      ==> >
2
3
4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:18:20

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success      ==> 10.50.102.206
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
  2
  3
  4
Error, Time out, cntr = 4
```

Packet: dredger1;2015-07-16 05:18:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

e-----Live: 16/07/2015 05:18:48

```
at+cipclose=1     Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
  2
  3
  4
  5
  6
  7
```

8

9

10

11

Error, Time out, cntr = 11

at+cipsend Success ==> >

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:19:26

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.21.61.11
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 05:19:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
e-----Live: 16/07/2015 05:19:54
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
3
4
Other             ==> CLOSED
```

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : returned "Other" status!!

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Error      ==> ERROR
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

2
3
4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:14:25;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:20:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> OK
at+cipclose=1     Success          ==> CLOSE OK
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success          ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 100.127.174.140
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:20:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 05:20:57

```
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success          ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:15:49;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
```

2

3

4

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success          ==> SEND OK
```

Packet: dredger1;2015-07-16 05:17:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

s-----Live: 16/07/2015 05:21:33

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at      Success      ==> OK
at+cipclose=1      Success      ==> CLOSE OK
ate0     Success      ==> OK
at+cpin?      Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0 OK
at+creg?      Success      ==> +CREG: 1,1 OK
at+cgatt?      Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"      Success      ==> OK
at+ciicr
2
3
Success      ==> OK
at+cifsr      Success      ==> 10.175.118.0
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend      Success      ==> >
Success          ==> SEND OK
```


Packet: dredger1;2015-07-16 05:21:33;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

```
e-----Live: 16/07/2015 05:21:56
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:18:20;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success           ==> CONNECT OK
at+cipsend        Success      ==> >

2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:19:26;0;Close;0;Close;0;0;Off;0;0;Off;0x0;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0xc 0x4 0x0

```
Database is empty
Database is empty
s-----Live: 16/07/2015 05:22:17
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.83.23.136
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

Packet: dredger1;2015-07-16 05:24:34;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

s-----Live: 16/07/2015 05:26:04

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED  OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY  OK
at+csq                               Success         ==> +CSQ: 30,0  OK
at+creg?                             Success         ==> +CREG: 1,1  OK
at+cgatt?                            Success         ==> +CGATT: 1  OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success         ==> 10.42.150.130
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success         ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 05:26:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:27:36;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                             Success          ==> 10.49.190.57
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 05:28:20;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.43.126.49
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

Packet: dredger1;2015-07-16 05:30:33;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:31:41

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 05:32:02

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.50.128.150	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 05:32:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:32:27

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:32:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:33:35;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 30,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT  OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.42.34.165
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
Success           ==> SEND  OK
```

Packet: dredger1;2015-07-16 05:34:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:34:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:35:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
```



```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 30,0   OK
at+creg?         Success      ==> +CREG: 1,1   OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY OK
at+csq                               Success        ==> +CSQ: 30,0 OK
at+creg?                             Success        ==> +CREG: 1,1 OK
at+cgatt?                            Success        ==> +CGATT: 1 OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.122.233.88
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success        ==> >

```


LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:37:46

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:38:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.156.131.216	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 05:38:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:38:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:38:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.124.19.236	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 05:38:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:39:18

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:39:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.121.230.232	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
4			
Other	==> CLOSED		

Packet: dredger1;2015-07-16 05:39:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE :returned "Other" status!!

ERROR CODE: 0x8 0x8 0x0 0x2000

e-----Live: 16/07/2015 05:40:06

at+cipclose=1	Error	==> ERROR	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
2			
3			
4			

5

6

7

8

9

10

11

Error, Time out, cntr = 11

```
at+cipsend      Success      ==> >
Success         ==> SEND OK
```

Packet: dredger1;2015-07-16 05:39:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x2000

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x2000

s-----Live: 16/07/2015 05:40:34

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> OK
at+cipclose=1     Success      ==> CLOSE OK
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
Success           ==> OK
at+cifsr          Success      ==> 100.120.107.19
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >
2
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 05:40:34;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:42:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 05:43:35;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 16/07/2015 05:44:19
```

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error        ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.79.6.87
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 05:44:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:44:43

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 05:45:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at           Success      ==> CLOSED OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
at+cipshut  Success      ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
  2

```

```
Success ==> OK
at+cifsr Success ==> 10.48.122.165
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
```

2
Success ==> SEND OK

Packet: dredger1;2015-07-16 05:45:50;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:46:17

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:46:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.124.59.89
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 05:46:38;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:47:03

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:47:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.158.211.164
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 05:47:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.79.131.81
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 05:48:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.123.239.198
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 05:52:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:52:28

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 05:52:49

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```

3
Success ==> OK
at+cifsr Success ==> 10.20.8.115
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >

2
Success ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:54:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 05:55:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.79.187.96	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-16 05:55:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 05:55:28

Database is empty

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 05:56:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.51.68.163
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT

```

Packet: dredger1;2015-07-16 06:00:19;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:00:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:01:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.49.78.241	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 06:01:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1   OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 100.124.10.1
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-16 06:02:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```

Packet: dredger1;2015-07-16 06:05:43;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 16/07/2015 06:06:29
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success          ==> CLOSED   OK
at+cipclose=1                         Error            ==> ERROR
ate0                                   Success          ==> OK
at+cpin?                              Success          ==> +CPIN: READY   OK
at+csq                                Success          ==> +CSQ: 30,0   OK
at+creg?                              Success          ==> +CREG: 1,1   OK
at+cgatt?                             Success          ==> +CGATT: 1    OK
at+cipshut                            Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+csitt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.50.237.83
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:08:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:08:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.158.121.39
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:08:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:09:10

Database is empty


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```

Packet: dredger1;2015-07-16 06:12:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:13:00

[illegible]

```
s-----Live: 16/07/2015 06:13:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success          ==> CLOSED   OK
at+cipclose=1                         Error            ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                              Success          ==> +CPIN: READY   OK
at+csq                                Success          ==> +CSQ: 30,0   OK
at+creg?                              Success          ==> +CREG: 1,1   OK
at+cgatt?                             Success          ==> +CGATT: 1   OK
at+cipshut                            Success          ==> SHUT   OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
2
3
Success                               ==> OK

```

Packet: dredger1;2015-07-16 06:14:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:15:18

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:15:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.61.153.85
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:15:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:16:03

Database is empty


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 06:17:09;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 06:17:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.48.31.238
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 06:19:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:19:52

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 06:20:13

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```

```

3
Success          ==> OK
at+cifsr         Success          ==> 10.44.227.242
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

```

2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 06:20:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:20:38

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 06:20:59

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0           Success          ==> OK
at+cpin?       Success          ==> +CPIN: READY OK
at+csq         Success          ==> +CSQ: 30,0 OK
at+creg?       Success          ==> +CREG: 1,1 OK
at+cgatt?      Success          ==> +CGATT: 1 OK
at+cipshut     Success          ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr

```

```

2

3
Success          ==> OK
at+cifsr         Success          ==> 10.43.227.100
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend       Success          ==> >

```

2

Success ==> SEND OK

Packet: dredger1;2015-07-16 06:20:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:21:24

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:21:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.113.189
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:21:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:22:08

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:22:29

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.43.152.73	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-16 06:22:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:22:53

Database is empty


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 06:24:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

Packet: dredger1;2015-07-16 06:25:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1    OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error      ==> ERROR
ate0                                  Success     ==> OK
at+cpin?                             Success     ==> +CPIN: READY OK
at+csq                               Success     ==> +CSQ: 30,0 OK
at+creg?                             Success     ==> +CREG: 1,1 OK
at+cgatt?                            Success     ==> +CGATT: 1 OK
at+cipshut                           Success     ==> SHUT OK
at+cstt="internet"                   Success     ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success     ==> 100.125.122.173
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend                           Success     ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-16 06:26:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:27:21

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:27:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK	
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY OK	
at+csq	Success	==> +CSQ: 30,0 OK	
at+creg?	Success	==> +CREG: 1,1 OK	
at+cgatt?	Success	==> +CGATT: 1 OK	
at+cipshut	Success	==> SHUT OK	
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.83.82.56	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT	
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND OK		

Packet: dredger1;2015-07-16 06:27:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:28:07

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:28:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.121.246.152
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:28:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:28:53

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 06:29:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.125.131.32
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:29:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:29:40

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 06:30:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.127.101.233	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 06:30:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:31:10
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 06:31:30

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY  OK
at+csq                                Success       ==> +CSQ: 30,0  OK
at+creg?                              Success       ==> +CREG: 1,1  OK
at+cgatt?                             Success       ==> +CGATT: 1  OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 100.120.207.217
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                            Success       ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK

```

Packet: dredger1;2015-07-16 06:32:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success                               ==> CLOSED   OK
at+cipclose=1                         Error                               ==> ERROR
ate0                                   Success                               ==> OK
at+cpin?                              Success                               ==> +CPIN: READY   OK
at+csq                                 Success                               ==> +CSQ: 30,0   OK
at+creg?                              Success                               ==> +CREG: 1,1   OK
at+cgatt?                             Success                               ==> +CGATT: 1   OK
at+cipshut                            Success                               ==> SHUT OK
at+cstt="internet"                   Success                               ==> OK
at+ciicr
2
3
Success                               ==> OK

```

Packet: dredger1;2015-07-16 06:33:43;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

Database is empty

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 06:36:03;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
```

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.49.36.159
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```


ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:41:43

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:42:04

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.121.61.2	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
3			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 06:42:04;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:42:30

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 06:42:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

Database is empty

s-----Live: 16/07/2015 06:44:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
  2
  3
  4
  5
  6
Success           ==> OK
at+cifsr          Success      ==> 10.49.202.104
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend        Success      ==> >
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 06:44:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:44:51

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:45:12

ERROR: PLC DISCONNECTED !!

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.51.212.83
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1.1  OK
```

Packet: dredger1;2015-07-16 06:45:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK

```

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1   OK
at+cipshut                            Success       ==> SHUT OK
at+cshtt="internet"                  Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.158.63.15
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 06:48:12;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:48:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:49:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.44.175.25	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 06:49:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 10.157.96.19
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK    CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 06:51:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:51:45

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 06:52:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
```

Packet: dredger1;2015-07-16 06:53:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:54:01

[illegible]

```
s-----Live: 16/07/2015 06:54:21
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
    2
    3
Success           ==> OK
at+cifsr          Success      ==> 100.121.125.40
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success      ==> >

```

Success ==> SEND OK

Packet: dredger1;2015-07-16 06:54:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:54:44

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:55:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.43.243.241
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:55:05;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 06:55:30

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 06:55:51

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.125.200.35
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 06:55:51;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

Packet: dredger1;2015-07-16 06:58:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

e-----Live: 16/07/2015 06:59:16

```
s-----Live: 16/07/2015 06:59:37
```

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED  OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY  OK
at+csq            Success      ==> +CSQ: 30,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1  OK
at+cipshut        Success      ==> SHUT OK

```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 100.121.96.13
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 07:01:06;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:01:29

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:01:50

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.116.22	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 07:01:50;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:03:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]


```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 100.127.232.194
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
```

```

at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success            ==> OK
at+cifsr           Success      ==> 100.120.254.153
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
2
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 07:05:36;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:06:03

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 07:06:24

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2

```

Packet: dredger1;2015-07-16 07:07:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:08:18

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:08:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 100.123.54.30	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 07:08:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:09:02

Database is empty
Database is empty
Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:09:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

ERROR: PLC DISCONNECTED !!


```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                   Success         ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success         ==> 10.50.215.18
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error        ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 30,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                       Success       ==> +CGATT: 1  OK
at+cipshut                      Success       ==> SHUT OK
at+cstt="internet"             Success       ==> OK
at+ciicr
2

```

```
3
Success          ==> OK
at+cifsr         Success          ==> 100.122.100.96
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
```

```
2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-16 07:12:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:12:47

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:13:08

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success          ==> CLOSED OK
at+cipclose=1   Error            ==> ERROR
ate0            Success          ==> OK
at+cpin?        Success          ==> +CPIN: READY OK
at+csq          Success          ==> +CSQ: 30,0 OK
at+creg?        Success          ==> +CREG: 1,1 OK
at+cgatt?       Success          ==> +CGATT: 1 OK
at+cipshut      Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
```

2

```
3
Success          ==> OK
at+cifsr         Success          ==> 100.122.175.69
at+cipstart="TCP", "52.74.77.168", "5000" Success          ==> OK   CONNECT
OK
at+cipsend       Success          ==> >
Success          ==> SEND OK
```

Packet: dredger1;2015-07-16 07:13:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:14:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:14:39

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.71.196
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 07:14:39;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:16:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!


```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 30,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                              Success       ==> 10.21.245.83
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                            Success       ==> >
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```

at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK

```

Packet: dredger1;2015-07-16 07:18:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY OK
at+csq                               Success       ==> +CSQ: 30,0 OK
at+creg?                             Success       ==> +CREG: 1,1 OK
at+cgatt?                            Success       ==> +CGATT: 1 OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 10.79.102.254
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 07:19:56;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:20:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:20:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.42.58.55	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 07:20:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:22:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 07:23:45;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 16/07/2015 07:24:30
```

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

Packet: dredger1;2015-07-16 07:24:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success        ==> OK
at+cpin?                        Success        ==> +CPIN: READY OK
at+csq                          Success        ==> +CSQ: 30,0 OK
at+creg?                        Success        ==> +CREG: 1,1 OK
at+cgatt?                       Success        ==> +CGATT: 1 OK
at+cipshut                      Success        ==> SHUT OK
at+cstt="internet"             Success        ==> OK
at+ciicr

```


3

Packet: dredger1;2015-07-16 07:26:01;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Success² ==> SEND OK

Packet: dredger1;2015-07-16 07:26:48;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.175.131.154
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-16 07:30:32;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:30:57

[illegible]

```
s-----Live: 16/07/2015 07:31:18
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30.0  OK

```



```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
    5
    6
Success                              ==> OK
at+cifsr                             Success        ==> 100.122.163.15
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK

```

Packet: dredger1;2015-07-16 07:33:39;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:34:02

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:34:23

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.175.71.34	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 07:34:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

s-----Live: 16/07/2015 07:35:08

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success       ==> 10.61.97.46
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 07:35:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:35:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 100.127.153.186
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 07:37:23;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:37:47

[illegible]

```
s-----Live: 16/07/2015 07:38:08
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30.0  OK

```



```
at          Success      ==> CLOSED  OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1  OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 30,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.158.69.140
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

Packet: dredger1;2015-07-16 07:40:29;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:42:45;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:43:31;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 07:44:15;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+cipeclose=1    Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0  OK

```



```

at+creg?           Success      ==> +CREG: 1,1  OK
at+cgatt?          Success      ==> +CGATT: 1  OK
at+cipshut         Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3
4
Success            ==> OK
at+cifsr           Success      ==> 10.50.195.184
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend         Success      ==> >
Success            ==> SEND OK

```

Packet: dredger1;2015-07-16 07:44:59;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:45:24

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 07:45:45

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
3

```

```
Success ==> OK
at+cifsr Success ==> 10.50.247.98
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
Success ==> SEND OK
```

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY  OK
at+csq                               Success        ==> +CSQ: 30,0  OK
at+creg?                             Success        ==> +CREG: 1,1  OK
at+cgatt?                            Success        ==> +CGATT: 1  OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
    5
    6
Success                               ==> OK
at+cifsr                             Success        ==> 10.20.26.175
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:48:33

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 07:48:54

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 100.124.110.188
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 07:48:54;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 30,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success       ==> 10.83.64.25
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                            Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 07:51:57;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:52:21

[illegible]

```
s-----Live: 16/07/2015 07:52:42
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+ciptime Error        ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

```
Success ==> OK
at+cifsr Success ==> 10.50.40.85
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 07:54:44

[illegible]

s-----Live: 16/07/2015 07:55:05

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 30,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+cstt="internet"                  Success         ==> OK
at+ciicr
    2
    3
Success                             ==> OK
at+cifsr                            Success         ==> 10.82.92.221
at+cipstart="TCP","52.74.77.168","5000" Success         ==> OK   CONNECT
OK
at+cipsend                          Success         ==> >
    2
Success                             ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:57:22;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 07:58:10;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.158.174.175
at+cipstart="TCP", "52.74.77.168", "5000"  Success      ==> OK CONNECT
OK
at+cipsend       Success      ==> >

  2
Success          ==> SEND OK
```

Packet: dredger1;2015-07-16 08:02:12;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:02:37

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:02:58

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at              Success      ==> CLOSED OK
at+cipclose=1   Error        ==> ERROR
ate0            Success      ==> OK
at+cpin?        Success      ==> +CPIN: READY OK
at+csq          Success      ==> +CSQ: 30,0 OK
at+creg?        Success      ==> +CREG: 1,1 OK
at+cgatt?       Success      ==> +CGATT: 1 OK
at+cipshut      Success      ==> SHUT OK
at+cstt="internet"  Success      ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 10.42.150.170
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:03:22

[illegible]

s-----Live: 16/07/2015 08:03:43

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 08:03:43;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:04:06

[illegible]

s-----Live: 16/07/2015 08:04:27

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success        ==> 100.123.158.215
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-16 08:04:27;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```



```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 08:06:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 08:07:37;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+ciptime=1                          Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY   OK
at+csq                               Success       ==> +CSQ: 30,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+csstt="internet"                  Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success       ==> 10.175.46.172
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK    CONNECT
OK
at+cipsend                           Success       ==> >
    2
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 08:08:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:08:47

[illegible]

```
s-----Live: 16/07/2015 08:09:08
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK

```

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY   OK
at+csq            Success      ==> +CSQ: 30,0   OK
at+creg?          Success      ==> +CREG: 1,1   OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
```

[illegible]

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:11:09

[illegible]

s-----Live: 16/07/2015 08:11:30

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success          ==> OK
at+cpin?                             Success          ==> +CPIN: READY OK
at+csq                               Success          ==> +CSQ: 30,0 OK
at+creg?                             Success          ==> +CREG: 1,1 OK
at+cgatt?                            Success          ==> +CGATT: 1 OK
at+cipshut                           Success          ==> SHUT OK
at+cstt="internet"                   Success          ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success          ==> 10.157.198.66
at+cipstart="TCP","52.74.77.168","5000" Success          ==> OK CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```


e-----Live: 16/07/2015 08:13:28


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 08:14:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 08:15:29;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error          ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY OK
at+csq                               Success        ==> +CSQ: 30,0 OK
at+creg?                             Success        ==> +CREG: 1,1 OK
at+cgatt?                            Success        ==> +CGATT: 1 OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
    5
    6
    7
Success                               ==> OK
at+cifsr                             Success        ==> 10.50.89.184
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT
OK
at+cipsend                           Success        ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 08:17:00;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:17:31

[illegible]

```
s-----Live: 16/07/2015 08:17:52
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```

at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error        ==> ERROR
ate0                             Success      ==> OK
at+cpin?                        Success      ==> +CPIN: READY   OK
at+csq                          Success      ==> +CSQ: 30,0   OK
at+creg?                        Success      ==> +CREG: 1,1   OK
at+cgatt?                       Success      ==> +CGATT: 1    OK
at+cipshut                      Success      ==> SHUT OK
at+cstt="internet"             Success      ==> OK
at+ciicr
2

```


Packet: dredger1;2015-07-16 08:19:26;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:19:55

[illegible]

```
s-----Live: 16/07/2015 08:20:16
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED  OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 30,0  OK
at+creg?                             Success       ==> +CREG: 1,1  OK
at+cgatt?                            Success       ==> +CGATT: 1  OK
at+cipshut                           Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success       ==> 100.125.228.35
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK  CONNECT

```

Packet: dredger1;2015-07-16 08:21:01;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:21:25

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:21:46

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 30,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.43.237.192	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 08:21:46;0;Close;0;Close;0;0;0;Off;0;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 s-----Live: 16/07/2015 08:23:17

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success          ==> CLOSED OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY OK
at+csq            Success          ==> +CSQ: 30,0 OK
at+creg?          Success          ==> +CREG: 1,1 OK
at+cgatt?         Success          ==> +CGATT: 1 OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.51.101.0
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
  4
Error, Time out, cntr = 4

```

Packet: dredger1;2015-07-16 08:23:17;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```

e-----Live: 16/07/2015 08:23:46
at+cipclose=1     Success          ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
  2
  3

```

4
5
6
7
8
9
10
11

Error, Time out, cntr = 11

at+cipsend Success ==> >
Success ==> SEND OK

Packet: dredger1;2015-07-16 08:23:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

s-----Live: 16/07/2015 08:24:14

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at Success ==> OK
at+cipclose=1 Success ==> CLOSE OK
ate0 Success ==> OK
at+cpin? Success ==> +CPIN: READY OK
at+csq Success ==> +CSQ: 30,0 OK
at+creg? Success ==> +CREG: 1,1 OK
at+cgatt? Success ==> +CGATT: 1 OK
at+cipshut Success ==> SHUT OK
at+cstt="internet" Success ==> OK
at+ciicr
2
3
Success ==> OK
at+cifsr Success ==> 10.21.184.161
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend Success ==> >
2
Success ==> SEND OK

Packet: dredger1;2015-07-16 08:24:14;0;Close;0;Close;0;0;0ff;0;0;0ff;0x0;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x0 0x8 0x0 0x0

e-----Live: 16/07/2015 08:24:39

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:25:00

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 30,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.127.160.110
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 08:25:00;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:25:25

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```


[illegible]

ERROR: PLC DISCONNECTED !!

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error      ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 30,0   OK
at+creg?    Success      ==> +CREG: 1,1   OK
at+cgatt?   Success      ==> +CGATT: 1    OK
```

```
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
  2
  3
  4
Success            ==> OK
at+cifsr           Success          ==> 10.156.9.186
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK
at+cipsend          Success          ==> >
  2
Success            ==> SEND OK
```

Packet: dredger1;2015-07-16 08:28:47;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:29:14

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:29:35

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                  Success          ==> CLOSED OK
at+cipclose=1       Error            ==> ERROR
ate0                Success          ==> OK
at+cpin?            Success          ==> +CPIN: READY OK
at+csq              Success          ==> +CSQ: 30,0 OK
at+creg?            Success          ==> +CREG: 1,1 OK
at+cgatt?           Success          ==> +CGATT: 1 OK
at+cipshut          Success          ==> SHUT OK
at+cstt="internet"  Success          ==> OK
at+ciicr
  2
  3
```

3

4

Error, Time out, cntr = 4

Packet: dredger1;2015-07-16 08:30:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING FAILED!!

ERROR CODE: 0x8 0xc 0x4 0x0

```
e-----Live: 16/07/2015 08:30:47
at+cipclose=1      Success      ==> CLOSE OK
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==>
OK
Success            ==> CONNECT OK
at+cipsend         Success      ==> >

2
Success            ==> SEND OK
```

Packet: dredger1;2015-07-16 08:30:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0xc;0x4;0x0

BACKFILL : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0xc 0x4 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
s-----Live: 16/07/2015 08:31:07
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 30,0 OK
at+creg?          Success      ==> +CREG: 1,1 OK
at+cgatt?         Success      ==> +CGATT: 1 OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success      ==> OK
at+ciicr
2
```

```
Success ==> OK
at+cifsr Success ==> 10.61.233.97
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 30,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success         ==> 100.125.251.154
at+cipstart="TCP","52.74.77.168","5000" Success       ==> OK   CONNECT
OK
at+cipsend                           Success          ==> >
    2
Success                               ==> SEND OK

```


LIVE : DATA SENDING SUCCESS . .

Packet: dredger1;2015-07-16 08:33:31;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 08:34:24;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY  OK
```

```

at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2
  3
Success          ==> OK
at+cifsr         Success      ==> 100.121.41.120
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend       Success      ==> >
  2
Success          ==> SEND OK

```

Packet: dredger1;2015-07-16 08:39:02;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:39:27

```

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

```

s-----Live: 16/07/2015 08:39:48

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at               Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1  OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
  2

```


Packet: dredger1;2015-07-16 08:39:48;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:40:17

[illegible]

```
s-----Live: 16/07/2015 08:40:38
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 28,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
    2
    3
Success                               ==> OK
at+cifsr                             Success        ==> 10.49.206.213
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK CONNECT

```

Packet: dredger1;2015-07-16 08:41:23;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:41:46

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:42:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
Success	==> OK	
at+cifsr	Success	==> 10.20.44.168
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 08:42:07;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 08:45:58;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 28,0  OK
at+creg?         Success      ==> +CREG: 1,1  OK
at+cgatt?        Success      ==> +CGATT: 1   OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```


Packet: dredger1;2015-07-16 08:46:42;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:47:08

[illegible]

```
s-----Live: 16/07/2015 08:47:29
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success      ==> CLOSED   OK
at+cipclose=1     Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0  OK
at+creg?          Success      ==> +CREG: 1,1  OK
at+cgatt?         Success      ==> +CGATT: 1   OK
at+cipshut        Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
```

2

3

4

```
Success ==> OK
at+cifsr Success ==> 100.125.121.250
at+cipstart="TCP","52.74.77.168","5000" Success ==> OK CONNECT
```

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:48:46

[illegible]

s-----Live: 16/07/2015 08:49:07

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success         ==> OK
at+cpin?                             Success         ==> +CPIN: READY   OK
at+csq                               Success         ==> +CSQ: 28,0   OK
at+creg?                             Success         ==> +CREG: 1,1   OK
at+cgatt?                            Success         ==> +CGATT: 1   OK
at+cipshut                           Success         ==> SHUT OK
at+csstt="internet"                  Success         ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success         ==> 10.45.243.209
at+cipstart="TCP", "52.74.77.168", "5000" Success         ==> OK   CONNECT
OK
at+cipsend                           Success         ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 08:49:07;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:49:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:49:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
Success	==> OK		
at+cifsr	Success	==> 100.126.205.106	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 08:49:52;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:50:21

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:50:42

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 10.175.251.226
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 08:50:42;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:51:07

Database is empty

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 08:51:28

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
6		
7		
Success	==> OK	
at+cifsr	Success	==> 10.82.227.134
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
Success	==> SEND OK	

Packet: dredger1;2015-07-16 08:51:28;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:51:59

Database is empty
 Database is empty
 Database is empty

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 08:52:19;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 08:53:49;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
s-----Live: 16/07/2015 08:54:35
```

RETURNING DUMMY PACKET

at	Success	==>	CLOSED	OK
at+cipclose=1	Error	==>	ERROR	

Packet: dredger1;2015-07-16 08:54:35;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                               Success      ==> CLOSED   OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success        ==> OK
at+cpin?                        Success        ==> +CPIN: READY OK
at+csq                          Success        ==> +CSQ: 28,0  OK
at+creg?                        Success        ==> +CREG: 1,1  OK
at+cgatt?                       Success        ==> +CGATT: 1   OK
at+cipshut                      Success        ==> SHUT OK
at+cstt="internet"             Success        ==> OK
at+ciicr
```

4

2

Packet: dredger1;2015-07-16 08:55:21;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

3

```
Success ==> OK
at+cifsr Success ==> 10.156.59.24
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
```

Packet: dredger1;2015-07-16 08:56:52;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 08:57:17

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 08:57:38

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
Success	==> OK		
at+cifsr	Success	==> 10.51.158.37	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 08:57:38;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 28,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1   OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
Success                              ==> OK
at+cifsr                             Success        ==> 10.42.159.83
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
Success                              ==> SEND OK

```

Packet: dredger1;2015-07-16 09:01:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0  OK
at+creg?    Success      ==> +CREG: 1,1  OK
at+cgatt?   Success      ==> +CGATT: 1   OK
```

```
at                Success      ==> CLOSED   OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY   OK
at+csq           Success      ==> +CSQ: 28,0    OK
at+creg?         Success      ==> +CREG: 1,1    OK
at+cgatt?        Success      ==> +CGATT: 1     OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
```

```

at                Success      ==> CLOSED OK
at+cipclose=1    Error        ==> ERROR
ate0             Success      ==> OK
at+cpin?         Success      ==> +CPIN: READY OK
at+csq           Success      ==> +CSQ: 28,0 OK
at+creg?         Success      ==> +CREG: 1,1 OK
at+cgatt?        Success      ==> +CGATT: 1 OK
at+cipshut       Success      ==> SHUT OK
at+cstt="internet" Success    ==> OK
at+ciicr
    2
    3
Success          ==> OK
at+cifsr         Success      ==> 10.48.75.40
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK CONNECT
OK

```

```

at                                     ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success        ==> OK
at+cpin?                             Success        ==> +CPIN: READY   OK
at+csq                               Success        ==> +CSQ: 28,0   OK
at+creg?                             Success        ==> +CREG: 1,1   OK
at+cgatt?                            Success        ==> +CGATT: 1    OK
at+cipshut                           Success        ==> SHUT OK
at+cstt="internet"                   Success        ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success        ==> 10.44.118.251
at+cipstart="TCP", "52.74.77.168", "5000" Success        ==> OK   CONNECT
OK
at+cipsend                           Success        ==> >
    2
Success                               ==> SEND OK

```

LIVE : DATA SENDING SUCCESS . .

```
Database is empty
Database is empty
```

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

s-----Live: 16/07/2015 09:06:57

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 28,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
4		
5		
Success	==> OK	
at+cifsr	Success	==> 10.43.185.181
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 09:06:57;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:07:25

Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty
 Database is empty

[illegible]

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY   OK
at+csq                                Success       ==> +CSQ: 28,0   OK
at+creg?                              Success       ==> +CREG: 1,1   OK
at+cgatt?                             Success       ==> +CGATT: 1    OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success       ==> OK
at+ciicr
    2
    3
    4
Success                               ==> OK
at+cifsr                             Success       ==> 100.125.28.12
at+cipstart="TCP","52.74.77.168","5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
Success                               ==> SEND OK

```

Packet: dredger1;2015-07-16 09:09:16;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:09:42

[illegible]

s-----Live: 16/07/2015 09:10:03

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                Success      ==> CLOSED   OK
at+ciptime=1      Error        ==> ERROR
ate0              Success      ==> OK
at+cpin?          Success      ==> +CPIN: READY OK
at+csq            Success      ==> +CSQ: 28,0  OK

```



```

at                                     Success      ==> CLOSED   OK
at+cipclose=1                         Error         ==> ERROR
ate0                                  Success       ==> OK
at+cpin?                             Success       ==> +CPIN: READY  OK
at+csq                               Success       ==> +CSQ: 28,0   OK
at+creg?                             Success       ==> +CREG: 1,1   OK
at+cgatt?                            Success       ==> +CGATT: 1    OK
at+cipshut                           Success       ==> SHUT OK
at+csstt="internet"                  Success       ==> OK
at+ciicr
    2
    3
    4
Success                              ==> OK
at+cifsr                             Success       ==> 10.60.93.126
at+cipstart="TCP", "52.74.77.168", "5000" Success      ==> OK   CONNECT
OK
at+cipsend                           Success       ==> >
Success                              ==> SEND OK

```


ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:12:45

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 09:13:06

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.61.121.156	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 09:13:06;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:13:31

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 09:13:52

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
4			
5			
6			
7			
Success	==> OK		
at+cifsr	Success	==> 10.157.163.217	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
2			
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 09:13:52;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:14:25


```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 09:14:46;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 09:15:30;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

```
at          Success      ==> CLOSED   OK
at+cipclose=1 Error       ==> ERROR
ate0        Success      ==> OK
at+cpin?    Success      ==> +CPIN: READY OK
at+csq      Success      ==> +CSQ: 28,0   OK
at+creg?    Success      ==> +CREG: 1,1   OK
at+cgatt?   Success      ==> +CGATT: 1    OK
```

```

at                                     Success      ==> CLOSED OK
at+cipclose=1                         Error         ==> ERROR
ate0                                   Success       ==> OK
at+cpin?                              Success       ==> +CPIN: READY OK
at+csq                                Success       ==> +CSQ: 26,0 OK
at+creg?                              Success       ==> +CREG: 1,1 OK
at+cgatt?                             Success       ==> +CGATT: 1 OK
at+cipshut                            Success       ==> SHUT OK
at+cstt="internet"                   Success      ==> OK
at+ciicr
2
3
Success                               ==> OK
at+cifsr                              Success       ==> 10.82.238.13
at+cipstart="TCP", "52.74.77.168", "5000" Other ==>
OK

```

Packet: dredger1;2015-07-16 09:19:17;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

RETURNING DUMMY PACKET

Packet: dredger1;2015-07-16 09:20:03;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:20:32

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 09:20:53

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED	OK
at+cipclose=1	Error	==> ERROR	
ate0	Success	==> OK	
at+cpin?	Success	==> +CPIN: READY	OK
at+csq	Success	==> +CSQ: 28,0	OK
at+creg?	Success	==> +CREG: 1,1	OK
at+cgatt?	Success	==> +CGATT: 1	OK
at+cipshut	Success	==> SHUT	OK
at+cstt="internet"	Success	==> OK	
at+ciicr			
2			
3			
Success	==> OK		
at+cifsr	Success	==> 10.48.82.235	
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK	CONNECT
OK			
at+cipsend	Success	==> >	
Success	==> SEND	OK	

Packet: dredger1;2015-07-16 09:20:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:21:16

Database is empty


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

```
e-----Live: 16/07/2015 09:22:03
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
```

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 09:23:08;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
at+csq            Success          ==> +CSQ: 28,0  OK
at+creg?          Success          ==> +CREG: 1,1  OK
at+cgatt?         Success          ==> +CGATT: 1  OK
at+cipshut        Success          ==> SHUT OK
at+cstt="internet" Success        ==> OK
at+ciicr
  2
  3
Success           ==> OK
at+cifsr          Success          ==> 10.156.77.249
at+cipstart="TCP", "52.74.77.168", "5000" Success ==> OK  CONNECT
OK
at+cipsend        Success          ==> >
  2
  3
Success           ==> SEND OK
```

Packet: dredger1;2015-07-16 09:23:53;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:24:19

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 09:24:40

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```
at                Success          ==> CLOSED  OK
at+cipclose=1     Error            ==> ERROR
ate0              Success          ==> OK
at+cpin?          Success          ==> +CPIN: READY  OK
```

Packet: dredger1;2015-07-16 09:24:40;0;Close;0;Close;0;0;Off;0;0;Off;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

```
s-----Live: 16/07/2015 09:25:24
```

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

```

at                               Success      ==> CLOSED  OK
at+cipclose=1                   Error         ==> ERROR
ate0                             Success       ==> OK
at+cpin?                        Success       ==> +CPIN: READY  OK
at+csq                          Success       ==> +CSQ: 27,0  OK
at+creg?                        Success       ==> +CREG: 1,1  OK
at+cgatt?                      Success       ==> +CGATT: 1  OK
at+cipshut                     Success       ==> SHUT OK
at+cstt="internet"             Success     ==> OK
at+ciicr
2

```

3

Success ==> SEND OK

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:27:20

Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty
Database is empty

s-----Live: 16/07/2015 09:27:41

ERROR: PLC DISCONNECTED !!

RETURNING DUMMY PACKET

at	Success	==> CLOSED OK
at+cipclose=1	Error	==> ERROR
ate0	Success	==> OK
at+cpin?	Success	==> +CPIN: READY OK
at+csq	Success	==> +CSQ: 27,0 OK
at+creg?	Success	==> +CREG: 1,1 OK
at+cgatt?	Success	==> +CGATT: 1 OK
at+cipshut	Success	==> SHUT OK
at+cstt="internet"	Success	==> OK
at+ciicr		
2		
3		
Success	==> OK	
at+cifsr	Success	==> 100.126.210.189
at+cipstart="TCP", "52.74.77.168", "5000"	Success	==> OK CONNECT
OK		
at+cipsend	Success	==> >
2		
Success	==> SEND OK	

Packet: dredger1;2015-07-16 09:27:41;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

e-----Live: 16/07/2015 09:28:06

Database is empty


```
ERROR: PLC DISCONNECTED !!
RETURNING DUMMY PACKET
```

LIVE : DATA SENDING SUCCESS . .

[illegible]

```
ERROR: PLC DISCONNECTED !!  
RETURNING DUMMY PACKET
```

Packet: dredger1;2015-07-16 09:29:13;0;Close;0;Close;0;0;0ff;0;0;0ff;0x8;0x8;0x0;0x0

LIVE : DATA SENDING SUCCESS . .

ERROR CODE: 0x8 0x8 0x0 0x0

[illegible]

[illegible]