Navigation across screens

READING GUIDE

Compare the visible context and the meaning of actions. The detail container is currently different on native iPhone, iPad and web.

Three collections

01 List → activity → Map

Inspection and selection are different actions.

02 Map → selected routes → activity

The inspector stays attached to the map; Back and Clear have different effects.

03 Stats overview → detail · Filters

The same chart opens in three different containers: push, pane or inline expansion.

The main comparison

Native iPhone

Activity and chart detail use contextual blue navigation. Back restores the originating overview.

iPad

List and Stats keep the overview beside a right-hand inspector. Portrait borrows space from filters.

Phone-size and desktop web

The global shell stays visible. List changes the content page; Stats expands the selected tile inline.

How to use this reference

Read a collection across its three states, then compare the same collection on another layout. Numbered pins identify the navigation regions, with explanatory notes below each screen. The filter image is a separate reference state from List, not a step that filters the Stats reporting period.

The HTML companion is the best place for side-by-side comparison and full-resolution inspection. Choose two layouts, toggle annotations, or click a screenshot to enlarge it. This PDF preserves a fixed, annotated record for discussion.

Actions shared; containers differ

AT A GLANCE

The common vocabulary is stronger than the visual consistency. These differences are observed in the current implementation.

Layout	Activity detail	Stats detail	Filters and retained context
Native iPhone	Native push; blue Back / activity / Map bar.	Native push; blue Back / chart title.	Native sheet in both orientations. Global destinations are replaced while detail is open.
iPad portrait	Right inspector; X closes. List remains visible.	Right chart inspector; compact selected tile.	Sidebar is temporarily hidden to make room, then restored. The filter button can overlay it on the overview.
iPad landscape	Right inspector beside list.	Right inspector beside dashboard.	Filters, overview and detail can remain visible as three columns.
Web phone portrait	Content push below global header.	Inline tile expansion.	A narrow icon rail remains; expanded filters cover content with a scrim.
Web phone landscape	Same content-navigation model.	Same inline expansion.	The full sidebar reserves width. The map panel can leave little visible map area.
Desktop browser	Detail replaces the main content, despite available width.	Inline expansion reflows the grid.	Full sidebar and global header stay available. This is not the iPad right-inspector model.

Two decisions to separate

1. What must be consistent? Destination names, inspection versus selection, filter scope, and the meaning of returning.

2. What should adapt to space? Push, right-hand inspector, inline expansion, sidebar, sheet and map-panel footprint.

List → activity → Map

COLLECTION 1 / iPad · portrait / 834 × 1194

Detail opens beside the retained list. Close with X.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Inspect Lunch Ride



1. Global destinations remain available while the activity is open.
2. The right-hand activity inspector closes with X. Portrait hides filters automatically.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

X returns to the full list. Show on map changes destination and selects the target route.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

List → activity → Map

COLLECTION 1 / iPad · landscape / 1194 × 834

Detail opens beside the retained list. Close with X.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Inspect Lunch Ride



1. Global destinations remain available while the activity is open.
2. The right-hand activity inspector closes with X. Portrait hides filters automatically.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

X returns to the full list. Show on map changes destination and selects the target route.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

List → activity → Map

COLLECTION 1 / iPhone · portrait / 402 × 874

Detail uses a native push and contextual blue Back / activity / Map bar.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Inspect Lunch Ride



1. Back replaces the root filter control; the blue bar now belongs to the activity.
2. Show on map changes destination and selects this route.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

Back or a completed edge swipe returns to List. Show on map changes destination.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

List → activity → Map

COLLECTION 1 / iPhone · landscape / 874 × 402

Detail uses a native push and contextual blue Back / activity / Map bar.

1 / Browse the list

1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Inspect Lunch Ride



1. Back replaces the root filter control; the blue bar now belongs to the activity.
2. Show on map changes destination and selects this route.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

Back or a completed edge swipe returns to List. Show on map changes destination.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

List → activity → Map

COLLECTION 1 / Web · iPhone-size portrait / 402 × 874

The content area pushes to an activity page; the blue app header and sidebar remain visible.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Inspect Lunch Ride



1. Back to activities is in a white content bar below the persistent blue app header.
2. Activity actions live in the content. Show on map is a destination change.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

Back to activities closes the content detail. The map action changes the browser route to Map.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

List → activity → Map

COLLECTION 1 / Web · iPhone-size landscape / 874 × 402

The content area pushes to an activity page; the blue app header and sidebar remain visible.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Inspect Lunch Ride



1. Back to activities is in a white content bar below the persistent blue app header.
2. Activity actions live in the content. Show on map is a destination change.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

Back to activities closes the content detail. The map action changes the browser route to Map.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

List → activity → Map

COLLECTION 1 / Web · desktop browser / 1440 × 1000

The content area pushes to an activity page; the blue app header and sidebar remain visible.

1 / Browse the list



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Inspect Lunch Ride



1. Back to activities is in a white content bar below the persistent blue app header.
2. Activity actions live in the content. Show on map is a destination change.

3 / Show that activity on Map



1. Map is now the active destination. Global navigation remains available above the inspector.
2. The activity is selected and inspected on Map. This is a destination handoff, not Back to List.

RETURN / CONTEXT

Back to activities closes the content detail. The map action changes the browser route to Map.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Map → selected routes → activity

COLLECTION 2 / iPad · portrait / 834 × 1194

Portrait with filters uses a native results sheet; landscape fits a floating inspector on the right.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

Map → selected routes → activity

COLLECTION 2 / iPad · landscape / 1194 × 834

Portrait with filters uses a native results sheet; landscape fits a floating inspector on the right.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

Map → selected routes → activity

COLLECTION 2 / iPhone · portrait / 402 × 874

Portrait uses the native results sheet; landscape puts the inspector beside the map.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

Map → selected routes → activity

COLLECTION 2 / iPhone · landscape / 874 × 402

Portrait uses the native results sheet; landscape puts the inspector beside the map.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

Map → selected routes → activity

COLLECTION 2 / Web · iPhone-size portrait / 402 × 874

A floating results panel sits over the map. Its footprint depends on viewport width.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Map → selected routes → activity

COLLECTION 2 / Web · iPhone-size landscape / 874 × 402

A floating results panel sits over the map. Its footprint depends on viewport width.

1 / Browse routes



2 / Four selected routes



3 / Inspect one of those routes



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Map → selected routes → activity

COLLECTION 2 / Web · desktop browser / 1440 × 1000

A floating results panel sits over the map. Its footprint depends on viewport width.

1 / Browse routes



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Four selected routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

3 / Inspect one of those routes



1. Map is now the active destination. Global navigation remains available above the inspector.
2. Results and activity detail share the map inspector. Back changes the inspector; Clear selection closes results.

RETURN / CONTEXT

Back changes activity detail to selected-route results. Clear selection closes the results inspector.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Stats overview → detail · Filters

COLLECTION 3 / iPad · portrait / 834 × 1194

A chart inspector opens on the right. X closes it; the selected tile stays compact.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Open Training volume



1. The blue root shell remains visible; detail does not replace the destination picker.
2. A separate right-hand chart inspector opens. X closes it.

Reference / Filters from List



1. The header control toggles the same filter presentation across all destinations.
2. Filters share space with content, or cover it on the narrow web layout. This screenshot applies search “ride”.

RETURN / CONTEXT

Close the inspector with X, or activate the selected tile again. The overview remains mounted.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

Stats overview → detail · Filters

COLLECTION 3 / iPad · landscape / 1194 × 834

A chart inspector opens on the right. X closes it; the selected tile stays compact.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Open Training volume



1. The blue root shell remains visible; detail does not replace the destination picker.
2. A separate right-hand chart inspector opens. X closes it.

Reference / Filters from List



1. The header control toggles the same filter presentation across all destinations.
2. Filters share space with content, or cover it on the narrow web layout. This screenshot applies search “ride”.

RETURN / CONTEXT

Close the inspector with X, or activate the selected tile again. The overview remains mounted.

COMPARE

Portrait borrows the filter column for detail. Landscape can retain filters, overview and detail together.

Stats overview → detail · Filters

COLLECTION 3 / iPhone · portrait / 402 × 874

Chart detail uses a native push with blue Back and title. This reference uses A: Push.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Open Training volume



1. The native chart page uses the same blue Back/title navigation as activity detail.
2. Chart metrics and grouping belong to this detail page; Back restores the dashboard.

Reference / Filters from List



1. Filters use a native modal sheet rather than a persistent icon rail.
2. Done dismisses the sheet and returns to the browsing context.

RETURN / CONTEXT

Back or a completed edge swipe returns to the retained dashboard.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

Stats overview → detail · Filters

COLLECTION 3 / iPhone · landscape / 874 × 402

Chart detail uses a native push with blue Back and title. This reference uses A: Push.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell.
2. Filters start from the leading toolbar control. iPad can reserve a left column.

2 / Open Training volume

1. The native chart page uses the same blue Back/title navigation as activity detail.
2. Chart metrics and grouping belong to this detail page; Back restores the dashboard.

Reference / Filters from List



1. Filters use a native modal sheet rather than a persistent icon rail.
2. Done dismisses the sheet and returns to the browsing context.

RETURN / CONTEXT

Back or a completed edge swipe returns to the retained dashboard.

COMPARE

Landscape changes the map/filter containers but List and Stats still use navigation.

Stats overview → detail · Filters

COLLECTION 3 / Web · iPhone-size portrait / 402 × 874

The selected tile expands inside the dashboard. The expand control becomes Collapse.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Open Training volume



1. The web shell and filter rail/sidebar remain available during chart expansion.
2. Collapse lives on the expanded tile. The chart remains part of the scrolling dashboard.

Reference / Filters from List



1. The header control toggles the same filter presentation across all destinations.
2. Filters share space with content, or cover it on the narrow web layout. This screenshot applies search “ride”.

RETURN / CONTEXT

Collapse the selected tile, press Escape, or expand a different tile. This is not a separate chart page.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Stats overview → detail · Filters

COLLECTION 3 / Web · iPhone-size landscape / 874 × 402

The selected tile expands inside the dashboard. The expand control becomes Collapse.

1 / Browse Stats



2 / Open Training volume



Reference / Filters from List



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

1. The web shell and filter rail/sidebar remain available during chart expansion.
2. Collapse lives on the expanded tile. The chart remains part of the scrolling dashboard.

1. The header control toggles the same filter presentation across all destinations.
2. Filters share space with content, or cover it on the narrow web layout. This screenshot applies search “ride”.

RETURN / CONTEXT

Collapse the selected tile, press Escape, or expand a different tile. This is not a separate chart page.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Stats overview → detail · Filters

COLLECTION 3 / Web · desktop browser / 1440 × 1000

The selected tile expands inside the dashboard. The expand control becomes Collapse.

1 / Browse Stats



1. Map / List / Stats are peer destinations in the blue shell. Web represents Map with the app mark.
2. The leading control expands/collapses the filter rail or sidebar.

2 / Open Training volume



1. The web shell and filter rail/sidebar remain available during chart expansion.
2. Collapse lives on the expanded tile. The chart remains part of the scrolling dashboard.

Reference / Filters from List



1. The header control toggles the same filter presentation across all destinations.
2. Filters share space with content, or cover it on the narrow web layout. This screenshot applies search “ride”.

RETURN / CONTEXT

Collapse the selected tile, press Escape, or expand a different tile. This is not a separate chart page.

COMPARE

Phone landscape crosses into the full sidebar layout; the route panel can leave very little map visible.

Questions this reference makes concrete

HISTORICAL DISCUSSION / CORRECTION 11 OCTOBER 2026

These questions record the October 8 discussion. The accepted October 11 navigation contract now governs web and iOS.
See the companion HTML for the contract, control audit and implementation verification.

01 Shared behavior

Should we standardize the action and return contract while allowing each platform to choose the container?

02 Desktop activity detail

Should desktop web retain the list beside detail, following the iPad inspector pattern?

03 Stats detail

Should web inline expansion remain a deliberate distinction, or align with native push / inspector detail?

04 Narrow-screen priorities

Should global navigation and the icon rail remain visible in phone detail, or should detail borrow that space?

05 Map inspection

Can Back, Clear selection and changing panel size use one clear vocabulary even when the map container remains different?

06 Stats filters - corrected 11 October

Web and native both hide date controls in Stats. Saved Map/List date ranges do not constrain Stats; the pictured filter editor is from List.

07 Short landscape map

With the web sidebar and results panel visible at 874×402, the usable map can become very small. Should a column collapse or the panel shrink?

What these screenshots represent

EVIDENCE AND SCOPE

A fixed record of the current review build, using comparable data. Authentication, live stream loading and animation quality are outside its scope.

01 Current working tree, not a released product specification. The saved checkpoint is dad01984; recent iPad adaptations are uncommitted.

02 63 full-resolution renders share the committed 20-activity review dataset. Photos and stream profiles are excluded; unavailable chart placeholders are expected.

03 Native iPhone views are hosted on the iPhone 18 Pro simulator, with actual scene rotation for landscape. iPad views use controlled 834×1194 and 1194×834 hosted windows on the iPad Pro 11-inch simulator; they are not physical-device screenshots.

04 Web captures use Chromium at 402×874, 874×402 and 1440×1000. They do not include Safari/Chrome chrome or browser safe-area effects.

05 Review fixture account chrome is used. The development-only sign-in overlay is excluded from web captures; authentication and account transitions are outside this reference.

06 Collections show representative entry and destination states, not continuous recordings. Native states are staged through production stores; browser details and Show on map use real controls.

07 Native Push is the capture baseline. The Dev tile-zoom alternative is not pictured. Static screenshots do not establish animation smoothness or swipe behavior.

08 Dates, basemap style and panel blur differ between clients. Review the containers, ownership of Back/Close and visible context; numerical/pixel parity is not the purpose.

09 The short web landscape map leaves a narrow usable map area. Captures preserve that actual state; the route-framing limitations are recorded in capture metadata.

Provenance

Checkpoint dad01984 · working-tree diff SHA-256 8932eaaca36177bed3fc · fixture SHA-256 4e111e55d17cc53769e5 · 63 screenshots / 7 layouts / 20 activities.