

# Text mining ChatGPT

Abishan, Josua, Lars, Luca

2023-03-26

```
##Introduction Beschreibung einfügen über Projekt. ## Load packages and data
```

```
library (syuzhet)
library (stringr)
library (tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.2 --
## v ggplot2 3.4.0      v purrr   1.0.0
## v tibble  3.1.8      v dplyr  1.0.10
## v tidyr   1.2.1      v forcats 0.5.2
## v readr   2.1.3
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
```

```
library (ggplot2)
library(scales)
```

```
##
## Attache Paket: 'scales'
##
## Das folgende Objekt ist maskiert 'package:purrr':
##
##   discard
##
## Das folgende Objekt ist maskiert 'package:readr':
##
##   col_factor
##
## Das folgende Objekt ist maskiert 'package:syuzhet':
##
##   rescale
```

```
library(stringi)
library(lubridate)
```

```
## Lade nötiges Paket: timechange
##
## Attache Paket: 'lubridate'
##
## Die folgenden Objekte sind maskiert von 'package:base':
##
##   date, intersect, setdiff, union
```

```
library(dplyr)
options(scipen=999)

load("ChatGPT.rda")
```

## 1. Question: What can you tell us about the users that tweet about ChatGPT?

```
# Creating a copy of tweets
tweets_orig <- tweets

# take unique users
Users <- tweets[4:10]
Users = Users[!duplicated(Users$User),]

# Calculating average lenght of tweet
char_counts <- nchar(tweets$Tweet)
av_char_count <- mean(char_counts)
rounded_avg_char_count <- round(av_char_count, 2)
# tabelle einfügen mit rounded_avg_char_count!!!!

#create median
retweets_median = median(Users$Retweets)
retweets_mean = mean(Users$Retweets)

likes_median = median(Users$Likes)
likes_mean = mean(Users$Likes)

Friends_median = median(Users$UserFriends)
Friends_mean = mean(Users$UserFriends)

Followers_median = median(Users$UserFollowers)
Followers_mean = mean(Users$UserFollowers)

verified_median = median(Users$UserVerified)
verified_mean = mean(Users$UserVerified)

# Create a tibble with the values
my_table <- tibble(
  Statistik = c("Retweets", "Likes", "Friends", "Followers", "Verified"),
  Median = c(retweets_median, likes_median, Friends_median, Followers_median, verified_median),
  Average = c(retweets_mean, likes_mean, Friends_mean, Followers_mean, verified_mean)
)

print(my_table)
```

```
## # A tibble: 5 x 3
##   Statistik Median   Average
##   <chr>      <dbl>     <dbl>
## 1 Retweets      0     0.833
## 2 Likes         1     4.61
## 3 Friends    402 1142.
## 4 Followers   285 5134.
## 5 Verified      0     0.0226
```


Hier Erklärung Tabelle einfügen. (Joshi)

```
#Average/ median of Hour when to tweet, Nr of Retweets, Likes, Followers, Friends, verified
```

```
#create Histogramm for Tweettime
```

```
plot_dataHour <- tweets %>%  
  group_by (timeofday_hour) %>%  
  count()
```

```
ggplot (plot_dataHour,  
        aes (x=timeofday_hour, y=n)) +  
  geom_bar(stat = "identity")+  
  theme_minimal () +  
  ggtitle("Number of tweets over time (per hour)") +  
  xlab("Hour") +  
  ylab("Number of tweets")
```



Hier Erklärung Grafik einfügen. (Joshi)

```
#Number of tweets tweeted of an user
```

```
#range breaks
```

```
range_breaks <- c(0, 100, 500, 1500, 5000, 15000000)
```


```
#Appling cut() on follower-data
```

```
Users$range <- cut(Users$UserFollowers, breaks = range_breaks)
```

```
Users <- na.omit(Users)
```

```
# Creating Barplot
```

```
ggplot(Users, aes(x = range, fill = range)) + geom_bar() + labs(title = "Number of Twitter-Follower", x = range)
```




```
# Beschriftung x Achse auf numerisch wechseln !!!!!
```

Hier Erklärung Grafik einfügen. (Joshi)

```
#number of tweets over time
```

```
plot_data <- tweets %>%
  group_by (tweet_date) %>%
  count()
```


```
ggplot (plot_data,
        aes (x=tweet_date, y=n)) +
  geom_bar(stat = "identity")+
  theme_minimal () +
  ggtitle("Number of reviews over time (per day)") +
  xlab("Date 22/23") +
  ylab("Number of tweets")
```



Hier Erklärung Grafik einfügen. (Joshi)

```
# Convert UserCreated to datetime format
Users$UserCreated <- ymd_hms(Users$UserCreated)

# Create the plot
ggplot(Users, aes(x = UserCreated)) +
  geom_histogram(bins = 50, fill = "#69b3a2", color = "#e9ecef") +
  labs(x = "Account Creation Date", y = "Number of Accounts") +
  ggtitle("Twitter Account Creation Dates")
```



Hier Erklärung Grafik einfügen. (Joshi)

2. What are the tweets about, what do users associated the new technology with (e.g. industries, specific applications, and also emotions)?

### Pre processing

```
# Define a function to preprocess the text
preprocess_text <- function(text) {

  # Convert text to lower case
  text <- tolower(text)

  # Remove emojis and emoticons
  text <- gsub("[\U0001F600-\U0001F64F\U0001F910-\U0001F96F\U0001F300-\U0001F5FF\U0001F680-\U0001F6FF\U0001F700-\U0001F7FF\U0001F800-\U0001F8FF\U0001F900-\U0001F9FF\U0001FA00-\U0001FAFF\U0001FB00-\U0001FBFF\U0001FC00-\U0001FCFF\U0001FD00-\U0001FDFF\U0001FE00-\U0001FEFF\U0001FF00-\U0001FFFF]", "", text)

  # Remove numbers
  text <- gsub("\\d+", "", text)

  # Remove punctuation
  text <- gsub("[[:punct:]]", "", text)

  # Remove whitespace
  text <- gsub("\\s+", " ", text)

  # Remove stopwords and other words to be removed
```

```
words_to_remove <- c("the", "and", "in", "to", "a", "of")
words_to_remove_pattern <- paste0("\\b(", paste(words_to_remove, collapse = "|"), ")\\b")
text <- gsub(words_to_remove_pattern, "", text, ignore.case = TRUE)

# Return the preprocessed text
return(text)
}

# Apply the preprocessing function to the Tweet column
tweets$preprocessed_text <- sapply(tweets$Tweet, preprocess_text)
```