

Report from Jan 12, 2026, 9:03:25 AM

https://stg-brflorida-brfstaging.kinsta.cloud/

Analyze

 PageSpeed Insights

Copy Link

Docs

 Mobile

 Desktop



Discover what your real users are experiencing

 No Data



Diagnose performance issues




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



METRICS

[Expand view](#)

■ First Contentful Paint
2.9 s

▲ Largest Contentful Paint
6.0 s

● Total Blocking Time
70 ms

● Cumulative Layout Shift
0.006

■ Speed Index
4.4 s

📅 Captured at Jan 12, 2026 at
9:03 AM CST

📱 Emulated Moto G Power with
Lighthouse 13.0.1

🔗 [Single page session](#)

🕒 Initial page load

🔋 Slow 4G throttling

🔗 [Using HeadlessChromium](#)
137.0.7151.119 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render blocking requests — Est savings of 2,060 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#) [Unscored](#)

☒ Show 3rd-party resources (1)

URL	Transfer Size	Duration
kinsta.cloud 1st Party	98.7 KiB	5,600 ms
...generateblocks/style-global.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	1.3 KiB	160 ms
...css/swiper-bundle.min.css?ver=11.1.14 (stg-brflorida-brfstaging.kinsta.cloud)	5.3 KiB	310 ms
...css/dashicons.min.css?ver=6.9 (stg-brflorida-brfstaging.kinsta.cloud)	35.2 KiB	930 ms
...generateblocks/style-2270.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	4.0 KiB	160 ms
...css/main.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	5.2 KiB	620 ms
...components/font-icons.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	1.6 KiB	470 ms
...css/offside.min.css?ver=2.5.5 (stg-brflorida-brfstaging.kinsta.cloud)	2.3 KiB	160 ms
...generatepress-child/style.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	1.2 KiB	470 ms
...components/widget-areas.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	1.6 KiB	470 ms
...css/display-structure.css?ver=6.9 (stg-brflorida-brfstaging.kinsta.cloud)	4.2 KiB	160 ms
...icons/icons.min.css?ver=2.5.5 (stg-brflorida-brfstaging.kinsta.cloud)	1.1 KiB	160 ms
...css/display-structure.css?ver=3.0.29 (stg-brflorida-brfstaging.kinsta.cloud)	1.3 KiB	160 ms

...jquery/jquery.min.js?ver=3.7.1 (stg-brflorida-brfstaging.kinsta.cloud)	29.9 KiB	770 ms
...generatepress/style.min.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	3.0 KiB	470 ms
...css/navigation-branding-flex.min.css?ver=2.5.5 (stg-brflorida-brfstaging.kinsta.cloud)	1.5 KiB	160 ms
Google Fonts Cdn	2.4 KiB	760 ms
/css?family=... (fonts.googleapis.com)	2.4 KiB	760 ms

▲

Improve image delivery — Est savings of 273 KiB

^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

URL	Resource Size	Est Savings
kinsta.cloud 1st Party	330.5 KiB	272.7 KiB
Clear Water Bar 	...04/clearwater-bar.png (stg-brflorida-brfstaging.kinsta.cloud) 38.0 KiB	35.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	35.6 KiB
KIWANIS CLUB 	...04/Kiwanis.png (stg-brflorida-brfstaging.kinsta.cloud) 36.5 KiB	34.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	34.2 KiB
National Association of Distinguished Council <img decoding="async"		

<code>src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/t..." alt="National Association of Distinguished Council" id="2963"></code>	<code>...04/top-one.png (stg-brflorida-brfstaging.kinsta.cloud)</code>	34.8 KiB	32.4 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			32.4 KiB
<code>LAWYER.COM</code> <code><img decoding="async"</code> <code>src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/l..." alt="LAWYER.COM" id="2968"></code>	<code>...04/lawyers.png (stg-brflorida-brfstaging.kinsta.cloud)</code>	27.2 KiB	24.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			24.8 KiB
<code>Rotary International</code> <code><img decoding="async"</code> <code>src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/r..." alt="Rotary International" id="2964"></code>	<code>...04/rotary.png (stg-brflorida-brfstaging.kinsta.cloud)</code>	26.1 KiB	23.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			23.8 KiB
<code>Hillsburrow County Bar</code> <code><img decoding="async"</code> <code>src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/H..." alt="Hillsburrow County Bar" id="2966"></code>	<code>...04/Hillsburrow-cty-bar.png (stg-brflorida-brfstaging.kinsta.cloud)</code>	24.0 KiB	21.7 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			21.7 KiB
<code>AVVO</code> <code><img decoding="async"</code>			

src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/A..." alt="AVVO" id="2972">	...04/AVVO-Stephen.png (stg-brflorida-brfstaging.kinsta.cloud) 23.0 KiB20.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 20.7 KiB
 The Florida Bar	...04/florida-bar.png (stg-brflorida-brfstaging.kinsta.cloud) 23.0 KiB20.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 20.6 KiB
AVVO	...04/AVVO-athena.png (stg-brflorida-brfstaging.kinsta.cloud) 22.0 KiB19.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 19.6 KiB
Better Business Bureau	...04/BBB.png (stg-brflorida-brfstaging.kinsta.cloud) 13.0 KiB10.7 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 10.7 KiB



Bernhardt Riley
<img src=

"https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/03/c..." alt="Bernhardt Riley" class="is-logo-image" width="465" height="100">

...03/cropped-l....png (stg-brflorida-brfstaging.kinsta.cloud)


13.6 KiB 9.9 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.

6.0 KiB

This image file is larger than it needs to be (465x100) for its displayed dimensions (326x70). Use responsive images to reduce the image download size.

6.9 KiB



div.gbp-section_ _inner > div > figure.w

p-block-video > video <video height="720" style="aspect-ratio: 1280 / 720;" width="1280" controls="" poster="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/v..." src="https://stg-brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/B..." >


...04/video.jpg (stg-brflorida-brfstaging.kinsta.cloud)

18.2 KiB 7.0 KiB

This image file is larger than it needs to be (786x441) for its displayed dimensions (618x347). Use responsive images to reduce the image download size.

7.0 KiB

div.gb-looper-7daec172 > div.gb-



loop-
item >
a.gb-
elemen
t-


003553

```
0c > img.gb-media-9bea6cdd

|
```

...04/AdobeStock_132....jpg (stg-brflorida-brfstaging.kinsta.cloud) 16.3 KiB 6.6 KiB

Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. 6.6 KiB



div.gb-
looper-
7daec1
72 >
div.gb-

```
loop-item > a.gb-element-
0035530c > img.gb-media-
9bea6cdd

|
```

...04/AdobeStock_421....webp (stg-brflorida-brfstaging.kinsta.cloud) 14.8 KiB 5.1 KiB

Increasing the image compression factor could improve this image's download size. 5.1 KiB

▲ Font display — Est savings of 50 ms

^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

☒ Show 3rd-party resources (1)

URL	Est Savings
kinsta.cloud 1st Party	
...fonts/generatepress.woff2 (stg-brflorida-brfstaging.kinsta.cloud)	50 ms
Google Fonts Cdn	
...v31/JTUSjlg1_....woff2 (fonts.gstatic.com)	10 ms

▲ LCP request discovery

^

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- ✓

 lazy load not applied
- ✗

 fetchpriority=high should be applied
- ✗

 Request is discoverable in initial document




YOU WANT US ON YOUR SIDE At Bernhardt Riley, Attorneys at Law, PLLC, our skille...
<div class="gb-element-5dacd6c2">

▲ Network dependency tree

^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 1,673 ms



...jquery/jquery.min.js?ver=3.7.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 963 ms , 29.89 KiB
...css/dashicons.min.css?ver=6.9 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,054 ms , 35.23 KiB
...css/display-structure.css?ver=6.9 (stg-brflorida-brfstaging.kinsta.cloud)	- 977 ms , 4.19 KiB
...css/display-structure.css?ver=3.0.29 (stg-brflorida-brfstaging.kinsta.cloud)	- 970 ms , 1.29 KiB
...css/swiper-bundle.min.css?ver=11.1.14 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,072 ms , 5.32 KiB
...components/widget-areas.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 985 ms , 1.58 KiB
...css/main.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 993 ms , 5.23 KiB
...js/sticky.min.js?ver=2.5.5 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,318 ms , 3.58 KiB
...js/offside.min.js?ver=2.5.5 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,199 ms , 2.95 KiB
...js/frontend.min.js?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	- 1,249 ms , 2.43 KiB
...js/menu.min.js?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,200 ms , 2.60 KiB
...js/swiper-bundle.min.js?ver=11.1.14 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,249 ms , 39.70 KiB
...jquery/jquery-migrate.min.js?ver=3.4.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,200 ms , 5.54 KiB
...js/underscore.min.js?ver=1.13.7 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,262 ms , 7.97 KiB
...components/font-icons.min.css?ver=3.6.1 (stg-brflorida-brfstaging.kinsta.cloud)	- 992 ms , 1.63 KiB
...fonts/generatepress.woff2 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,196 ms , 2.21 KiB
...js/backbone.min.js?ver=1.6.0 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,248 ms , 8.57 KiB
...min/front-end-deps.js?ver=3.13.3 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,247 ms , 18.15 KiB
...min/front-end.js?ver=3.13.3 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,248 ms , 24.36 KiB
.../css2?family=... (fonts.googleapis.com)	- 1,673 ms , 1.51 KiB
...min/front-end.js?ver=3.0.29 (stg-brflorida-brfstaging.kinsta.cloud)	- 1,247 ms , 3.54 KiB
.../css?family=... (fonts.googleapis.com)	- 894 ms , 2.36 KiB
...v31/JTUSjlg1....woff2 (fonts.gstatic.com)	- 1,143 ms , 35.47 KiB
...v37/1Ptug8zYS....woff2 (fonts.gstatic.com)	- 1,143 ms , 42.90 KiB
...generatepress/style.min.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	- 960 ms , 2.98 KiB
...generatepress-child/style.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	- 991 ms , 1.19 KiB
...generateblocks/style-global.css?ver=176... (stg-brflorida-brfstaging.kinsta.cloud)	- 1,080 ms , 1.28 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://sites.generatepress.com	310 ms
https://brflorida.com	260 ms

■ Use efficient cache lifetimes — Est savings of 37 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP

FCP Unscored

Request	Cache TTL	Transfer Size
trustindex.io		20 KiB
/loader.js?ver=1 (cdn.trustindex.io)	None	20 KiB
Google Analytics Analytics		21 KiB
/analytics.js (www.google-analytics.com)	2h	21 KiB
generatepress.com		1 KiB
...82/abstract-shapes.svg (sites.generatepress.com)	4h	1 KiB

○ Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.006
PROVEN EXPERIENCE, SKILLED ADVOCACY Whether you're a landlord or tenant dealin...	
<div class="gbp-section gb-element-ca487298" style="--inline-bg-image: url(https://stg-brflorida-brfstaging.kinsta.cloud/wp-co...;">	



0.006

LCP breakdown

^

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms
Resource load delay	1,110 ms
Resource load duration	100 ms
Element render delay	100 ms



YOU WANT US ON YOUR SIDE At Bernhardt Riley, Attorneys at Law, PLLC, our skille...
<div class="gb-element-5dacd6c2">

3rd parties

^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	357 KiB	197 ms
/gtag/js?id=G-TNHER2P2TM (www.googletagmanager.com)	156 KiB	101 ms
/gtm.js?id=GTM-WX2XQGQP (www.googletagmanager.com)	98 KiB	53 ms
/gtag/js?id=UA-227...-1&cx=c>m=4e6171 (www.googletagmanager.com)	101 KiB	43 ms
/td?id=... (www.googletagmanager.com)	1 KiB	0 ms
Google Analytics Analytics	22 KiB	14 ms
/analytics.js (www.google-analytics.com)	21 KiB	14 ms

/g/collect?v=... (analytics.google.com)	1 KiB	0 ms
trustindex.io	20 KiB	8 ms
/loader.js?ver=1 (cdn.trustindex.io)	20 KiB	8 ms
funnelytics.io	11 KiB	6 ms
/track-v3.js (cdn.funnelytics.io)	11 KiB	6 ms
/sessions (track-v3.funnelytics.io)	0 KiB	0 ms
/steps (track-v3.funnelytics.io)	0 KiB	0 ms
workers.dev	0 KiB	0 ms
/settings/e072a630-2ba2-4813-b44a-c348f7b3e055 (tracker-shield.funnelytics.workers.dev)	0 KiB	0 ms
Google Fonts Cdn	82 KiB	0 ms
...v37/1Ptug8zYS...woff2 (fonts.gstatic.com)	43 KiB	0 ms
...v31/JTUSjlg1_...woff2 (fonts.gstatic.com)	35 KiB	0 ms
/css?family=... (fonts.googleapis.com)	2 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
brflorida.com	182 KiB	0 ms
...03/Columns_Mod1.jpg (brflorida.com)	125 KiB	0 ms
...05/stone-texture-scaled.jpg (brflorida.com)	55 KiB	0 ms
...01/abstract-shapes.svg (brflorida.com)	1 KiB	0 ms
generatepress.com	1 KiB	0 ms
...82/abstract-shapes.svg (sites.generatepress.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 **Reduce unused JavaScript — Est savings of 188 KiB**

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

☒ Show 3rd-party resources (3)

URL	Transfer Size	Est Savings
Google Tag Manager Tag-Manager	354.2 KiB	164.9 KiB
/gtag/js?id=G-TNHER2P2TM (www.googletagmanager.com)	155.8 KiB	58.1 KiB
/gtag/js?id=UA-227...-1&cx=c>m=4e6171 (www.googletagmanager.com)	100.8 KiB	53.5 KiB
/gtm.js?id=GTM-WX2XQGQP (www.googletagmanager.com)	97.7 KiB	53.2 KiB
kinsta.cloud 1st Party	38.7 KiB	23.3 KiB
...js/swiper-bundle.min.js?ver=11.1.14 (stg-brflorida-brfstaging.kinsta.cloud)	38.7 KiB	23.3 KiB

▲ Reduce unused CSS — Est savings of 45 KiB



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP

Unscored



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

URL	Transfer Size	Est Savings



kinsta.cloud 1st Party	34.2 KiB	34.2 KiB
...css/dashicons.min.css?ver=6.9 (stg-brflorida-brfstaging.kinsta.cloud)	34.2 KiB	34.2 KiB
Unattributable	11.1 KiB	11.1 KiB
@charset "UTF-8"; @font-face{font-family:"Trustindex Poppins";font-style:italic;font-weight:400; ... } ...	11.1 KiB	11.1 KiB


Image elements do not have explicit width and height

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS.


[Learn how to set image dimensions](#) CLS Unscored

URL	
kinsta.cloud 1st Party	
 Person with a prosthetic leg using a cane div.gb-looper-7daec172 > div.gb-loop-item > a.gb-element-0035530c > img.gb-media-9bea6cdd 	...04/AdobeStock_221....webp (stg-brflorida-brfstaging.kinsta.cloud)
 Two people looking at a laptop div.gb-looper-7daec172 > div.gb-loop-item > a.gb-element-0035530c > img.gb-media-9bea6cdd 	...04/AdobeStock_132....jpg (stg-brflorida-brfstaging.kinsta.cloud)
div.gb-looper-7daec172 > div.gb-loop-item > a.gb-element-0035530c > img.gb-media-9bea6cdd <img decoding="async" class="gb-media-9bea6cdd" alt="" src="https://stg-brflorida-	...04/AdobeStock_448....webp (stg-




brfstaging.kinsta.cloud/wp
-
content/uploads/2025/04/A...
>


brflorida-brfstaging.kinsta.cloud)



div.gb-looper-7daec172 > div.gb-
loop-item > a.gb-element-
0035530c > img.gb-media-
9bea6cdd



div.gb-looper-7daec172 > div.gb-
loop-item > a.gb-element-
0035530c > img.gb-media-
9bea6cdd



div.gb-looper-7daec172 > div.gb-
loop-item > a.gb-element-
0035530c > img.gb-media-
9bea6cdd

Better Business Bureau

...04/BBB.png (stg-brflorida-
brfstaging.kinsta.cloud)

Clear Water Bar

<img decoding="async" src="https://stg-

brflorida-brfstaging.kinsta.cloud/wp-content/uploads/2025/04/c..." alt="Clear Water Bar" id="2969">

...04/clearwater-bar.png (stg-brflorida-brfstaging.kinsta.cloud)

AVVO

...04/AVVO-athena.png (stg-brflorida-brfstaging.kinsta.cloud)

AVVO

...04/AVVO-Stephen.png (stg-brflorida-brfstaging.kinsta.cloud)

LAWYER.COM

...04/lawyers.png (stg-brflorida-brfstaging.kinsta.cloud)

KIWANIS CLUB

...04/Kiwanis.png (stg-brflorida-brfstaging.kinsta.cloud)

Hillsborough County Bar

...04/Hillsborough-cty-bar.png (stg-brflorida-brfstaging.kinsta.cloud)



The Florida Bar

...04/florida-bar.png (stg-brflorida-brfstaging.kinsta.cloud)

Rotary International

...04/rotary.png (stg-brflorida-brfstaging.kinsta.cloud)

National Association of Distinguished Council

...04/top-one.png (stg-brflorida-brfstaging.kinsta.cloud)

■ Minify JavaScript — Est savings of 3 KiB

^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). LCP FCP Unscored

 A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

URL	Transfer Size	Est Savings
funneltytics.io	10.0 KiB	3.2 KiB
/track-v3.js (cdn.funneltytics.io)	10.0 KiB	3.2 KiB

○ Avoid long main-thread tasks — 4 long tasks found

^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (3)

URL	Start Time	Duration
Google Tag Manager Tag-Manager		171 ms
/gtag/js?id=G-TNHER2P2TM (www.googletagmanager.com)	4,991 ms	67 ms

/gtag/js?id=G-TNHER2P2TM (www.googletagmanager.com)	6,701 ms	53 ms
/gtag/js?id=UA-227...-1&cx=c>m=4e6171 (www.googletagmanager.com)	8,854 ms	51 ms
kinsta.cloud 1st Party		139 ms
...min/front-end.js?ver=3.13.3 (stg-brflorida-brfstaging.kinsta.cloud)	11,578 ms	139 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (13)

Hide

- Document request latency
- Optimize DOM size
- Duplicated JavaScript
- Forced reflow
- INP breakdown
- Legacy JavaScript
- Optimize viewport for mobile
- Minify CSS
- Avoids enormous network payloads — Total size was 1,521 KiB
- User Timing marks and measures
- JavaScript execution time — 0.4 s
- Minimizes main-thread work — 1.1 s
- Avoid non-composited animations



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^


Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements



Stephen M. Bernhardt

```
<h3 class="gb-text gbp-section__headline gb-text-22742827">
```



Stephen M. Bernhardt Managing Partner

```
<div class="gb-element-e05e260e">
```

These are opportunities to improve the legibility of your content.

NAVIGATION

▲

Heading elements are not in a sequentially-descending order

^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

ON YOUR SIDE

At Bernhardt Riley, Attorneys at Law, PLLC, our skilled attorneys have extensive experience in real estate, criminal defense, surplus recovery, business litigation, debt defense, and personal injury. Trust us to respect your needs and fight tirelessly for your rights.

Contact Us Today

At Bernhardt Riley, Attorneys at Law, PLLC, our skilled attorneys have extensiv...
<h3 class="gb-text gb-text-aac7dfde">

These are opportunities to improve keyboard navigation in your application.

AUDIO AND VIDEO

○

<video> elements contain a <track> element with [kind="captions"]

▼

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

BEST PRACTICES

○

Identical links have the same purpose.

▼

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○

Interactive controls are keyboard focusable

▼

- ☐ Interactive elements indicate their purpose and state
- ☐ The page has a logical tab order
- ☐ Visual order on the page follows DOM order
- ☐ User focus is not accidentally trapped in a region
- ☐ The user's focus is directed to new content added to the page
- ☐ HTML5 landmark elements are used to improve navigation
- ☐ Offscreen content is hidden from assistive technology
- ☐ Custom controls have associated labels
- ☐ Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24)

[Hide](#)

- ☒ [\[aria-*](#)] attributes match their roles
- ☒ [\[aria-hidden="true"\]](#) is not present on the document `<body>`
- ☒ [\[role\]](#)s have all required [\[aria-*](#)] attributes
- ☒ [\[role\]](#) values are valid
- ☒ [\[aria-*](#)] attributes have valid values
- ☒ [\[aria-*](#)] attributes are valid and not misspelled
- ☒ Buttons have an accessible name
- ☒ Image elements have [\[alt\]](#) attributes

- Input buttons have discernible text. ▼
- Form elements have associated labels ▼
- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ▼
- Select elements have associated label elements. ▼
- ARIA attributes are used as specified for the element's role ▼
- `[aria-hidden="true"]` elements do not contain focusable descendents ▼
- Elements use only permitted ARIA attributes ▼
- Document has a `<title>` element ▼
- `<html>` element has a `[lang]` attribute ▼
- `<html>` element has a valid value for its `[lang]` attribute ▼
- Links are distinguishable without relying on color. ▼
- Links have a discernible name ▼
- Touch targets have sufficient size and spacing. ▼
- Skip links are focusable. ▼
- Document has a main landmark. ▼
- Deprecated ARIA roles were not used ▼

NOT APPLICABLE (32)

Hide

- `[accesskey]` values are unique ▼
- `button`, `link`, and `menuitem` elements have accessible names ▼

- ☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ▼
- ☐ ARIA input fields have accessible names ▼
- ☐ ARIA `meter` elements have accessible names ▼
- ☐ ARIA `progressbar` elements have accessible names ▼
- ☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ▼
- ☐ `[role]`s are contained by their required parent element ▼
- ☐ Elements with the `role=text` attribute do not have focusable descendents. ▼
- ☐ ARIA toggle fields have accessible names ▼
- ☐ ARIA `tooltip` elements have accessible names ▼
- ☐ ARIA `treeitem` elements have accessible names ▼
- ☐ The page contains a heading, skip link, or landmark region ▼
- ☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ▼
- ☐ Definition list items are wrapped in `<dl>` elements ▼
- ☐ ARIA IDs are unique ▼
- ☐ No form fields have multiple labels ▼
- ☐ `<frame>` or `<iframe>` elements have a title ▼
- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ▼
- ☐ `<input type="image">` elements have `[alt]` text ▼

- ☐ Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ▾
- ☐ List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements ▾
- ☐ The document does not use `<meta http-equiv="refresh">` ▾
- ☐ `<object>` elements have alternate text ▾
- ☐ No element has a `[tabindex]` value greater than 0 ▾
- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▾
- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▾
- ☐ `[lang]` attributes have a valid value ▾
- ☐ Tables have different content in the summary attribute and `<caption>`. ▾
- ☐ All heading elements contain content. ▾
- ☐ Uses ARIA roles only on compatible elements ▾
- ☐ Image elements do not have `[alt]` attributes that are redundant text. ▾



Best Practices

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio

^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
kinsta.cloud 1st Party		
Bernhardt Riley		
<pre></pre>		
...03/logo_Bernhardt_Riley.png (stg-brflorida-brfstaging.kinsta.cloud)	465 x 93 (5.00)	2084 x 983 (2.12)

▲ Serves images with low resolution

^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
kinsta.cloud 1st Party			
LAWYER.COM			

...04/lawyers.png (stg-brflorida-brfstaging.kinsta.cloud)

120 x 120120 x 120180 x 180

GENERAL

▲

Browser errors were logged to the console

^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

☒ Show 3rd-party resources (3)

Source	Description
kinsta.cloud 1st Party	
https://stg-brflorida-brfstaging.kinsta.cloud:1:0	Access to XMLHttpRequest at 'https://tracker-shield.funnelytics.workers.dev/settings/e072a630-2ba2-4813-b44a-c348f7b3e055' from origin 'https://stg-brflorida-brfstaging.kinsta.cloud' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.
https://stg-brflorida-brfstaging.kinsta.cloud:1:0	Access to XMLHttpRequest at 'https://tracker-shield.funnelytics.workers.dev/settings/e072a630-2ba2-4813-b44a-c348f7b3e055' from origin 'https://stg-brflorida-brfstaging.kinsta.cloud' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.
...04/Bernhardt-	

Riley.mp4:1:0 (stg-brflorida-brfstaging.kinsta.cloud)

Failed to load resource: net::ERR_CONNECTION_FAILED

workers.dev

/settings/e072a630-2ba2-4813-b44a-c348f7b3e055:1:0 (tacker-shield.funnelytics.workers.dev)

Failed to load resource: net::ERR_FAILED

/settings/e072a630-2ba2-4813-b44a-c348f7b3e055:1:0 (tacker-shield.funnelytics.workers.dev)

Failed to load resource: net::ERR_FAILED

brflorida.com

...01/abstract-shapes.svg:1:0 (brflorida.com)

Failed to load resource: the server responded with a status of 404 (Not Found)

○

Detected JavaScript libraries

^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

Name	Version
jQuery	3.7.1
Backbone	1.6.0
Underscore	1.13.7
Marionette	2.4.2
WordPress	6.9

TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy

^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No HSTS header found		High

☐ Ensure proper origin isolation with COOP

^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP

^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

--

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (10)

Hide

- Uses HTTPS
- Avoids deprecated APIs
- Avoids third-party cookies
- Allows users to paste into input fields
- Avoids requesting the geolocation permission on page load
- Avoids requesting the notification permission on page load
- Page has the HTML doctype
- Properly defines charset
- No issues in the [Issues](#) panel in Chrome Devtools
- Page has valid source maps

NOT APPLICABLE (1)

Hide

- Redirects HTTP traffic to HTTPS



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CRAWLING AND INDEXING

- ▲ Page is blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Blocking Directive Source

```
x-robots-tag: noindex, nofollow, nosnippet, noarchive
```

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

 Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

 Document has a `<title>` element



 Document has a meta description



 Page has successful HTTP status code



 Links have descriptive text



 Links are crawlable



 robots.txt is valid



 Image elements have `[alt]` attributes



 Document has a valid `hreflang`



 Document has a valid `rel=canonical`



More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

 for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).