

Ghost Student API — Selected Postman Evidence

Four selected screenshots from the supplied Ghost Student assignment PDF, chosen to show successful API operations and error handling.

Create a student successfully



Supporting Postman evidence: Ada was created successfully.



Supporting Postman evidence: ADA was created successfully.

Update a student's course


Test 5 — PATCH course on a real student — updated course visible

Request:

```
PATCH http://localhost:4555/students/6aa219325f34c4d9251652b2/course
Body: { "course": "Cyber Security" }
```

Response:

```
200 OK
{
 "message": "Course updated successfully",
 "student": {
  "name": "Ada",
  "course": "Cyber Security"
 }
}
```



Postman evidence for Test 5: PATCH returns the updated course.

Reject a duplicate email — 409 Conflict


Test 7 — Duplicate email — second request 409

Request:

```
POST http://localhost:4555/create-student
Body: { "name": "Another Ada", "age": 25, "email": "ada1@gmail.com", ... }
```

Response:

```
409 Conflict
{
 "message": "Email already exists"
}
```



Postman evidence for Test 7: duplicate email returns 409 Conflict.

Reject an invalid student ID — 400 Bad Request


Test 3 — Invalid student ID abc123 — 400

Request:

```
GET http://localhost:4555/get-student/abc123
```

Response:

```
400 Bad Request
{
 "message": "Invalid student id"
}
```



Postman evidence for Test 3: invalid ID returns 400.