

CUES

**Context you declare.
Behaviour that ends.**

You name a context. The phone behaves accordingly, then stops. Offline, on iQOO. Proposed prototype.

Not an automation builder. Not a system that learns about you.

THE HARD PART IS TRUSTING THE ROUTINE

CONTEXT

**The same earbuds.
Different intentions.**

Earbuds can mean a workout, a call or a commute. The user chooses which signals actually matter.

AFTERWARDS

**A routine needs
an ending.**

The workout ends early. Quiet mode should release its own changes without overriding another routine.

OUR FOCUS

**A routine you can
check and trust.**

See when it starts, when it stops and why it ran. Rehearse the behavior before activation.

A SPOKEN ROUTINE WITH AN ENDING

SPOKEN ON THE PHONE

“When my earbuds connect after 6 PM on weekdays, start a 45-minute focus timer and quiet notifications. End it if I disconnect.”

The app resolves the device and shows every default.


REVIEW BEFORE ACTIVATING

WHEN	Selected earbuds connect
IF	Weekdays, at or after 18:00
DO	Focus timer + DND rule
UNTIL	45 minutes or disconnect
RESTORE	End timer, release our DND

Repeat: once per connection. Access: Bluetooth, notifications, DND policy, timer scheduling.


THE MODEL DRAFTS. IT NEVER RUNS ANYTHING.

AUTHORING — THE MODEL PARTICIPATES HERE



TRUST BOUNDARY · Only approved, validated data crosses. No model below this line, ever.

RUNTIME — DETERMINISTIC ANDROID CODE ONLY



A valid schema is not a correct understanding, which is why a person approves the exact compiled cue before anything is armed.

THE ROUTINE ENDS. THE USER STAYS IN CONTROL.

SESSION

A bounded session

Disconnect or timeout ends the session. Reconnect noise must not start duplicate timers.

CLEANUP

Release only our changes

Remove Origin Flow's DND contribution. Respect other active modes and explicit user changes.

RECEIPT

An explanation every time

"Started: your earbuds connected at 18:12. Ended: you disconnected at 18:26."

NEXT: ROUTINES THAT CAN WAIT

STRETCH: AN EXPECTED EVENT

“If I forget to plug in...”

At 11 PM, check charging state. If unplugged, remind me once. The deadline triggers the check.

ROADMAP: AN OPPORTUNITY

“When I next have a moment...”

Queue a study reminder until a chosen condition holds. Example: home Wi-Fi before 9 PM. Then expire it.

WAIT

Only for approved conditions

EXPIRE

Drop stale tasks at the deadline

EXPLAIN

Show what is still missing

User-defined context first. “Free time” needs an explicit definition, never a guessed permission to interrupt.

BEFORE ACTIVATION

REHEARSE WHEN IT WOULD RUN

Try the rule on clearly labeled sample events. Later, opt into a local event log to replay your own observed history. A new install has no past week to inspect, and never pretends otherwise.

MON 18:24 starts	TUE 17:30 skipped	WED 18:51 starts	THU 19:02 starts	FRI 18:36 starts	SAT 18:20 skipped	SUN 18:40 skipped
--	---	--	--	--	---	---

Illustrative sample events: four starts, three skips. Tuesday is too early. The weekend is excluded. Tap a result to see the reason.

CONTEXTUAL IS NOT ONLY ABOUT STARTING

Siri AI in iOS 27 infers context from messages, emails, photos and what is on screen. That is real, and more contextual than we are. We take a different position on purpose.

DECLARED, NOT INFERRED

You choose the signals

A routine uses only what you attach: these earbuds, this Wi-Fi, this window. Everything else stays unknown.

NO BUDGET, NO NETWORK

A rule is not an assistant

An assistant may be rate-limited or offline. A rule firing every evening for months cannot have a budget.

THE ENDING

The other half of context

Noticing a moment began is well covered. Releasing only what the routine owns, and respecting a later choice, is where we concentrate.

We are not claiming to beat Apple at inference. We are claiming a standing rule is a different problem from an assistant.

CONTEXT THAT THE USER CAN TEACH

Roadmap: richer context should become visible, editable rules. Every proposal still needs approval.

NAME A SETUP

“Remember this setup”

Select the current Wi-Fi, earbuds and time window. Name it “Study desk.” Reuse only the signals you chose.

TEMPORARY CHANGE

“Just for this week”

Move a routine to 8 PM until Sunday. Preview the change, approve it, and restore the base version automatically.

BRING YOUR OWN CONTEXT

“Use this timetable”

Share a class schedule or screenshot into Flow. Review the extracted times, then approve the suggested routines.

Contextual input through the share sheet and explicit selection — not continuous screen reading or ambient listening.

A FOCUSED POSITION IN A CROWDED FIELD

Existing product	Documented capability
Apple Siri AI / iOS 27	Personal-context inference, onscreen awareness, description-based automations; Private Cloud Compute with usage limits
Tasker 6.5	Natural-language generation of projects, profiles and tasks
Samsung Modes and Routines	Context rules, including end-of-routine actions
PhoneOS AI	Natural-language, multi-step phone tasks
Cues (proposal)	Declared context, offline authoring and runtime, bounded sessions with approved endings, rehearsal and receipts

Our bet: make a small set of phone routines easier to trust and correct. Prove it on iQOO with an offline start-and-stop demo.

THE 30-HOUR BUILD

CORE PROOF

- Offline voice and review
- Bluetooth + charging
- Focus timer + owned DND
- Exit and reason receipts
- Sample-event rehearsal

NEXT IF STABLE

- Wi-Fi + time triggers
- One deadline reminder

LATER

- Reusable named contexts
- Temporary rule changes
- Timetable import
- Opt-in history replay
- Office Kit integration

First prove background delivery and cleanup on the actual iQOO. Cut extra adapters before cutting the end-to-end demo.

Demo: airplane mode on, Wi-Fi off, Bluetooth on. Speak, approve, connect, then disconnect. Show the timer ending and our DND contribution released.