

AIRLINE FLIGHT MANIFEST (FFM) MESSAGE

1. STANDARD MESSAGE IDENTIFIER = FFM

2. MESSAGE FUNCTION

2.1 To notify details of consignments loaded onto a specified flight.

2.2 (optional) To notify details of the onward movements of consignment loaded onto a specified flight to enable transfers to be preplanned.

3. MESSAGE APPLICATION

Computer-to-Computer/Computer-to-Manual/Manual-to-Computer/Manual-to-Manual.

4. MESSAGE EXCHANGE PARTIES

From: the party generating the manifest.

To (Computer): the access address for the cargo control computer of the airline, shed operator or handling agent receiving the consignment.

To (Manual): the destination station office of the airline receiving the consignment.

5. MESSAGE USE

5.1 Multi-Airport FFM

A separate FFM is normally generated for each airport of unloading and only the appropriate message is sent to each unloading point.

However, when generating an FFM to be sent to a central cargo system (which can control the distribution of the load information to each unloading point) a single FFM for multi-airports of unloading may be sent. Cargo Control systems must therefore be able to receive all of the following options:

- a series of single destination FFM messages (see note FFM1);
- a single multi destination FFM message (see note FFM2);
- a sequence of part FFM messages (see note FFM4).

6. MESSAGE EXAMPLES

6.1 Single destination Flight Manifest with Bulk Only.

Ref.	Message Content
1	FFM/8
2	1/BR864/19MAR/LGW

3	BRU
4	121-42751741LGWBRU/T5K46MC0.12/NEWSPAPERS
4	121-73023521LGWBRU/T1K4MC0.05/ACFT INST
18	LAST

6.2 Single destination Flight Manifest with ULD Only.

Ref.	Message Content
1	FFM/8
2	1/AF808/20MAR/CDG
3	LHR
10	ULD/AVE1234AF
12	057-12345642PARLHR/T150K1050MC2.6/MACHINE PARTS
12	057-12345653PARLHR/T20K505MC0.55/BEARINGS
10	ULD/AVE4321AF
12	057-73045641NCELON/T250K2400MC11/ELECT EQUIP
18	LAST

6.3 Single destination Flight Manifest with BULK and ULD.

Ref.	Message Content
1	FFM/8
2	1/AC857/23APR/LHR/HB-IHA
3	YYZ
4	014-26488125LHRYOW/T1K120MC0.5/HUMAN REM /HUM
4	012-23026485LHRYYZ/T7K87MC0.22/NEWSPAPERS
4	014-27469212LHRYSB/T1K14MC0.08/MEDICINES /PER
10	ULD/DVA1234AC-M
12	014-27513894LHRYYZ/T1K15MC0.04/TAPES DISCS BKS
12	014-27257053BHXYWG/D4K400MC1.6T12/AERO PARTS
12	014-23388503LHRYYZ/T15K90MC1/SPORTS EQUIP
12	014-24349426LHRYYZ/P1K9MC0.05T10/TOILET PREPS /RFG
10	ULD/DVA2345AC
12	

	014-28241150CURYSB/T1K380MC0.7/MACHINERY /HEA/MAG
12	014-23511810LHRYYZ/S1K25MC0.06T13/DIESEL ENG SPS
10	ULD/DVA3456AC-M/HANDLE WITH CARE
12	014-23511810LHRYYZ/S12K100MC0.25T13/DIESEL ENG SPS
12	014-23155440LHRTPA/T1K7MC0.03/ACFT INSTRUMENT
12	125-22070521DELYYZ/T1K1MC0.01/SHIPPING DOCS
12	014-27257053BHXYWG/D2K200MC0.8T12/AERO PARTS
18	LAST

6.4 Single destination Flight Manifest with NIL Load.

Ref.	Message Content
1	FFM/8
2	1/KL2084/18MAR/AMS
3	LHR/NIL
18	LAST

6.5 Multi-destination Flight Manifest.

Ref.	Message Content
1	FFM/8
2	1/KL2084/18MAR/HAM
3	AMS
4	074-12345632HAMAMS/T4K8MC0.16/VIDEO CASSETTES
4	074-12345641HAMYYZ/T15K160MC0.27/WATCHES
6	/YYZKL667/19MAR
4	074-12345653HAMAMS/T3K41MC0.2/COMP TERMINALS
4	074-12345653HAMAMS/T1K1MC0.01/NEWSFILM
10	ULD/P1G1234KL
11	/LISIB785/19MAR /2
12	074-12345664HAMLIS/T200K500MC0.53/BALL BEARINGS
12	074-12345653HAMLIS/T4K10MC0.06/PRESSURE GAUGES
12	074-12345686TYOLIS/T3K300MC1.36/RADIOS
10	ULD/AVM9243KL
12	

	074-12345690HAMAMS/T60K900MC2.25/MACHINE PARTS
3	RTM
4	074-35775331HAMRTM/T1K72MC0.6/PURSES
7	OSI/CTC CNE PRIOR TO ARRIVAL
	/DUE TO URGENCE OF DISTRIBUTION
4	074-67534415HAMRTM/T10K50MC0.15/BOOKS
8	COR/C
10	ULD/AVM9876KL
12	074-53153155HAMRTM/T100K1200MC3/MAGAZINES
18	LAST

6.6 Flight Manifest split in two parts:

6.6.1 First Part

Ref.	Message Content
1	FFM/8
2	1/AF077/17APR/CDG
3	JFK
4	057-12345675LHRIAH/T1K120MC0.3/NEWSPAPERS
4	057-23456710GLAMEX/T1K50MC0.12/NEWSPAPERS
4	057-34567120JEDSAO/T2K75MC0.65/CLOTHING
4	057-45671231MUCPTP/T3K25MC0.07/BOOKS
4	057-56712342LHRMIA/T9K250MC0.65/MACHINE PARTS
4	057-67123453NCEDAL/T3K28MC0.15/RADIOS
4	057-71234564LYSHOU/T3K55MC0.6/SHOES
4	057-76543213MLHLAX/T5K28MC0.04/CHEMICAL LIQUID
4	057-65432172MRSSAN/T1K50MC0.27/BANKNOTES
4	057-54321761TLNBOS/T2K25MC0.08/MEDICINES
4	057-43217650BODORD/T3K75MC0.14/WATCHES
4	057-32176546LILMSP/T4K120MC1.33/SPORTS EQUIP
4	057-21765435NTEDTT/T1K10MC0.05/SHIPPING DOCS
4	057-17654324CDGSFO/T6K100MC0.45/DIESEL ENG SPS
4	057-12356465MLHMEX/T10K307MC2.5/PERSONAL EFFECT
4	057-12346756NCESTL/T5K280MC1.12/AUTO SPARE PART
4	057-12345760LHRYVR/T6K17MC0.05/METAL FURNITURE

4	057-13571353BRUSJU/T2K25MC0.1/COSMETICS
4	057-24624622AMSMIA/T3K72MC0.24/CALCULATORS
4	057-35735733LHRYYZ/T4K75MC0.3/AUTOMOBILE PART
4	057-57575755CDGJFK/T5K80MC0.36/CLOTH SAMPLES
4	057-77777770CDGJFK/T1K27MC0.1/BELTS
4	057-75317530ORYJFK/T2K72MC0.45/OPTICAL GOODS
4	057-53153155ORYJFK/T3K10MC0.06/GLASSES
4	057-31313133MRBOS/T4K25MC0.1/RINGS
4	057-11111111NTEORD/T1K36MC0.14/BRACELETS
4	057-13553116LYSJFK/T2K20MC0.08/PENS
4	057-24664220NCEJFK/T3K10MC0.04/STAPLERS
4	057-35775331MRSJFK/T1K72MC0.8/PURSES
10	ULD/P1G1234AF
12	057-71625341LYSJFK/T1K100MC0.45/TV SETS
12	057-62534415NCEJFK/T3K70MC0.2/BOOKS
12	057-17712660MLHSFO/T1K50MC0.14/NEWSPAPERS
12	057-13243543NCEMEX/T2K75MC0.22/BOOKS
12	057-14235712CDGJFK/T1K50MC0.2/TOOTH PASTE
18	CONT

6.6.2 Second Part

Ref.	Message Content
1	FFM/8
2	2/AF077/17APR/CDG
3	JFK
10	ULD/P1G1234AF
12	057-76215436CDGJFK/T2K30MC0.33/SHOES
12	057-137542150RYSFO/T1K50MC0.23/DOCUMENTS
12	057-17342113LYSCLE/T3K75MC0.14/WATCHES
18	LAST

6.7 Flight Manifest where additional consignments are loaded “en route” for unloading at the final destination.

6.7.1 First FFM sent by loading station LUX for offloading in DXB and HKG and closed with “LAST”

--	--

Ref.	Message Content
1	FFM/8
2	1/CV1234/01APR/LUX
3	DXB
4	172-00122474CDGDXB/T4K800MC4.8/CLOTHING
4	172-00123012HAMAUH/S1K25MC0.1T3/BOOKS
10	ULD/AKE01063CV
12	172-00123012HAMAUH/S2K50MC0.2T3/BOOKS
12	172-00123060STRDXB/T5K200MC1.2/MACHINE PARTS
12	172-00123023LHRDXB/T3K30MC0.13/COMPACT DISCS
10	ULD/AKE01070CV
12	172-00123071STRDXB/T80K300MC0.7/WATCHES
3	HKG
4	172-00123034LHRHKG/T10K400MC1.2/GARMENTS
10	ULD/PMC12345CV
12	172-00123056LUXHKG/T5K2500MC15/PORCELAIN
18	LAST

6.7.2 Second FFM sent by loading station DXB for offloading in HKG and also closed with “LAST”

Ref.	Message Content
1	FFM/8
2	1/CV1234/01APR/DXB
3	HKG
4	172- 52423932AUHHKG/T8K250MC1/SPICES
10	ULD/PMC123465CV
12	172-52423943AUHMCM/T10K1500MC7.6/MACHINERY
12	172-52423976DXBHKG/T18K1400MC9.1/CAR PARTS
10	ULD/PMC12378CV
12	172-52423954DXBHKG/P5K2300MC13.8/GARMENTS
18	LAST

7. FFM MESSAGE SPECIFICATION

Airline Flight Manifest

Cargo-IMP Manual Edition Number/Version Number

12 th	Mail Vote 01 Jan 93	13 th	16 th	27 th	28 th	29 th
2	3	4	5	6	7	8

PART 1 — MESSAGE IDENTIFIER

1. Standard Message Identification

Status:  Note: [FFM1](#) Note: [FFM2](#)

1.1 Standard Message Identifier

Status:  Character Format: aaa Data Element No. [101](#)

1.2 Separator : Slant

Status: 

1.3 Message Type Version Number

Status:  Character Format: n[...3] Data Element No. [124](#)

1.4 Separator : CRLF

Status: 

PART 2 — MANIFEST HEADER

2. Flight ID and Point of Loading

Status: 

2.1 Message Sequence Number

Status:  Character Format: n[...2] Note: [FFM4](#) Data Element No. [100](#)

2.2 Separator : Slant

Status: 

2.3 Flight Identification

Status: 

2.3.1 Carrier Code

Status:  Character Format: mm Note: [GEN4](#) Data Element No. [312](#)

2.3.2 Flight Number

Status:  Character Format: nnn(n)(a) Data Element No. [800](#)

2.3.3 Separator : Slant

Status: 

2.3.4 Day (of Scheduled Departure)

Status:  Character Format: nn Note: [GEN2](#) Data Element No. [202](#)

2.3.5 Month (of Scheduled Departure)

Status:  Character Format: aaa Note: [GEN2](#) Data Element No. [201](#)

2.3.6 Time (of Scheduled Departure)

Status:  Character Format: nnnn Note: [GEN2](#) Data Element No. [203](#)

2.4 Separator : Slant

Status: 

[-] 2.5 Airport Code (of Loading)

Status: **M** Character Format: aaa Data Element No. [313](#)

[-] 2.6 Aircraft Identification

Status: **O**

[-] 2.6.1 Separator : Slant

Status: **M**

[-] 2.6.2 Aircraft Registration

Status: **M** Character Format: t[...10] Data Element No. [808](#)

[-] 2.7 First Point of Arrival Information

Status: **O**

[-] 2.7.1 Separator : Slant

Status: **M**

[-] 2.7.2 ISO Country Code

Status: **M** Character Format: aa Data Element No. [304](#)

[-] 2.7.3 Separator : Slant

Status: **M**

[-] 2.7.4 Day (of Scheduled Arrival)

Status: **M** Character Format: nn Note: [GEN2](#) Data Element No. [202](#)

[-] 2.7.5 Month (of Scheduled Arrival)

Status: **M** Character Format: aaa Note: [GEN2](#) Data Element No. [201](#)

[-] 2.7.6 Time (of Scheduled Arrival)

Status: **M** Character Format: nnnn Note: [GEN2](#) Data Element No. [203](#)

[-] 2.7.7 Separator : Slant

Status: **M**

[-] 2.7.8 Airport/City Code (of Arrival)

Status: **M** Character Format: aaa Data Element No. [313](#)

[-] 2.8 Separator : CRLF

Status: **M**

PART 3 — DESTINATION HEADER

[-] 3. Point of Unloading

Status: **M**

[-] 3.1 Airport Code (of Unloading)

Status: **M** Character Format: aaa Data Element No. [313](#)

[-] 3.2 Separator : Slant

Status: **C** Note: [FFM33](#)

[-] 3.3 Nil Cargo Indication

Status: **O** Note: [FFM3](#) Note: [FFM20](#)

[-] 3.3.1 Nil Cargo Code

Status: **M** Character Format: aaa Data Element No. [402](#)

[-] 3.4 Separator : Slant

Status: 

Note: [FFM34](#)

[-] 3.5 Arrival Information

Status: 

[-] 3.5.1 Day (of Scheduled Arrival)

Status: 

Character Format: nn

Note: [GEN2](#)

Data Element No. [202](#)

[-] 3.5.2 Month (of Scheduled Arrival)

Status: 

Character Format: aaa

Note: [GEN2](#)

Data Element No. [201](#)

[-] 3.5.3 Time (of Scheduled Arrival)

Status: 

Character Format: nnnn

Note: [GEN2](#)

Data Element No. [203](#)

[-] 3.6 Separator : Slant

Status: 

Note: [FFM35](#)

[-] 3.7 Departure Information

Status: 

[-] 3.7.1 Day (of Scheduled Departure)

Status: 

Character Format: nn

Note: [GEN2](#)

Data Element No. [202](#)

[-] 3.7.2 Month (of Scheduled Departure)

Status: 

Character Format: aaa

Note: [GEN2](#)

Data Element No. [201](#)

[-] 3.7.3 Time (of Scheduled Departure)

Status: 

Character Format: nnnn

Note: [GEN2](#)

Data Element No. [203](#)

[-] 3.8 Separator : CRLF

Status: 

PART 4 — BULK LOADED CARGO GEN3

[-] 4. Consignment Detail

Status: 

Note: [FFM21](#)

[-] 4.1 AWB Identification

Status: 

[-] 4.1.1 Airline Prefix

Status: 

Character Format: nnn

Data Element No. [112](#)

[-] 4.1.2 Separator : Hyphen

Status: 

[-] 4.1.3 AWB Serial Number

Status: 

Character Format: n[8]

Data Element No. [113](#)

[-] 4.2 AWB Origin and Destination

Status: 

[-] 4.2.1 Airport/City Code (of Origin)

Status: 

Character Format: aaa

Data Element No. [313](#)

[-] 4.2.2 Airport/City Code (of Destination)

Status: 

Character Format: aaa

Data Element No. [313](#)

[-] 4.3 Quantity Detail

Status: **M**

[-] 4.3.1 Separator : Slant

Status: **M**

[-] 4.3.2 Shipment Description Code

Status: **M**

Character Format: a

Note: **FFM6**

Data Element No. **703**

[-] 4.3.3 Number of Pieces

Status: **M**

Character Format: n[...4]

Data Element No. **701**

[-] 4.3.4 Weight Code

Status: **M**

Character Format: a

Data Element No. **601**

[-] 4.3.5 Weight

Status: **M**

Character Format: n[...7]p

Data Element No. **600**

[-] 4.4 Volume Detail

Status: **C**

Note: **FFM30**

[-] 4.4.1 Volume Code

Status: **M**

Character Format: aa

Data Element No. **604**

[-] 4.4.2 Volume Amount

Status: **M**

Character Format: n[...9]p

Data Element No. **500**

[-] 4.5 Density Group

Status: **C**

Note: **FFM22**

[-] 4.5.1 Density Indicator

Status: **M**

Character Format: aa

Data Element No. **603**

[-] 4.5.2 Density Group

Status: **M**

Character Format: n[...2]

Data Element No. **602**

[-] 4.6 Total Consignment Pieces

Status: **C**

Note: **FFM23**

[-] 4.6.1 Shipment Description Code (T)

Status: **M**

Character Format: a

Data Element No. **703**

[-] 4.6.2 Number of Pieces

Status: **M**

Character Format: n
[...4]

Note:
FFM24

Data Element No.
701

[-] 4.7 Nature of Goods

Status: **M**

[-] 4.7.1 Separator : Slant

Status: **M**

[-] 4.7.2 Manifest Description of Goods

Status: **M**

Character Format: t[...15]

Data Element No. **708**

[-] 4.8 Separator : CRLF

Status: **C**

Note: **FFM31**

[-] 4.9 Special Handling Requirements

Status: **O**

[-] 4.9.1 Separator : Slant

Status: 

4.9.2 Special Handling Code

Status: 

Character Format: aaa

Data Element No. [705](#)

Element 4.9 can be repeated. Can occur a maximum of nine times.

4.10 Separator : CRLF

Status: 

5. Dimensions Information

Status: 

5.1 Line Identifier

Status: 

Character Format: aaa

Data Element No. [103](#)

5.2 Separator : Slant

Status: 

5.3 Total Weight Details

Status: 

5.3.1 Weight Code

Status: 

Character Format: a

Data Element No. [601](#)

5.3.2 Weight

Status: 

Character Format: n[...7]p

Data Element No. [600](#)

5.4 Separator : Slant

Status: 

5.5 Dimensions Details

Status: 

5.5.1 Measurement Unit Code

Status: 

Character Format: m[...3]

Data Element No. [611](#)

5.5.2 Length Dimension

Status: 

Character Format: n[...5]

Data Element No. [608](#)

5.5.3 Separator : Hyphen

Status: 

5.5.4 Width Dimension

Status: 

Character Format: n[...5]

Data Element No. [609](#)

5.5.5 Separator : Hyphen

Status: 

5.5.6 Height Dimension

Status: 

Character Format: n[...5]

Data Element No. [610](#)

5.6 Separator : Slant

Status: 

5.7 Number of Pieces

Status: 

Character Format: n[...4]

Data Element No. [701](#)

5.8 Separator : CRLF

Status: 

Elements 5.2 thru 5.8 can be repeated.

[-] 6. Consignment Onward Movement Information

Status: 

[-] 6.1 Onward Routing Detail

Status: 

[-] 6.1.1 Separator : Slant

Status: 

[-] 6.1.2 Airport/City Code (of Next Destination)

Status: 

Character Format: aaa

Data Element No. [313](#)

[-] 6.1.3 Carrier Code

Status: 

Character Format:
mm

Note: [GEN4](#)

Data Element No.
[312](#)

[-] 6.2 Onward Booking Detail

Status: 

Note: [FFM25](#)

[-] 6.2.1 Flight Number

Status: 

Character Format: nnn(n)(a)

Data Element No. [800](#)

[-] 6.2.2 Separator : Slant

Status: 

[-] 6.2.3 Day (of Scheduled Departure)

Status: 

Character Format: nn

Note: [GEN2](#)

Data Element No. [202](#)

[-] 6.2.4 Month (of Scheduled Departure)

Status: 

Character Format:
aaa

Note: [GEN2](#)

Data Element No.
[201](#)

[-] 6.3 Separator : CRLF

Status: 

Note: [FFM26](#)

Elements 6.1 thru 6.3 can be repeated. Can occur a maximum of three times.

[-] 6.4 Movement Priority

Status: 

[-] 6.4.1 Separator : Slant

Status: 

[-] 6.4.2 Movement Priority Code

Status: 

Character Format: a

Data Element No. [704](#)

[-] 6.4.3 Separator : CRLF

Status: 

[-] 7. Other Service Information

Status: 

[-] 7.1 Line Identifier

Status: 

Character Format: aaa

Data Element No. [103](#)

[-] 7.2 OSI Details (1st Line)

Status: 

[-] 7.2.1 Separator : Slant

Status: M

[-] 7.2.2 Other Service Information

Status: M Character Format: t[...65] Data Element No. [405](#)

[-] 7.2.3 Separator : CRLF

Status: M

[-] 7.3 OSI Details (2nd Line)

Status: O

[-] 7.3.1 Separator : Slant

Status: M

[-] 7.3.2 Other Service Information

Status: M Character Format: t[...65] Data Element No. [405](#)

[-] 7.3.3 Separator : CRLF

Status: M

[-] 8. Customs Origin

Status: O

[-] 8.1 Line Identifier (COR)

Status: M Character Format: aaa Data Element No. [103](#)

[-] 8.2 Separator : Slant

Status: M

[-] 8.3 Customs Origin Code

Status: M Character Format: m[...2] Data Element No. [906](#)

[-] 8.4 Separator : CRLF

Status: M

[-] 9. Other Customs, Security and Regulatory Control Information

Status: O Note: [FFM7](#)

[-] 9.1 Line Identifier (OCI)

Status: M Character Format: aaa Data Element No. [103](#)

[-] 9.2 Separator : Slant

Status: M

[-] 9.3 ISO Country Code

Status: C Character Format: aa Note: [FFM32](#) Data Element No. [304](#)

[-] 9.4 Separator : Slant

Status: M

[-] 9.5 Information Identifier

Status: C Character Format: aaa Note: [FFM32](#) Data Element No. [103](#)

[-] 9.6 Separator : Slant

Status: M

[-] 9.7 Customs, Security and Regulatory Control Information Identifier

Status: C Character Format: a[...2] Note: [FFM32](#) Data Element No. [941](#)

[-] 9.8 Separator : Slant

Status: **M**

[-] 9.9 Supplementary Customs, Security and Regulatory Control Information

Status: **M**

Character Format: t[...35]

Data Element No. [940](#)

[-] 9.10 Separator : CRLF

Status: **M**

Elements 9.2 to 9.10 can be repeated

Elements 4.1 to 9.10 can be repeated

PART 5 — ULD LOADED CARGO

[-] 10. ULD Description

Status: **C**

Note: [FFM27](#)

[-] 10.1 ULD Line Identification

Status: **M**

[-] 10.1.1 Line Identifier

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 10.1.2 Separator : Slant

Status: **M**

[-] 10.2 ULD Identification

Status: **M**

[-] 10.2.1 ULD Type

Status: **M**

Character Format: amm

Data Element No. [802](#)

[-] 10.2.2 ULD Serial Number

Status: **M**

Character Format: mnnn(n)

Data Element No. [115](#)

[-] 10.2.3 ULD Owner Code

Status: **M**

Character Format:
mm

Note:
[GEN4](#)

Data Element No.
[801](#)

[-] 10.3 ULD Position Information

Status: **O**

[-] 10.3.1 Separator : Hyphen

Status: **M**

[-] 10.3.2 ULD Loading Indicator

Status: **M**

Character Format: a

Data Element No. [811](#)

[-] 10.4 ULD Remarks

Status: **O**

[-] 10.4.1 Separator : Slant

Status: **M**

[-] 10.4.2 ULD Remarks

Status: **M**

Character Format: t[...53]

Data Element No. [804](#)

[-] 10.5 Separator : CRLF

Status: **M**

[-] 11. ULD Movement Information

Status: 

[-] 11.1 ULD Onward Routing Detail

Status: 

[-] 11.1.1 Separator : Slant

Status: 

[-] 11.1.2 Airport/City Code (of Next Destination)

Status: 

Character Format: aaa

Data Element No. [313](#)

[-] 11.1.3 Carrier Code

Status: 

Character Format:
mm

Note: [GEN4](#)

Data Element No. [312](#)

[-] 11.2 ULD Onward Booking Detail

Status: 

Note: [FFM28](#)

[-] 11.2.1 Flight Number

Status: 

Character Format: nnn(n)(a)

Data Element No. [800](#)

[-] 11.2.2 Separator : Slant

Status: 

[-] 11.2.3 Day (of Scheduled Departure)

Status: 

Character Format: nn

Note: [GEN2](#)

Data Element No. [202](#)

[-] 11.2.4 Month (of Scheduled Departure)

Status: 

Character Format:
aaa

Note: [GEN2](#)

Data Element No. [201](#)

[-] 11.3 Separator : CRLF

Status: 

Note: [FFM29](#)

Elements 11.1 thru 11.3 can be repeated. Can occur a maximum of three times.

[-] 11.4 ULD Utilisation Detail

Status: 

[-] 11.4.1 Separator : Slant

Status: 

[-] 11.4.2 ULD Volume Available Code

Status: 

Character Format: n

Data Element No. [803](#)

[-] 11.4.3 Separator : CRLF

Status: 

[-] 12. Consignment Detail

Status: 

[-] 12.1 See elements [4.1](#) thru [4.10](#).

[-] 13. Dimensions Information

Status: 

[-] 13.1 See elements [5.1](#) thru [5.8](#).

- [-] 14. Consignment Onward Movement Information
 Status: 
 [-] 14.1 See elements [6.1](#) thru [6.4](#).
 - [-] 15. Other Service Information
 Status: 
 [-] 15.1 See elements [7.1](#) thru [7.3](#).
 - [-] 16. Customs Origin
 Status: 
 [-] 16.1 See elements [8.1](#) thru [8.4](#).
 - [-] 17. Other Customs, Security and Regulatory Control Information
 Status: 
 [-] 17.1 See elements [9.1](#) thru [9.10](#).
 Elements 12.1 thru 17.10 can be repeated.
 Elements 10.1 thru 17.10 can be repeated.
 Elements 3.1 thru 17.10 can be repeated.
- PART 6 — MANIFEST TRAILER
- [-] 18. Manifest Complete Indicator
 Status:  Note: [FFM4](#)
 [-] 18.1 End of Message Code
 Status:  Character Format: [aaaa](#) Data Element No. [102](#)
 [-] 18.2 Separator : CRLF
 Status: 

8. MESSAGE NOTES

- FFM1 [Ref. 1](#) For a SINGLE DESTINATION flight the Airline Flight Manifest comprises:
- PART 1 MESSAGE IDENTIFIER
—
 - PART 2 MANIFEST HEADER
— Occurs once only per message.
Comprises elements [2.1](#) thru [2.7](#).
 - PART 3 DESTINATION HEADER
— Occurs once only per message.
Comprises elements [3.1](#) thru [3.3](#).
 - PART 4 BULK LOADED CARGO
— Repeated for each bulk loaded

consignment.

Comprises complete sets of consignment information (elements [4.1](#) thru [9.10](#)).

PART 5 ULD LOADED CARGO

— Repeated for each ULD.

Comprises combination sets of information describing each ULD

(elements [10.1](#) thru [11.4](#)) and each of the consignments in the ULD

(elements [12.1](#) thru [17.10](#) — repeated).

PART 6 MANIFEST TRAILER

— Occurs once only per message.

Comprises an end code identifying the:

- end of a message (notification that a further message relating to the same flight manifest will follow, see note FFM4);
- end of manifest (notification that a manifest transmission is complete).

FFM2 [Ref. 1.](#) For a MULTI-DESTINATION flight a separate airline flight manifest message is normally sent for each destination airport. However, where required a full manifest message for all consignments loaded at one point of loading may also be sent comprising:

PART 1 MESSAGE IDENTIFIER

—

PART 2 MANIFEST HEADER

— Occurs once only per message.

PART 3 DESTINATION
— HEADER

PART 4 BULK LOADED
— CARGO

Repeated for each
bulk loaded
consignment.

PART 5 ULD LOADED
— CARGO

Repeated for each
ULD.

PART 6 MANIFEST TRAILER

— Occurs once only per

} Repeated for
each
destination
airport

message.

- FFM3 [Ref. 3.3](#) If no consignment is loaded for a particular destination airport the DESTINATION HEADER for that airport is extended to include element [3.2](#) (NIL Cargo Indication). The BULK LOADED and ULD LOADED details which would normally follow a DESTINATION HEADER are omitted.
- FFM4 [Ref. 2.1](#)
[Ref. 18](#) An airline Flight Manifest can be transmitted as a sequence of FFM messages. (This is sometimes necessary due to message length constraints imposed by the transmission network).
Each individual FFM message must commence with MESSAGE IDENTIFIER, MANIFEST HEADER and DESTINATION HEADER. In addition a ULD Detail Line must be included before any sets of consignment information relating to ULD Loaded Cargo (even if this ULD information has also been included in previous FFM messages relating to the same flight). Within the MANIFEST HEADER message sequence number identifies the sequence in which individual messages have been transmitted.
The complete Consignment Detail/Consignment Onward Movement Information (elements [4.1](#) thru [9.10](#)) relating to one consignment must always be sent in one FFM message.
The use of the code “CONT” (continued) in the MANIFEST TRAILER at the end of a FFM message signifies that a further message relating to the same flight manifest will be transmitted.
The use of the code “LAST” in the MANIFEST TRAILER at the end of a FFM message signifies that the manifest transmission is complete.
- FFM6 [Ref. 4.3.2](#) A full description of the Shipment Description Code T, P, S and D is given in Code List, [1.15](#).
- FFM7 [Ref. 9.](#) Other Customs, Security and Regulatory Control Information
The composition of the OCI line depends upon which Customs, Security and Regulatory Control Information Identifier is used and must be in accordance with the [OCI composition rules table below](#).
- FFM20 [Ref. 3.3](#) Nil Cargo Indication (if no cargo is loaded for this airport of unloading).
- FFM21 [Ref. 4.](#) Consignment Detail (if bulk loaded).
- FFM22 [Ref. 4.5](#) Density Group (if [4.4](#) not included).
- FFM23 [Ref.](#) Total Consignment Pieces (if [4.3.2](#) is **not** T).

	4.6	
FFM24	Ref. 4.6.2	Number of Pieces (zero if unknown).
FFM25	Ref. 6.2	Onward Booking Detail (may be included only if 6.1.3 included).
FFM26	Ref. 6.3	Separator (if 6.1 included).
FFM27	Ref. 10.	ULD Description (if ULD loaded).
FFM28	Ref. 11.2	ULD Onward Booking Detail (may be included only if 11.1.3 included).
FFM29	Ref. 11.3	Separator (if 11.1 included).
FFM30	Ref. 4.4	Volume Detail (if 4.5 not included).
FFM31	Ref. 4.8	Separator (if 4.9 included).
FFM32	Ref. 9.3	ISO Country Code
	Ref. 9.5	Information Identifier
	Ref. 9.7	Customs Information Identifier (At least one of Ref. 9.3. , Ref. 9.5. or Ref. 9.7. must be included).
FFM33	Ref. 3.2	Separator (if Ref. 3.3. , Ref. 3.5. or Ref. 3.7. included).
FFM34	Ref. 3.4	Separator (if Ref. 3.5. or Ref. 3.7. included).
FFM35	Ref. 3.6	Separator (if Ref. 3.7. included).

8.8.1 OCI composition rules table

ISO Country Code	Information Identifier	Customs, Security and Regulatory Control Information Identifier	Explanatory notes on allowed values for the Information Identifier and completion examples. Any Screening Method, Screening Exemption or Security Status codes are to be included in the Supplementary Customs, Security and Regulatory Control Information and not in the Information Identifier.

		AC	If following an RA entry: OCI/GB/ISS/RA/001-011 ///ED/0213 ///AC/12345ABCDE If only the AC entry: OCI///AC/12345ABCDE
M		E	OCI/GB//E/12345ABCDE
M	M	A	AGT - agent submitting house details to USA OCI/US/AGT/A/12345678
	M	C	DOC - certificate identifier OCI//DOC/C/12345678
	M	D	DNR – UNID (the FDD message also contains this information and more) OCI//DNR/D/UN1234 UN2345 UN3456 UN4567 UN6789 //DNR/D/UN8901 ID8000 DOC - shippers declaration identifier OCI//DOC/D/12345678
		L	Screening Exemption Codes are to be included in the Supplementary Customs & Security Control Information SMUS - small undersized shipments MAIL - mail BIOM - bio-medical samples DIPL - diplomatic bags or diplomatic mail LFSM - life-saving materials NUCL - nuclear materials TRNS - transfer or transshipment OCI/GB/ISS/RA/001-011 ///ED/0213 ///L/DIPL
	M	V	DOC - invoice identifier OCI//DOC/V/12345678
	M	I	HWB – house waybill number MAL – mail receptacle number ULD – unit load device identifier If indicating an MRN for a HWB level

			OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 If indicating an MRN for a HWB within a ULD OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 //ULD/I/A1A12345XX
M	M	F	AGT - agent submitting house details to the USA TID - local transfer as destination in the USA OCI/US/TID/F/12345678
M		KC	OCI/GB//KC/001-011 ///ED/0213
M	M	M	IMP – Customs import EXP – Customs export TRA – Customs transit OCI/IT/IMP/M/07IT9876AB88901235
	M	P	DOC – packing list identifier OCI//DOC/P/12345678
		RC	OCI/FR//RC/Dest Country Dest Airport-Regulated Carrier Name Example OCI/FR//RC/NGLOS-AF
M	M	RA	ISS - the regulated agent issuing the security status OCI/GB/ISS/RA/001-011 ///ED/0213 OSS - the regulated agent accepting the security status given by another regulated agent OCI/GB/ISS/RA/001-011 ///ED/0213 /GB/OSS/RA/002-022 ///ED/0213
		N	Can only follow an entry identifying a ULD

			ULD – number of a seal affixed to a unit load device OCI//ULD/I/A1A12345XX ///N/1234567890
M		S	OCI/US//S/SYSTEM DOWN 0000-0030 05MAR10
M	M	T	AGT - Agent's valid trader identification number can be indicated If in Canada and a third party lodges the declaration to Canada: OCI/CA/AGT/T/8000 DCL - Declarant's (Legal person/entity lodging the declaration) valid trader identification number can be indicated If in the EU the EORI of the declaring lodging the ENS shall be indicated: OCI/GB/DCL/T/GB123456789012 SHP - Consignor's valid trader identification number can be indicated CNE - Consignee's valid trader identification number can be indicated BRK - Broker's valid trader identification number can be indicated AIR - Airline's valid trader identification number can be indicated NFY - Notify party's valid trader identification number can be indicated
M		U	OCI/KE//U/KE1234567890
		ED	Must follow RA or KC entry as OCI/GB//KC/001-011 ///ED/0213
		SM	Can only follow RA entry Screening Method Codes are to be included in the Supplementary Customs & Security Control Information PHS – Physical Inspection and/or hand search VCK - Visual check XRY - X-ray equipment EDS - Explosive detection system RES - Remote explosive scent tracing

			explosive detection dogs FRD - Free running explosive detection dogs VPT - Vapor trace PRT - Particle trace MDE - Metal Detection Equipment SIM - Subjected to flight simulation AOM - Subjected to any other means OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SM/AOM-SPECIFY ANY OTHER MEANS
		SD	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SD/05MAR122359
		SN	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SN/JOHNNY WALKER ///SD/05MAR122359
		SS	Only applicable for the FSA/FSU message. All other messages shall capture this as a SPH code. Only one SS code can be entered SCO *can only follow RA entry SPX *can only follow RA entry NSC OCI/GB/ISS/RA/001-011 ///ED/0213 ///SS/SPX
		ST	To capture any ad hoc security statement required by regulators OCI/GB/ISS/RA/001-011

5

DIMENSIONS INFORMATION																												
DIM	/	K L	Weight					/	↑ Measurement Unit Code	Length Dimension				-	Width Dimension				-	Height Dimension				/	Number of Pieces			

6

CONSIGNMENT ONWARD MOVEMENT INFORMATION												
/	Airport/ City Code		Carrier Code		Flight Number			/	Day		Month	

/	Airport/ City Code		Carrier Code		Flight Number			/	Day		Month	

/	Airport/ City Code		Carrier Code		Flight Number			/	Day		Month	

/	← MOVEMENT PRIORITY

7

OTHER SERVICE INFORMATION																			
OSI	/	Other Service Information																	

/	Other Service Information																	

8

CUSTOMS ORIGIN		
COR	/	↑ Customs Origin Code

9

**Customs, Security
and Regulatory Control
Information Identifier**

**Customs, Security
and Regulatory Control
Information Identifier**

10

ULD Loading Indicator

11

Flight Number	Carrier Code	City Code	Day	Month
1	2	3	4	5

	Airport/ City Code	Carrier Code	Flight Number		Day	Month
/				/		

Flight Number	Carrier Code	City Code	Day	Month
1	2	3	4	5

ULD Volume
Available Code

12

CONSIGNMENT DETAIL													
Airline Prefix	-	AWS Serial Number				Airport/ City Code	Airport/ City Code	/	Number of Pieces	K/L	Weight	Volume Code	Volume

Shipment Description Code

Manifest Description of Goods													
Density Indicator	Density Group	T	Number of Pieces	/									

/	Special Handling Code	/	Special Handling Code	/	Special Handling Code	/	Special Handling Code	/	Special Handling Code	/	Special Handling Code	/	Special Handling Code	/	Special Handling Code
---	-----------------------	---	-----------------------	---	-----------------------	---	-----------------------	---	-----------------------	---	-----------------------	---	-----------------------	---	-----------------------

13

DIMENSIONS INFORMATION															
DIM	/	K/L	Weight				/	Measurement Unit Code	Length Dimension	-	Width Dimension	-	Height Dimension	/	Number of Pieces

Measurement Unit Code

14

CONSIGNMENT ONWARD MOVEMENT INFORMATION						
/	Airport/ City Code	Carrier Code	Flight Number	/	Day	Month

/	Airport/ City Code	Carrier Code	Flight Number	/	Day	Month
---	--------------------	--------------	---------------	---	-----	-------

/	Airport/ City Code	Carrier Code	Flight Number	/	Day	Month
---	--------------------	--------------	---------------	---	-----	-------

MOVEMENT PRIORITY	
/	Movement Priority Code

15

OTHER SERVICE INFORMATION	
OSI	Other Service Information

/	Other Service Information
---	---------------------------

16

CUSTOMS ORIGIN	
COR	Customs Origin Code

17

OTHER CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION			
OCI	ISO Country Code	Information Identifier	SUPPLEMENTARY CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION

/	ISO Country Code	/	Information Identifier	/	SUPPLEMENTARY CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION
---	------------------	---	------------------------	---	--

18

MANIFEST COMPLETE INDICATOR	
End of Message Code	