

CONSOLIDATION LIST (FHL) MESSAGE

1. STANDARD MESSAGE IDENTIFIER = FHL

2. MESSAGE FUNCTION

2.1 To provide a “Check-list” of House Waybills associated with a Master Air Waybill.

2.2 (*optional*) To provide details of House Waybill consignments.

3. MESSAGE APPLICATION

Computer-to-Computer.

4. MESSAGE EXCHANGE PARTIES

From: the access address of the Cargo Control Computer of the forwarder responsible for the Master Air Waybill.

To the access address of the Cargo Control Computer of the
(Computer): airline handling the Master Air Waybill.

5. MESSAGE USE

—

6. MESSAGE EXAMPLES

6.1 Typical “Check-list” of three House Waybills associated with a Master Air Waybill.

Ref.	Message Content
1	FHL/5
2	MBI/220-12345675FRAJFK/T1234K10000
3	HBS/11AA11111111/FRABOS/1000/K8000//NUTS
3	HBS/22AA12121212/FRAJFK/200/K1800//BOLTS
3	HBS/33AA13131313/FRAORD/34/K200//SCREWS
3	/VAL

6.2 Expanded “Check-list” of three House Waybills associated with a Master Air Waybill.

Ref.	Message Content
1	FHL/5
2	MBI/618-12345675SINJFK/T7K10000
3	HBS/AEI12345678/SINJFK/1/K400//COMPUTER PARTS
4	TXT/MODEL 3 MEMORY BOARDS AND OTHER ASSORTED PARTS

3	HBS/AEI12345679/SINJFK/3/K300//COMPUTER PARTS
4	TXT/MODEL 4 KEYBOARDS OTHER ASSORTED PARTS
3	HBS/AEI12345680/SINJFK/3/K300//COMPUTER PARTS
4	TXT/MODEL 5 SCREENS AND OTHER ASSORTED PARTS

6.3 Shipper, Consignee and Charge Declaration information for one House Waybill associated with a Master Air Waybill with a SLAC of 4.

Ref.	Message Content
1	FHL/5
2	MBI/618-12345675SINJFK/T7K1000
3	HBS/AEI12345678/SINJFK/1/K400/4/COMPUTER PARTS
4	TXT/MODEL 3 MEMORY BOARDS AND OTHER ASSORTED PARTS
7	SHP NAM/AIR EXPRESS INTL ADR/CARGO COMPLEX BULDG B LOC/AIRLINES ROAD /SG/1738/FX/651234567
8	CNE NAM/AIE EXPRESS INTL ADR/CENTRAL STREET 13 LOC/JAMAICA/NY /US/22330/TE/171812344566
9	CVD/SGD/PP/NVD/NCV/XXX

7. FHL MESSAGE SPECIFICATION

Consolidation List

Cargo-IMP Manual Edition Number/Version Number

12 th	16 th	25 th	29 th	32 nd
1	2	3	4	5

1. Standard Message Identification

Status:  Note: [FHL1](#)

1.1 Standard Message Identifier

Status:  Character Format: aaa Data Element No. [101](#)

1.2 Separator : Slant

Status: 

[-] 1.3 Message Type Version Number

Status:  Character Format: n[...3] Data Element No. [124](#)

[-] 1.4 Separator : CRLF

Status: 

[-] 2. Master AWB Consignment Detail

Status: 

[-] 2.1 Line Identifier

Status:  Character Format: aaa Data Element No. [103](#)

[-] 2.2 Separator : Slant

Status: 

[-] 2.3 Master AWB Identification

Status: 

[-] 2.3.1 Airline Prefix

Status:  Character Format: nnn Data Element No. [112](#)

[-] 2.3.2 Separator : Hyphen

Status: 

[-] 2.3.3 AWB Serial Number

Status:  Character Format: n[8] Data Element No. [113](#)

[-] 2.4 AWB Origin and Destination

Status: 

[-] 2.4.1 Airport/City Code (of Origin)

Status:  Character Format: aaa Data Element No. [313](#)

[-] 2.4.2 Airport/City Code (of Destination)

Status:  Character Format: aaa Data Element No. [313](#)

[-] 2.5 Quantity Detail

Status: 

[-] 2.5.1 Separator : Slant

Status: 

[-] 2.5.2 Shipment Description Code (T)

Status:  Character Format: a Data Element No. [703](#)

[-] 2.5.3 Number of Pieces

Status:  Character Format: n[...4] Data Element No. [701](#)

[-] 2.5.4 Weight Code

Status:  Character Format: a Data Element No. [601](#)

[-] 2.5.5 Weight

Status:  Character Format: n[...7]p Data Element No. [600](#)

[-] 2.6 Separator : CRLF

Status: 

[-] 3. House Waybill Summary Details

Status: 

- [-] 3.1 Line Identifier
 - Status:  Character Format: aaa Data Element No. [103](#)
- [-] 3.2 Separator : Slant
 - Status: 
- [-] 3.3 HWB Serial Number
 - Status:  Character Format: m[1...12] Data Element No. [119](#)
- [-] 3.4 Separator : Slant
 - Status: 
- [-] 3.5 House Waybill Origin and Destination
 - Status: 
 - [-] 3.5.1 Airport/City Code (of Departure)
 - Status:  Character Format: aaa Data Element No. [313](#)
 - [-] 3.5.2 Airport/City Code (of Destination)
 - Status:  Character Format: aaa Data Element No. [313](#)
- [-] 3.6 Separator : Slant
 - Status: 
- [-] 3.7 House Waybill Totals
 - Status: 
 - [-] 3.7.1 Number of Pieces
 - Status:  Character Format: n[...4] Data Element No. [701](#)
 - [-] 3.7.2 Separator : Slant
 - Status: 
 - [-] 3.7.3 Weight Code
 - Status:  Character Format: a Data Element No. [601](#)
 - [-] 3.7.4 Weight
 - Status:  Character Format: n[...7]p Data Element No. [600](#)
 - [-] 3.7.5 Separator : Slant
 - Status: 
 - [-] 3.7.6 SLAC
 - Status:  Character Format: n[...5]
- [-] 3.8 Nature of Goods
 - Status: 
 - [-] 3.8.1 Separator : Slant
 - Status: 
 - [-] 3.8.2 Manifest Description of Goods
 - Status:  Character Format: t[...15] Data Element No. [708](#)
- [-] 3.9 Separator : CRLF
 - Status:  Note: [FHL29](#)
- [-] 3.10 Special Handling Requirements
 - Status: 
 - [-] 3.10.1 Separator : Slant

Status: 

3.10.2 Special Handling Code

Status:  Character Format: aaa Data Element No. [705](#)

Element 3.10 can be repeated. Can occur a maximum of nine times.

3.11 Separator : CRLF

Status: 

Ref. 3 can be repeated.

4. Free Text Description of Goods

Status:  Note: [FHL20](#)

4.1 Line Identifier

Status:  Character Format: aaa Data Element No. [103](#)

4.2 Separator : Slant

Status: 

4.3 Free Text

Status:  Character Format: t[...65] Data Element No. [127](#)

4.4 Separator : CRLF

Status: 

Elements 4.2 thru 4.4 can be repeated. Can occur a maximum of nine times.

5. Harmonised Tariff Schedule Information

Status:  Note: [FHL28](#)

5.1 Line Identifier

Status:  Character Format: aaa Data Element No. [103](#)

5.2 Separator : Slant

Status: 

5.3 Harmonised Commodity Code

Status:  Character Format: m[6...18] Data Element No. [900](#)

5.4 Separator : CRLF

Status: 

Elements 5.2 to 5.4 can be repeated. Can occur a maximum of nine times.

6. Other Customs, Security and Regulatory Control Information

Status:  Note: [FHL2](#)

6.1 Line Identifier (OCI)

Status:  Character Format: aaa Data Element No. [103](#)

6.2 Separator : Slant

Status: 

6.3 ISO Country Code

Status:  Character Format: aa Note: [FHL30](#) Data Element No. [304](#)

6.4 Separator : Slant

Status: 

[-] 6.5 Information Identifier

Status:  Character Format: aaa Note: [FHL30](#) Data Element No. [103](#)

[-] 6.6 Separator : Slant

Status: 

[-] 6.7 Customs, Security and Regulatory Control Information Identifier

Status:  Character Format: a[...2] Note: [FHL30](#) Data Element No. [941](#)

[-] 6.8 Separator : Slant

Status: 

[-] 6.9 Supplementary Customs, Security and Regulatory Control Information

Status:  Character Format: t[...35] Data Element No. [940](#)

[-] 6.10 Separator : CRLF

Status: 

Elements 6.2 to 6.10 can be repeated

Ref. 3 thru 6 can be repeated if there is no occurrence of Ref. 7, 8 or 9.

[-] 7. Shipper Name and Address

Status: 

[-] 7.1 Line Identifier

Status:  Character Format: aaa Data Element No. [103](#)

[-] 7.2 Separator : CRLF

Status: 

[-] 7.3 Name

Status: 

[-] 7.3.1 Information Identifier (NAM)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 7.3.2 Separator : Slant

Status: 

[-] 7.3.3 Name

Status:  Character Format: t
[...35] HWB Box: 4 Data Element No. [300](#)

[-] 7.3.4 Separator : CRLF

Status: 

Elements 7.3.2 thru 7.3.4 can be repeated. Can occur a maximum of two times.

[-] 7.4 Street Address

Status: 

[-] 7.4.1 Information Identifier (ADR)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 7.4.2 Separator : Slant

Status: 

[-] 7.4.3 Street Address

Status:  Character Format: t
[...35] HWB Box: 4 Data Element No. [301](#)

[-] 7.4.4 Separator : CRLF

Status: 

Elements 7.4.2 thru 7.4.4 can be repeated. Can occur a maximum of two times.

[-] 7.5 Location

Status: 

[-] 7.5.1 Information Identifier (LOC)

Status:  Character Format: aaa Data Element No. [103](#)

[-] 7.5.2 Separator : Slant

Status: 

[-] 7.5.3 Place

Status:  Character Format: t[...17] Data Element No. [302](#)

[-] 7.5.4 Separator : Slant

Status:  Note: [FHL21](#)

[-] 7.5.5 State/Province

Status:  Character Format: t[...9] Data Element No. [303](#)

[-] 7.5.6 Separator : CRLF

Status: 

[-] 7.6 Coded Location

Status:  Note: [FHL22](#)

[-] 7.6.1 Separator : Slant

Status: 

[-] 7.6.2 ISO Country Code

Status:  Character Format: aa Data Element No. [304](#)

[-] 7.6.3 Separator : Slant

Status:  Note: [FHL23](#)

[-] 7.6.4 Post Code

Status:  Character Format: t[...9] Data Element No. [305](#)

[-] 7.7 Contact Detail

Status:  Note: [FHL22](#)

[-] 7.7.1 Separator : Slant

Status: 

[-] 7.7.2 Contact Identifier

Status:  Character Format: m[...3] Data Element No. [122](#)

[-] 7.8.3 Separator : Slant

Status: 

[-] 7.8.4 Contact Number

Status:  Character Format: m[...25] Data Element No. [123](#)

Element 7.8 can be repeated.

[-] 7.9 Separator : CRLF

Status: **M**

[-] 8. Consignee Name and Address

Status: **C**

Note: [FHL24](#)

[-] 8.1 Line Identifier

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 8.2 Separator : CRLF

Status: **M**

[-] 8.3 Name

Status: **M**

[-] 8.3.1 Information Identifier (NAM)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 8.3.2 Separator : Slant

Status: **M**

[-] 8.3.3 Name

Status: **M**

Character Format: t
[...35]

HWB Box:
4

Data Element No.
[300](#)

[-] 8.3.4 Separator : CRLF

Status: **M**

Elements 8.3.2 thru 8.3.4 can be repeated. Can occur a maximum of two times.

[-] 8.4 Street Address

Status: **M**

[-] 8.4.1 Information Identifier (ADR)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 8.4.2 Separator : Slant

Status: **M**

[-] 8.4.3 Street Address

Status: **M**

Character Format: t
[...35]

HWB Box:
4

Data Element No.
[301](#)

[-] 8.4.4 Separator : CRLF

Status: **M**

Elements 8.4.2 thru 8.4.4 can be repeated. Can occur a maximum of two times.

[-] 8.5 Location

Status: **M**

[-] 8.5.1 Information Identifier (LOC)

Status: **M**

Character Format: aaa

Data Element No. [103](#)

[-] 8.5.2 Separator : Slant

Status: **M**

[-] 8.5.3 Place

Status: **M**

Character Format: t[...17]

Data Element No. [302](#)

[-] 8.5.4 Separator : Slant

Status: **C**

Note: [FHL25](#)

[-] 8.5.5 State/Province

Status: 

Character Format: t[...9]

Data Element No. [303](#)

[-] 8.5.6 Separator : CRLF

Status: 

[-] 8.7 Coded Location

Status: 

Note: [FHL26](#)

[-] 8.7.1 Separator : Slant

Status: 

[-] 8.7.2 ISO Country Code

Status: 

Character Format: aa

Data Element No. [304](#)

[-] 8.7.3 Separator : Slant

Status: 

Note: [FHL27](#)

[-] 8.7.4 Post Code

Status: 

Character Format: t[...9]

Data Element No. [305](#)

[-] 8.8 Contact Detail

Status: 

Note: [FHL26](#)

[-] 8.8.1 Separator : Slant

Status: 

[-] 8.8.2 Contact Identifier

Status: 

Character Format: m[...3]

Data Element No. [122](#)

[-] 8.8.3 Separator : Slant

Status: 

[-] 8.8.4 Contact Number

Status: 

Character Format: m[...25]

Data Element No. [123](#)

Element 8.8 can be repeated.

[-] 8.9 Separator : CRLF

Status: 

[-] 9. Charge Declarations

Status: 

[-] 9.1 Line Identifier

Status: 

Character Format: aaa

Data Element No. [103](#)

[-] 9.2 Separator : Slant

Status: 

[-] 9.3 ISO Currency Code

Status: 

Character Format: aaa

Data Element No. [606](#)

[-] 9.4 Separator : Slant

Status: 

[-] 9.5 Prepaid/Collect Charge Declarations

Status: 

[-] 9.5.1 P/C Ind. (Weight/Valuation)

- Status: **M** Character Format: a Data Element No. [403](#)
- [-] 9.5.2 P/C Ind. (Other Charges)
Status: **M** Character Format: a Data Element No. [403](#)
- [-] 9.6 Value for Carriage Declaration
Status: **M**
- [-] 9.6.1 Separator : Slant
Status: **M**
- [-] 9.6.2 Declared Value for Carriage
Status: **M** Character Format: n[...12]p Data Element No. [510](#)
- or
No Value Declared (NVD)
Character Format: aaa
- [-] 9.7 Value for Customs Declaration
Status: **M**
- [-] 9.7.1 Separator : Slant
Status: **M**
- [-] 9.7.2 Declared Value for Customs
Status: **M** Character Format: n[...12]p Data Element No. [509](#)
- or
No Customs Value (NCV)
Character Format: aaa
- [-] 9.8 Value for Insurance Declaration
Status: **M**
- [-] 9.8.1 Separator : Slant
Status: **M**
- [-] 9.8.2 Declared Value for Insurance
Status: **M** Character Format: n[...11]p Data Element No. [508](#)
- or
No Value (XXX)
Character Format: aaa
- [-] 9.9 Separator : CRLF
Status: **M**

8. MESSAGE NOTES

- FHL1 [Ref. 1](#) For a multi-part FHL message that breaks in the middle of House Waybill data, subsequent parts must also include the previous occurrence of Ref. [3](#) following the standard previous SMI and first line of SMT to correctly associate the data with the appropriate House Waybill and Master Air Waybill.

- FHL2 [Ref. 6.](#) Other Customs, Security and Regulatory Control Information
The composition of the OCI line depends upon which Customs, Security and Regulatory Control Information Identifier is used and must be in accordance with the [OCI composition rules table below](#).
- FHL20 [Ref. 4.](#) Free Text Description of Goods (when interchanging with US Customs, the total characters of Ref. [4](#) cannot exceed 545).
- FHL21 [Ref. 7.5.4](#) Separator (if [7.5.5](#) included).
- FHL22 [Ref. 7.6](#) Coded Location
[Ref. 7.7](#) Contact Details
(total characters of [7.6](#) through [7.7](#) cannot exceed 69).
- FHL23 [Ref. 7.6.3](#) Separator (if [7.6.4](#) and/or [7.7](#) included).
- FHL24 [Ref. 8.](#) Consignee Name and Address (if Ref. [7](#) included).
- FHL25 [Ref. 8.5.4](#) Separator (if [8.5.5](#) included).
- FHL26 [Ref. 8.7](#) Coded Location
[Ref. 8.8](#) Contact Detail
(total characters of [8.7](#) through [8.8](#) cannot exceed 69).
- FHL27 [Ref. 8.7.3](#) Separator (if [8.7.4](#) and/or [8.8](#) included).
- FHL28 [Ref. 5](#) Harmonised Tariff Schedule Information May only be included as respective, additional information to Ref. [4](#) Free Text Description of Goods.
- FHL29 [Ref. 3.9](#) Separator (if [3.10](#) included).
- FHL30 [Ref. 6.3](#) ISO Country Code
[Ref. 6.5](#) Information Identifier
[Ref. 6.7](#) Customs Information Identifier
(At least one of Ref. [6.3](#)., Ref. [6.5](#). or Ref. [6.7](#). must be included).

8.8.1 OCI composition rules table

ISO	Information	Customs,	Explanatory notes on allowed values for
-----	-------------	----------	---

Country Code	Identifier	Security and Regulatory Control Information Identifier	the Information Identifier and completion examples. Any Screening Method, Screening Exemption or Security Status codes are to be included in the Supplementary Customs, Security and Regulatory Control Information and not in the Information Identifier.
		AC	If following an RA entry: OCI/GB/ISS/RA/001-011 ///ED/0213 ///AC/12345ABCDE If only the AC entry: OCI///AC/12345ABCDE
M		E	OCI/GB//E/12345ABCDE
M	M	A	AGT - agent submitting house details to USA OCI/US/AGT/A/12345678
	M	C	DOC - certificate identifier OCI//DOC/C/12345678
	M	D	DNR – UNID (the FDD message also contains this information and more) OCI//DNR/D/UN1234 UN2345 UN3456 UN4567 UN6789 //DNR/D/UN8901 ID8000 DOC - shippers declaration identifier OCI//DOC/D/12345678
		L	Screening Exemption Codes are to be included in the Supplementary Customs & Security Control Information SMUS - small undersized shipments MAIL - mail BIOM - bio-medical samples DIPL - diplomatic bags or diplomatic mail LFSM - life-saving materials NUCL - nuclear materials TRNS - transfer or transshipment OCI/GB/ISS/RA/001-011 ///ED/0213 ///L/DIPL

	M	V	DOC - invoice identifier OCI//DOC/V/12345678
	M	I	HWB – house waybill number MAL – mail receptacle number ULD – unit load device identifier If indicating an MRN for a HWB level OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 If indicating an MRN for a HWB within a ULD OCI/IT/IMP/M/07IT9876AB88901235 //HWB/I/XXX12345678 //ULD/I/A1A12345XX
M	M	F	AGT - agent submitting house details to the USA TID - local transfer as destination in the USA OCI/US/TID/F/12345678
M		KC	OCI/GB//KC/001-011 ///ED/0213
M	M	M	IMP – Customs import EXP – Customs export TRA – Customs transit OCI/IT/IMP/M/07IT9876AB88901235
	M	P	DOC – packing list identifier OCI//DOC/P/12345678
		RC	OCI/FR//RC/Dest Country Dest Airport-Regulated Carrier Name Example OCI/FR//RC/NGLOS-AF
M	M	RA	ISS - the regulated agent issuing the security status OCI/GB/ISS/RA/001-011 ///ED/0213 OSS - the regulated agent accepting the security status given by another regulated agent

			OCI/GB/ISS/RA/001-011 ///ED/0213 /GB/OSS/RA/002-022 ///ED/0213
		N	Can only follow an entry identifying a ULD ULD – number of a seal affixed to a unit load device OCI//ULD/I/A1A12345XX ///N/1234567890
M		S	OCI/US//S/SYSTEM DOWN 0000-0030 05MAR10
M	M	T	AGT - Agent's valid trader identification number can be indicated If in Canada and a third party lodges the declaration to Canada: OCI/CA/AGT/T/8000 DCL - Declarant's (Legal person/entity lodging the declaration) valid trader identification number can be indicated If in the EU the EORI of the declaring lodging the ENS shall be indicated: OCI/GB/DCL/T/GB123456789012 SHP - Consignor's valid trader identification number can be indicated CNE - Consignee's valid trader identification number can be indicated BRK - Broker's valid trader identification number can be indicated AIR - Airline's valid trader identification number can be indicated NFY - Notify party's valid trader identification number can be indicated
M		U	OCI/KE//U/KE1234567890
		ED	Must follow RA or KC entry as OCI/GB//KC/001-011 ///ED/0213
		SM	Can only follow RA entry Screening Method Codes are to be included in the Supplementary Customs & Security Control

			Information PHS – Physical Inspection and/or hand search VCK - Visual check XRY - X-ray equipment EDS - Explosive detection system RES - Remote explosive scent tracing explosive detection dogs FRD - Free running explosive detection dogs VPT - Vapor trace PRT - Particle trace MDE - Metal Detection Equipment SIM - Subjected to flight simulation AOM - Subjected to any other means OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SM/AOM-SPECIFY ANY OTHER MEANS
		SD	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SD/05MAR122359
		SN	Can only follow RA entry and screening method or exemption OCI/GB/ISS/RA/001-011 ///ED/0213 ///SM/RES ///SN/JOHNNY WALKER ///SD/05MAR122359
		SS	Only applicable for the FSA/FSU message. All other messages shall capture this as a SPH code. Only one SS code can be entered SCO *can only follow RA entry SPX *can only follow RA entry NSC

4

FREE TEXT DESCRIPTION OF GOODS	
TXT	Free Text

5

HARMONISED TARIFF SCHEDULE INFORMATION	
HTS	Harmonised Commodity Code

6

OTHER CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION				
OCI	ISO Country Code	Information Identifier		SUPPLEMENTARY CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION

Customs, Security and Regulatory Control Information Identifier

OTHER CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION				
	ISO Country Code	Information Identifier		SUPPLEMENTARY CUSTOMS, SECURITY AND REGULATORY CONTROL INFORMATION

Customs, Security and Regulatory Control Information Identifier

7

	SHIPPER NAME AND ADDRESS
SHP	

NAM	Name

/	Name

ADR	Street Address

/	Street Address

LOC	Place	State/Province

/	ISO Country Code	/	Post Code	/	Contact Identifier	/	Contact Number

8

CONSIGNEE NAME AND ADDRESS	
CNE	

Name	
NAM	/

Name	
/	

Street Address	
ADR	/

Street Address	
/	

Place		State/Province	
LOC	/	/	

ISO Country Code	/	Post Code	/	Contact Identifier	/	Contact Number
/		/		/		/

9

CHARGE DECLARATIONS								
ISO Currency Code		/	p / c	p / c	/	Declared Value for Carriage	/	Declared Value for Customs
CVD	/	/	/	/	/	/	/	/

Amount of Insurance	
/	