

ZAPIER PIPELINES, ENGINEERED

Zapier: Automations that finally hold state.

Critical automation can't live in a
black box. It's time to reclaim
sovereignty over yo...

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

Zaps break silently

No real retry policy

Data held hostage by a SaaS

THE SHIFT

What you gain



Code-first

Pipelines are Python — versionable, testable.



Resume, don't restart

Every step checkpoints to the WAL.




Featherweight

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE

wpipe vs. the status quo

Security Metric	Traditional SaaS Model	wpipe (Sovereign) Model
Encryption Control	In the vendor's hands	Your own keys / HSM
Attack Surface	Shared public cloud	Your private infrastructure
Execution Logs	Limited dashboard	Complete SQL Database
Vendor Risk	High (External dependency)	None (Open Source / Own code)

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="sync",
retry_count=3, retry_delay=5)
def sync(data):
    return {"done":
push_crm(data["lead"])}

pipe =
Pipeline(pipeline_name="zap2wpipe")
```

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration