

LUIGI PIPELINES, ENGINEERED

Luigi: Dependencies without the legacy lock-in.

Orchestration that scales with you.

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

Last-mile brittleness

No granular resume

Sprawl in one repo

THE SHIFT

What you gain



Code-first

Pipelines are Python — versionable, testable.



Resume, don't restart

Every step checkpoints to the WAL.




Featherweight

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE

wpipe vs. the status quo

Feature	WPipe	Luigi
Data Integrity	SQLite WAL (Atomic)	File-system / Central DB
Scalability	Zero-infra, Edge Ready	Centralized Heavy
RAM Usage	< 50MB (Consistent)	> 2GB (Spiky)
Auto-Docs	Built-in Mermaid	Luigi Visualizer

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="build",
retry_count=2, retry_delay=5)
def build(data):
    return {"out":
compile_targets(data["src"])}

```

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration