

CELERY PIPELINES, ENGINEERED

Celery: Async jobs without the broker tax.

Orchestration that scales with you.

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

A broker to install and tune

Fire-and-forget tasks

Hard to replay a job

THE SHIFT

What you gain



Code-first

Pipelines are Python — versionable, testable.



Resume, don't restart

Every step checkpoints to the WAL.




Featherweight

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE

wpipe vs. the status quo

Feature	WPipe	Celery
Infrastructure	Zero-Infra (Pure Python)	Broker (Redis/RabbitMQ)
RAM Usage	< 50MB	> 200MB
Resilience	Native (SQLite WAL)	Broker-dependent
Setup Time	< 1 minute	Hours

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="job", retry_count=3,
      retry_delay=1)
def job(data):
    return {"result":
worker(data["task"])}


```

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration