

CELERY PIPELINES, ENGINEERED

Celery: Async jobs without the broker tax.

Orchestration that scales with you.

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

A broker to install and tune

Fire-and-forget tasks

Hard to replay a job

THE SHIFT

What you gain

**Code-first**

Pipelines are Python — versionable, testable.

**Resume, don't restart**

Every step checkpoints to the WAL.

**Featherweight**

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE

wpipe vs. the status quo

Feature	wpipe	Celery	Cron
Setup	Zero Config	High (Redis/RabbitMQ)	Minimal
Footprint	<50MB RAM	>200MB RAM	Minimal
Resilience	SQLite WAL Checkpoints	Task-based	OS- dependent
Observability	Built-in Auto-Docs	Flower (Separate)	Mail/Logs

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="job", retry_count=3,
      retry_delay=1)
def job(data):
    return {"result":
worker(data["task"])}

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER
```

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration