

WPIPE PIPELINES, ENGINEERED

Wpipe: Pipelines that resume, not restart.

Orchestration that scales with you.

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

State lost on crash

Retries hand-rolled

Zero audit trail

THE SHIFT

What you gain



Code-first

Pipelines are Python — versionable, testable.



Resume, don't restart

Every step checkpoints to the WAL.




Featherweight

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE

wpipe vs. the status quo

Aspect	Visual panel	Config in code (wpipe)
Versioning	✗ No diffs	✓ Native Git Flow
Review	Blind clicks	✓ Pull Request
Portability	Provider-dependent	✓ One YAML or Python file
Vendor exit	Traumatic	✓ Trivial (pip install)

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="my_step",
retry_count=3, retry_delay=2,
checkpoint=True)
def my_step(data):
    return {"result":
process(data["input"])}

pipe =
Pipeline(pipeline_name="my_pipeline")
pipe.set_steps([my_step])
```

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration