

WPIPE PIPELINES, ENGINEERED

Wpipe: Pipelines that resume, not restart.

Orchestration that scales with you.

+117k

downloads

**<50
MB**

RAM, total

SQLite

WAL state

THE CONTEXT

Where it hurts today

State lost on crash

Retries hand-rolled

Zero audit trail

THE SHIFT

What you gain



Code-first

Pipelines are Python — versionable, testable.



Resume, don't restart

Every step checkpoints to the WAL.




Featherweight

<50 MB. No broker, no daemon.

THE ARCHITECTURE

One pipeline, fully instrumented



State, retries and audit — inside a single run.

SIDE BY SIDE**wpipe vs. the status quo**

Without contract	With PipelineContext
The error appears at the end	Validation happens at the edge
Types "work by accident"	Types verified against the schema
No shape documentation	The contract is self-documenting

SEE IT IN ACTION

Six lines. That's it.

```
from wpipe import Pipeline, step

@step(name="my_step",
retry_count=3, retry_delay=2,
checkpoint=True)
def my_step(data):
    return {"result":
process(data["input"])}

pipe =
Pipeline(pipeline_name="my_pipeline")
pipe.set_steps([my_step])
```

CHECKPOINTS · RETRIES · TIMEOUT ·
PARALLEL · TRACKER

Try wpipe in your next pipeline ✓

Install the library, wrap your step
— checkpoints and docs appear
by themselves.

```
pip install wpipe
```

wpipe

Python-native orchestration