


## SQL Week 2

- Aggregate Functions
- Group By clause
- Having clause
- Using Round()

### SQL Week 2

#### **Aggregate Functions**

 An aggregate function allows you to perform a calculation on a set of values to return a single scalar value.



#### SQL Week 2

#### **Aggregate Functions**

- AVG calculates the average of a set of values.
- COUNT counts rows in a specified table or view.
- MIN gets the minimum value in a set of values.
- MAX gets the maximum value in a set of values.
- SUM calculates the sum of values.

SELECT AVG(price) FROM book;

- Aggregate Functions
- Group By clause
- Having clause
- Using Round()

### SQL Week 2 Group By clause

 The GROUP BY statement is often used with aggregate functions (COUNT, MAX, MIN, SUM, AVG) to group the result-set by one or more columns.

SELECT county as County, COUNT(\*) as 'Number of Students'

FROM student GROUP BY county;

County	Number of Students
Kilkenny	7
Tipperary	4
Waterford	5
Wexford	5

- Aggregate Functions
- Group By clause
- Having clause
- Using Round()

### SQL Week 2 Having clause

 In order to restrict rows returned with aggregate functions, you must use a HAVING clause.

SELECT county as County,
COUNT(\*) as 'Number of Students'
FROM student
GROUP BY county
HAVING COUNT(\*) >= 5;

- Aggregate Functions
- Group By clause
- Having clause
- Using Round()

# SQL Week 2 Using Round()

 To round a numeric value to a whole number (or to 2 decimal places for example), use round.

Round(12.75) returns 13

Round(12.751,2) returns 12.75

Round(12.755,2) returns 12.76