Views

Beethoven Sonatas

Song	Artist
Piano Sonata No. 3	Beethoven
Piano Sonata No. 7	Beethoven
Piano Sonata No. 10	Beethoven

Beethoven Concertos


Song	Artist
Piano Concerto No. 1	Beethoven
Piano Concerto No. 12	Beethoven
Piano Concerto No. 23	Beethoven


Playlist Views

http://localhost:9000/dashboard

Playlist		Dashboard Abou
Beethoven Sonatas		
Song	Artist	
Piano Sonata No. 3	Beethoven	
Piano Sonata No. 7	Beethoven	
Piano Sonata No. 10	Beethoven	
Beethoven Concertos		
Song	Artist	
Piano Concerto No. 1	Beethoven	
Piano Concerto No. 12	Beethoven	

http://localhost:9000/dashboard





GET /dashboard

Dashboard.index

routes

Static Version

Dashboard.java

```
public class Dashboard extends Controller
{
  public static void index()
  {
    Logger.info("Rendering Dashboard");
    render ("dashboard.html");
  }
}
```

dashboard.html


Beethoven Sonatas Song Artist Piano Sonata No. 3 Beethoven Piano Sonata No. 7 Beethoven Piano Sonata No. 10 Beethoven **Beethoven Concertos** Song Artist Piano Concerto No. 1 Beethoven Piano Concerto No. 12 Beethoven Piano Concerto No. 23 Beethoven

listsongs.html

```
<thead>
 Song
  Artist
 </thead>
>
  Piano Sonata No. 3
 Beethoven
 >
  Piano Sonata No. 7
 >
  Beethoven
 Piano Sonata No. 10
 >
  Beethoven
 </tr>
```

Model Playlist in Application

Models Package
Contains Simple Java
Class for Song &
Playlist



playlist-1 docviewer ~/dev/play-1.5.0 playlist-1 ~/repos/wit-hdipapp controllers C About C Dashboard Start ▼ models C Playlist Song ▼ views errors tags about.html ashboard.html amain.html astart.html conf application.conf dependencies.yml messages routes public

Song & Playlist

```
package models;

public class Song
{
   public String title;
   public String artist;

   public Song(String title, String artist)
   {
     this.title = title;
     this.artist = artist;
   }
}
```

```
package models;
import java.util.ArrayList;
import java.util.List;

public class Playlist
{
   public String title;
   public List<Song> songs = new ArrayList<Song>();

   public Playlist(String title)
   {
     this.title = title;
   }
}
```

One To Many Relationship

```
package models;
import java.util.ArrayList;
import java.util.List;


public class Playlist
{
   public String title;
   public List<Song> songs = new ArrayList<Song>();

   public Playlist(String title)
   {
      this.title = title;
   }
}
```

```
package models;

public class Song
{
   public String title;
   public String artist;

   public Song(String title, String artist)
   {
      this.title = title;
      this.artist = artist;
   }
}
```



Creating Model Objects

Create a playlist with 3 songs

Send the playlist to the view

```
public class Dashboard extends Controller
  public static void index() {
    Logger.info("Rendering Dashboard");
    Song s1 = new Song("Piano Sonata No. 3", "Beethoven");
    Song s2 = new Song("Piano Sonata No. 7", "Beethoven");
    Song s3 = new Song("Piano Sonata No. 10", "Beethoven");
    Playlist playlist = new Playlist("Beethoven Sonatas");
    playlist.songs.add (s1);
    playlist.songs.add (s2);
    playlist.songs.add (s3);
    render ("dashboard.html", playlist);
```

```
public class Dashboard extends Controller
{
  public static void index() {
    Logger.info("Rendering Dashboard");

  Song s1 = new Song("Piano Sonata No. 3", "Beethoven");
  Song s2 = new Song("Piano Sonata No. 7", "Beethoven");
  Song s3 = new Song("Piano Sonata No. 10", "Beethoven");
  Playlist playlist = new Playlist("Beethoven Sonatas");
  playlist.songs.add (s1);
  playlist.songs.add (s2);
  playlist.songs.add (s3);

  render ("dashboard.html", playlist);
}
```


Accessing Java Object from Template


dashboard.html

```
package models;

public class Playlist
{
   public String title;
   public List<Song> songs = new ArrayList<Song>();

   public Playlist(String title)
   {
      this.title = title;
   }
}
```





```
public class Dashboard extends Controller
{
   public static void index() {
      Logger.info("Rendering Dashboard");

   Song s1 = new Song("Piano Sonata No. 3", "Beethoven");
   Song s2 = new Song("Piano Sonata No. 7", "Beethoven");
   Song s3 = new Song("Piano Sonata No. 10", "Beethoven");
   Playlist playlist = new Playlist("Beethoven Sonatas");
   playlist.songs.add (s1);
   playlist.songs.add (s2);
   playlist.songs.add (s3);

   render ("dashboard.html", playlist);
   }
}
```

Iteratingthrough a list

listsongs.html

```
<thead>
  Song
   Artist
  </thead>
 #{list items:_playlist.songs, as:'song'}
   ${song.title}
    ${song.artist}
    #{/list}
 </ra>
```

playlist accessed via "_playlist" identifier


for loop to iterate through each song in the array



```
<thead>
 Song
  Artist
 </thead>
 #{list items:_playlist.songs, as:'song'}
   ${song.title}
   ${song.artist}
   #{/list}
```


Multiple Playlists

```
public class Dashboard extends Controller
  public static void index() {
    Logger.info("Rendering Dashboard");
    Song s1 = new Song("Piano Sonata No. 3", "Beethoven");
    Song s2 = new Song("Piano Sonata No. 7", "Beethoven");
    Song s3 = new Song("Piano Sonata No. 10", "Beethoven");
    Playlist p1 = new Playlist("Beethoven Sonatas");
    p1.songs.add (s1);
    p1.songs.add (s2);
    p1.songs.add (s3);
    Song s4 = new Song("Piano Concerto No. 1", "Beethoven");
    Song s5 = new Song("Piano Concerto No. 12", "Beethoven");
    Song s6 = new Song("Piano Concerto No. 23", "Beethoven");
    Playlist p2 = new Playlist("Beethoven Concertos");
    p2.songs.add (s4);
    p2.songs.add (s5);
    p2.songs.add (s6);
    List<Playlist> playlists = new ArrayList<Playlist>();
    playlists.add(p1);
    playlists.add(p2);
    render ("dashboard.html", playlists);
```



An array of 2 playlists passed to view

```
public class Dashboard extends Controller
  public static void index() {
    Logger.info("Rendering Dashboard");
    Song s1 = new Song("Piano Sonata No. 3", "Beethoven");
    Song s2 = new Song("Piano Sonata No. 7", "Beethoven");
    Song s3 = new Song("Piano Sonata No. 10", "Beethoven");
    Playlist p1 = new Playlist("Beethoven Sonatas");
    pl.songs.add (s1);
    p1.songs.add (s2);
    p1.songs.add (s3);
    Song s4 = new Song("Piano Concerto No. 1", "Beethoven");
    Song s5 = new Song("Piano Concerto No. 12", "Beethoven");
    Song s6 = new Song("Piano Concerto No. 23", "Beethoven");
    Playlist p2 = new Playlist("Beethoven Concertos");
    p2.songs.add (s4);
    p2.songs.add (s5);
   p2.songs.add (s6);
    List<Playlist> playlists = new ArrayList<Playlist>();
    playlists.add(p1);
    playlists.add(p2);
    render ("dashboard.html", playlists);
```



```
public static void index() {
   Logger.info("Rendering Dashboard");
   //...
   List<Playlist> playlists = new ArrayList<Playlist>();
   playlists.add(p1);
   playlists.add(p2);

   render ("dashboard.html", playlists);
}
```

```
#{extends 'main.html' /}
#{set title:'Dashboard' /}

#{menu id:"dashboard"/}

#{list items:playlists, as:'playlist'}

<section class="ui segment">
<h2 class="ui header">
<h2 class="ui header">
<h2 class="ui header">
<h2 class="ui header">
<h2>
#{listsongs playlist:playlist/}
</section>
#{listsongs playlist:playlist/}
</section>
#{/list}
```

Pass the entire playlist to the listsongs partial

```
public static void index() {
   Logger.info("Rendering Dashboard");
   //...
   List<Playlist> playlists = new ArrayList<Playlist>();
   playlists.add(p1);
   playlists.add(p2);

   render ("dashboard.html", playlists);
}
```

Beethoven Sonatas Artist Song Piano Sonata No. 3 Beethoven Piano Sonata No. 7 Beethoven Piano Sonata No. 10 Beethoven **Beethoven Concertos** Song Artist Piano Concerto No. 1 Beethoven Piano Concerto No. 12 Beethoven Piano Concerto No. 23 Beethoven

```
<thead>
 Song
  Artist
 </thead>
#{list items:_playlist.songs, as:'song'}
  ${song.title}
   ${song.artist}
  #{/list}
```