


Full Stack

- Currently we have 2 application:
 - Hapi donation application
 - SvelteKit application







Full Stack

- SvelteKit Application:
 - *.svelte components in the browser
 - *.server.ts server side components








donation-svelte-08-ssr +LoginForm +page DonateForm Message LeafletMap

app.html


- - TS +page.server.ts
 - +page.svelte
- ✓


 donate
 - TS +page.server.ts
 - +page.svelte
 - OnateForm.svelte
- √ login
 - TS +page.server.ts
 - +page.svelte
 - LoginForm.svelte
- - TS +page.server.ts
 - +page.svelte
- - TS +page.server.ts
 - +page.svelte
- ✓

 report
 - TS +page.server.ts
 - +page.svelte
- - +page.svelte
 - SignupForm.svelte
 - TS +layout.server.ts
 - +layout.svelte
 - +page.svelte
- Ts app.d.ts
- 😈 app.html





donation-svelte-08-ssr






Donation-Hapi Application Structure









Donation-hapi-04-api 🜃 views coordinates.hbs donation-form.hbs donation-list.hbs heading.hbs login-form.hbs menu.hbs signup-form.hbs splashscreen.hbs user-credentials.hbs user-details.hbs donate.hbs layout.hbs login.hbs main.hbs report.hbs layout.hbs signup.hbs heading.hbs signup-form.hbs — user-credentials.hbs donation-form.hbs ----- coordinates.hbs


donation-list.hbs

Donation Architecture






Donation Deployment




Donation Deployment













Full Stack Architecture

- Reconsider role of donation-hapi
 Application
- Directly integrate model access into donationsvelte



Donation Full Stack Architecture



- Incorporate Models

package from

Donation Full Stack Deployment

