Class, ID & DIV



```
#first {
   background-color: green;
   color: red;
}

#maincontent {
   border-style: solid;
   border-width: 2px;
}
```


class · id · div

class Attribute

- While the name of an element specifies its type, the class attribute lets you assign to it one or more subtypes.
- These subtypes may then be used in CSS code for styling purposes.
- In particular, several elements may share a class and only those elements can be identified for restyling



Using class to identify elements



```
<body>
      Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut
      sagittis enim velit at orci.
 Fusce velit. Integer sapien enim, rhoncus vitae, cursus non, commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas
      condimentum hendrerit turpis.
 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut
      sagittis enim velit at orci.
 >
      Lorem ipsum dolor sit amet,<span class="warn">consectetuer adipiscing elit</span>.
      Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.
 Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut
      sagittis enim velit at orci.
 </body>
```

+

```
p {
  background-color: white;
  color: black;
}

.withstyle {
  background-color: olive;
  color: navy;
}

.warn {
  background-color: yellow;
  color: red;
}
```

style.css

Classes in Action

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Fusce velit. Integer sapien enim, rhoncus vitae, cursus non, commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum hendrerit turpis.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.


Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.


1

ID Attribute

- While the name of an element specifies its type, the id attribute lets you identify a specific element.
- Targeting elements by ID means you can devise rules that apply to a single element in a document
- IDs must be unique to a document there cannot be two elements with the same IDs



Using id to identify elements



```
<!DOCTYPE html>
<html>
<head>
 <title> Sample for topic 03 </title>
 <link rel="stylesheet" href="style.css" type="text/css"/>
</head>
<body>
 <div id="maincontent">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci
   nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.
  Fusce velit. Integer sapien enim, rhoncus vitae, cursus non,
   commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum
   hendrerit turpis.
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  Lorem ipsum dolor sit amet, < span class="warn" > consectetuer adipiscing elit < / span >.
   Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis
   enim velit at orci.
  </div>
 <div id="footer">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  </div>
</body>
</html>
```

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque uma porta risus, ut sagittis enim velit at orci.

Fusce velit. Integer sapien enim, rhoncus vitae, cursus non, commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum hendrerit turpis.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Classes & IDs in Action

```
background-color: white;
 color: black;
.withstyle {
 background-color: olive;
 color: navy;
.warn {
 background-color: yellow;
 color: red;
#first {
 background-color: green;
 color: red;
```

Using Divs to define Regions of a Page

- Use DIV elements as containers, one for the main content and one for the left content
- . Allocate an ID to each of these divs
- . Create CSS rules for each DIVs

```
<div id = maincontent>
...
#maincontent {
...
#footer {
...
</div>
```

```
<!DOCTYPE html>
<html>
<head>
 <title> Sample for topic 03 </title>
 <link rel="stylesheet" href="style.css" type="text/css"/>
</head>
<body>
 <div id="maincontent">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci
   nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.
  Fusce velit. Integer sapien enim, rhoncus vitae, cursus non,
   commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum
   hendrerit turpis.
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  <p>>
   Lorem ipsum dolor sit amet, < span class="warn" > consectetuer adipiscing elit < / span >.
   Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis
   enim velit at orci.
  </div>
  <div id="footer">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  </div>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
  <title> Sample for topic 03 </title>
  <link rel="stylesheet" href="style.css" type="text/css"/>
</head>
<body>
  <div id="maincontent">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci
   nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.
  Fusce velit. Integer sapien enim, rhoncus vitae, cursus non,
   commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum
   hendrerit turpis.
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  <p>
   Lorem ipsum dolor sit amet, < span class="warn" > consectetuer adipiscing elit < / span >.
   Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis
   enim velit at orci.
  </div>
  <div id="footer">
   Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  </body>
</html>
```

```
<div id="maincontent">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci
   nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.
  Fusce velit. Integer sapien enim, rhoncus vitae, cursus non,
   commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum
   hendrerit turpis.
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  Lorem ipsum dolor sit amet, <span class="warn">consectetuer adipiscing elit </span>.
   Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis
   enim velit at orci.
  </div>
<div id="footer">
  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras
   sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim
   velit at orci.
  </div>
```

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque uma porta risus, ut sagittis enim velit at orci.

Fusce velit. Integer sapien enim, rhoncus vitae, cursus non, commodo vitae, felis. Nulla convallis ante sit amet urna. Maecenas condimentum hendrerit turpis.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec acilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Cras sollicitudin, orci nec facilisis vehicula, neque urna porta risus, ut sagittis enim velit at orci.

Classes, IDs & Divs in Action

```
background-color: white;
 color: black;
.withstyle
 background-color: olive;
 color: navy;
.warn
 background-color: yellow;
 color: red;
#first {
 background-color: green;
 color: red;
#maincontent {
 border-style: solid;
 border-width: 2px;
#footer {
 border-style: dashed;
 border-color: red;
 border-width: 2px;
```

Class, ID & DIV



```
#first {
   background-color: green;
   color: red;
}

#maincontent {
   border-style: solid;
   border-width: 2px;
}
```

class · id · div