




RecyclerView + Adapters





Introduce new
Activity to
manage List of
Placemarks





New artefacts:

- PlacemarkActivityList.kt
- activity_placemark_list.xml
- card_placemark.xml


Edits:

AndroidManifest.xml

```
app
   manifests
     🙀 AndroidManifest.xml
  org.wit.placemark (androidTest)
  org.wit.placemark (test)
  org.wit.placemark.activities
        📭 🖥 PlacemarkActivity
        PlacemarkListActivity.kt
    org.wit.placemark.main
     org.wit.placemark.models
     drawable
  layout
        activity_placemark.xml
        activity_placemark_list.xml
        card_placemark.xml
     menu
     mipmap
```

values

PlacemarkActivityList.kt



activity_placemark_list.xml

```
package org.wit.placemark.activities
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import org.wit.placemark.R
import org.wit.placemark.main.MainApp
class PlacemarkListActivity : AppCompatActivity() {
  lateinit var app: MainApp
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_placemark_list)
    app = application as MainApp
<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout</pre>
   xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
```

```
tools:context="org.wit.placemark.activities.PlacemarkListActivity">
 <android.support.design.widget.AppBarLayout</pre>
     android:layout_width="match_parent"
     android:layout_height="wrap_content"
     android:background="@color/colorAccent"
     android:fitsSystemWindows="true"
     app:elevation="0dip"
     app:theme="@style/ThemeOverlay.AppCompat.Dark.ActionBar">
   <android.support.v7.widget.Toolbar</pre>
       android:id="@+id/toolbarMain"
       android:layout_width="match_parent"
       android:layout_height="wrap_content"
       app:titleTextColor="@color/colorPrimary"/>
 </android.support.design.widget.AppBarLayout>
</android.support.design.widget.CoordinatorLayout>
```

AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
                         <manifest xmlns:android="http://schemas.android.com/apk/res/android"</pre>
                                   package="org.wit.placemark">
                           <application
                               android:name=".main.MainApp"
                               android:allowBackup="true"
                               android:icon="@mipmap/ic_launcher"
                               android:label="@string/app_name"
                               android:roundIcon="@mipmap/ic_launcher_round"
                               android:supportsRtl="true"
                               android:theme="@style/AppTheme">
                             <activity android:name=".activities.PlacemarkActivity">
                             </activity>
                             <activity android:name=".activities.PlacemarkListActivity">
  New
                               <intent-filter>
                                 <action android:name="android.intent.action.MAIN"/>
Activity
                                 <category android:name="android.intent.category.LAUNCHER"/>
                               </intent-filter>
 Entry
                             </activity>
                           </application>
                         </manifest>
```


```
implementation 'com.android.support:cardview-v7:26.1.0'
...
```


card_placemark.xml

```
card placemark.xml
<?xml version="1.0" encoding="utf-8"?>
<android.support.v7.widget.CardView</pre>
    xmlns:android="http://schemas.android.com/apk/res/android"
   android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:elevation="24dp">
 <RelativeLayout
     android:layout_width="match_parent"
     android:layout_height="wrap_content"
     android:padding="16dp">
    <TextView
       android:id="@+id/placemarkTitle"
       android:layout_width="wrap_content"
       android:layout_height="wrap_content"
       android:layout_alignParentTop="true"
       android:textSize="30sp"/>
    <TextView
       android:id="@+id/description"
       android:layout_width="wrap_content"
       android:layout_height="wrap_content"
       android:layout_below="@id/placemarkTitle"/>
 </RelativeLayout>
</android.support.v7.widget.CardView>
```


activity_placemark_list.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout</pre>
    xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context="org.wit.placemark.activities.PlacemarkListActivity">
  <android.support.design.widget.AppBarLayout</pre>
      android:layout_width="match_parent"
      android:layout_height="wrap_content"
      android:background="@color/colorAccent"
      android:fitsSystemWindows="true"
      app:elevation="0dip"
      app:theme="@style/ThemeOverlay.AppCompat.Dark.ActionBar">
    <android.support.v7.widget.Toolbar</pre>
        android:id="@+id/toolbarMain"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        app:titleTextColor="@color/colorPrimary"/>
  </android.support.design.widget.AppBarLayout>
</android.support.design.widget.Coordinator</pre>
```






Before PlacemarkActivityList introduced



After
PlacemarkActivityList
introduced




```
class PlacemarkListActivity : AppCompatActivity() {
   lateinit var app: MainApp

   override fun onCreate(savedInstanceState: Bundle?) {
      super.onCreate(savedInstanceState)
      setContentView(R.layout.activity_placemark_list)
      app = application as MainApp


   val layoutManager = LinearLayoutManager(this)
      recyclerView.layoutManager = layoutManager
      recyclerView.adapter = PlacemarkAdapter(app.placemarks)
   }
}
```

```
class PlacemarkAdapter constructor(private var placemarks: List<PlacemarkModel>) : RecyclerView.Adapter<Place
  override fun onCreateViewHolder(parent: ViewGroup?, viewType: Int): MainHolder {
    return MainHolder(LayoutInflater.from(parent?.context).inflate(R.layout.card_placemark, parent, false))
  override fun onBindViewHolder(holder: MainHolder, position: Int) {
    val placemark = placemarks[holder.adapterPosition]
    holder.bind(placemark)
  override fun getItemCount(): Int = placemarks.size
  class MainHolder constructor(itemView: View) : RecyclerView.ViewHolder(itemView) {
    fun bind(placemark: PlacemarkModel) {
      itemView.placemarkTitle.text = placemark.title
      itemView.description.text = placemark.description
                                                        «android»
                                                                              «android»
                                                                                                    «android»
                                                                                                                          «android»
                                                     AppCompatActivity
                                                                          LinearLayoutManager
                                                                                                   RecyclerView
                                                                                                                      RecyclerViewAdapter
                                                         PlacemarkListActivity
                                                                                                  PlacemarkAdapter
                                                                     0..*
                                                              PlacemarkModel
                                                                                                   MainHolder
```



MainApp

```
override fun onCreate() {
    super.onCreate()
    info("Placemark started")
    placemarks.add(PlacemarkModel("One", "About one..."))
    placemarks.add(PlacemarkModel("Two", "About two..."))
    placemarks.add(PlacemarkModel("Three", "About three..."))
}
...
```





New menu option

stings.xml

```
<string name="menu_addPlacemark">Add</string>
```

menu_main.xml


```
▼ layout
▼ layout
▼ menu
menu_main.xml
▶ mipmap
▼ values
```

PlacemarkListActivity

```
toolbarMain.title = title
setSupportActionBar(toolbarMain)
...
```

... and then override the method to load the menu resource:

```
override fun onCreateOptionsMenu(menu: Menu?): Boolean {
    menuInflater.inflate(R.menu.menu_main, menu)
    return super.onCreateOptionsMenu(menu)
}
...
```



PlacemarkListActivity: Menu Click Event Handler:

```
override fun onOptionsItemSelected(item: MenuItem?): Boolean {
   when (item?.itemId) {
     R.id.item_add -> startActivityForResult<PlacemarkActivity>(AppCompatActivity.RESULT_OK)
   }
   return super.onOptionsItemSelected(item)
}
```

PlacemarkActivity: save placemarks to the array in MainApp

```
if (placemark.title.isNotEmpty()) {
    app.placemarks.add(placemark.copy())
    info("add Button Pressed: $placemarkTitle")
    app.placemarks.forEach { info("add Button Pressed: ${it}")}
    setResult(AppCompatActivity.RESULT_OK)
    finish()
}
...
```

