

SQL ASSIGNMENT

Step 1 : Create table as below.

```
/*Product string size 15 ,  
Quantity integer ,  
Price real,  
purchase_cost decimal with size 6,2,  
Estimated_sale_price float,  
Month integer*/
```

```
CREATE TABLE Bank_Inventory_pricing  
(Product VARCHAR(15),  
Quantity INT,  
Price REAL,  
purchase_cost DECIMAL(6,2),  
Estimated_sale_price FLOAT,  
Month INT);
```

Step2:

Insert records for above

```
Insert into Bank_Inventory_pricing values ( 'PayCard' , 2 , 300.45, 8000.87, 9000.56, 1 ) ;  
Insert into Bank_Inventory_pricing values ( 'PayCard' , 2 , 800.45, 5000.80, 8700.56, 1 ) ;  
Insert into Bank_Inventory_pricing values ( 'PayCard' , 2 , 500.45, 6000.47, 7400.56, 1 ) ;  
Insert into Bank_Inventory_pricing values ( 'PayPoints' , 4 , 390.87, 7000.67, 6700.56, 2 ) ;  
Insert into Bank_Inventory_pricing values ( 'SmartPay' , 5 , 290.69, 5600.77, 3200.12 , 1 ) ;  
Insert into Bank_Inventory_pricing values ( 'MaxGain' , 3 , NULL, 4600.67, 3233.11 , 1 ) ;  
Insert into Bank_Inventory_pricing values ( 'MaxGain' , 6 , 220.39, 4690.67, NULL , 2 ) ;  
Insert into Bank_Inventory_pricing values ( 'SuperSave' , 7 , 290.30, NULL, 3200.13 ,1 ) ;  
Insert into Bank_Inventory_pricing values ( 'SuperSave' , 6 , 560.30, NULL, 4200.13 ,1 ) ;
```

```

Insert into Bank_Inventory_pricing values ( 'SuperSave', 6 , NULL, 2600.77, 3200.13 ,2 ) ;
Insert into Bank_Inventory_pricing values ( 'SuperSave', 9 , NULL, 5400.71, 9200.13 ,3 ) ;
Insert into Bank_Inventory_pricing values ( 'SmartSav', 3 , 250.89, 5900.97, NULL ,1 ) ;
Insert into Bank_Inventory_pricing values ( 'SmartSav', 3 , 250.89, 5900.97, 8999.34 ,1 ) ;
Insert into Bank_Inventory_pricing values ( 'SmartSav', 3 , 250.89, NULL , 5610.82 , 2 ) ;
Insert into Bank_Inventory_pricing values ( 'EasyCash', 3 , 250.89, NULL, 5610.82 ,1 ) ;
Insert into Bank_Inventory_pricing values ( 'EasyCash', 3 , 250.89, NULL, 5610.82 , 2 ) ;
Insert into Bank_Inventory_pricing values ( 'EasyCash', 3 , 250.89, NULL, 5610.82 , 3 ) ;
Insert into Bank_Inventory_pricing values ( "BusiCard" , 1, 3000.99 , NULL, 3500, 3 ) ;
Insert into Bank_Inventory_pricing values ( "BusiCard" , 1, 4000.99 , NULL, 3500, 2 ) ;

```

Create table

Create table Bank_branch_PL

(Branch varchar(15),

Banker Int,

Product varchar(15) ,

Cost Int,

revenue Int,

Estimated_profit Int,

month Int);

```

Insert into Bank_branch_PL values ( 'Delhi', 99101, 'SuperSave', 30060070, 50060070, 20050070, 1 ) ;
Insert into Bank_branch_PL values ( 'Delhi', 99101, 'SmartSav', 45060070, 57060070, 30050070, 2 ) ;
Insert into Bank_branch_PL values ( 'Delhi', 99101, 'EasyCash', 66660070, 50090090, 10050077, 3 ) ;
Insert into Bank_branch_PL values ( 'Hyd', 99101, 'SmartSav', 66660070, 79090090, 10050077, 3 ) ;
Insert into Bank_branch_PL values ( 'Banglr', 77301, 'EasyCash', 55560070, 61090090, 9950077, 3 ) ;
Insert into Bank_branch_PL values ( 'Banglr', 77301, 'SmartSav', 54460090, 53090080, 19950077, 3 ) ;
Insert into Bank_branch_PL values ( 'Hyd', 77301, 'SmartSav', 53060090, 63090080, 29950077, 3 ) ;
Insert into Bank_branch_PL values ( 'Hyd', 88201, 'BusiCard', 40030070, 60070080, 10050070,1 ) ;

```

Insert into Bank_branch_PL values ('Hyd', 88201, 'BusiCard', 70030070, 60070080, 25060070,1) ;
Insert into Bank_branch_PL values ('Hyd', 88201, 'SmartSav', 40054070, 60070080, 20050070, 2) ;
Insert into Bank_branch_PL values ('Banglr', 99101, 'SmartSav', 88660070, 79090090, 10050077, 3) ;

Questions
#####

Question 1:

1) Print sum of Purchase_cost and average of estimated_sale_price of table

Bank_inventory_pricing during 2nd month .

Question 2:

2) Print average of estimated_sale_price upto two decimals from bank_inventory_pricing table.

Question 3:

3) Print the Products which are appearing in bank_inventory_pricing more than once during the month : 1

Question 4:

4) Print Products that are appearing more than once in bank_inventory_pricing and whose purchase_cost is

greater than estimated_sale_price , assuming estimated_sale_price is 0 when there is no value given

Question 5:

5) Print the sum of purchase_cost of Bank_Inventory_pricing table with default value of 2000/-

if there is no value given

Question 6:

6) Print unique records of bank_inventory_pricing without displaying the month.

Question 7:

7) print the average of Purchase_cost from the table Bank_inventory_pricing.If the purchase_cost has no value given

then it's value is equal to estimated_sale_price.

Question 8:

8) Print the count of unique Products used in Bank_inventory_pricing

Question 9:

9) Print product and the difference of maximum and minimum purchase_cost of each product in Bank_Inventory_Pricing.

Question 10:

10) Print the sum of Purchase_cost of Bank_inventory_pricing during 1st and 2nd month

Question 11:

11) Print Products with an average value of Purchase_cost per product only when exceeding average of 6000.

Question 12:

12) Print products whose average of purchase_cost is less than sum of purchase_cost of Bank_inventory_pricing.

Question 13:

13) Print product and its average of Estimated_sale_price when purchase_cost is not mentioned.

Question 14:

14) Display maximum estimated_sale_price of each product when the product total quantity is exceeding 4

and its purchase_cost has some value given.

Question 15:

15) Print products whose average of purchase_cost per product is less than

200 # from the table Bank_inventory_pricingsys

Question 16:

16) Print each Product with its highest estimated_sale_price in

bank_inventory_pricing

Question 17:

17) Print product with an increase in average of estimated_sale_price by 15% when average product_cost is more than average # estimated_sale_price

Question 18:

18) For product = 'BusiCard', print average of purchase_cost on condition that when purchase_cost

is not given, choose any of the higher value between price and estimated_sale_price# Question 19:

19) Calculate average estimated_sale_price for each product .

For any null estimated_sale_price, replace the value with purchase_cost

Question 20:

20) Print products and their avg price on condition that products appeared in at least three different months.