

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RC0639128

## Labstat

10mg Delta 9 Vegan Cube

Matrix: Infused Product

## **Certificate of Analysis**


Sample: KN31129001-001 Harvest/Lot ID: 0202CUMF1431

Batch#: 1431

Sample Size Received: 108 gram Retail Product Size: 108 gram

> Ordered: 11/13/23 Sampled: 11/13/23 Completed: 11/30/23

860 North East 79th steet Miami, FL, 33138, US





SAFETY RESULTS



















MISC.

NOT TESTED

PASSED



## Potency



Total THC 0.2379%



**Total Cannabinoids** 0.2379%



Analysis Method: SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN004335POT Instrument Used : E-SHI-008 Running on : N/A

District: 083023.01; 100422.02; 090723.02; 112823.801; 112823.802; 110323.01 Consumables: 22/04/01; 220501; 89291.100; 230105059D; 1008702218; 94789291.271; GD220003; 1350331; 6121219; 600185

Pipette: E-VWR-120

Sue Ferguson Lab Directo

State License # n/a ISO Accreditation # 17025:2017



11/30/23

Signed On

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannablinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Millon, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fall does not include the UM. The limits are based on F.S. Rule 64-4.310.