


95% pointwise bootstrap intervals; training confounds unresolved
Each cell: count (% of samples in that bin); changes relative to baseline 494

Benefits by fixed parent-model performance



GT highlr 494 - baseline 494

Change	0	(0,.1)	[.1,.25)	[.25,.5)	[.5,.75)	[.75,1]
Improved	32 (11.6%)	17 (34.0%)	18 (51.4%)	36 (51.4%)	69 (43.9%)	498 (42.3%)
Worsened	25 (9.0%)	25 (50.0%)	15 (42.9%)	32 (45.7%)	83 (52.9%)	619 (52.6%)
Unchanged	220 (79.4%)	8 (16.0%)	2 (5.7%)	2 (2.9%)	5 (3.2%)	60 (5.1%)

GT 247 - baseline 494 (unequal endpoint)

Change	0	(0,.1)	[.1,.25)	[.25,.5)	[.5,.75)	[.75,1]
Improved	32 (11.6%)	21 (42.0%)	23 (65.7%)	34 (48.6%)	61 (38.9%)	515 (43.8%)
Worsened	18 (6.5%)	18 (36.0%)	9 (25.7%)	32 (45.7%)	85 (54.1%)	527 (44.8%)
Unchanged	227 (81.9%)	11 (22.0%)	3 (8.6%)	4 (5.7%)	11 (7.0%)	135 (11.5%)