
## CSS3을 활용한 기초 예제



```
HTML
ul id="bar">
            id="iphone">
               <div class="left">
                   <img src="images/iphone.png" alt="iphone">
               </div>
               <div class="right">
                   <div class="infobox"><h3>iPhone</h3></div>
               </div>
            id="macbook">
               <div class="left">
                   <img src="images/macbook.png" alt="macbook">
               </div>
               <div class="right">
                   <div class="infobox"><h3>MacBook</h3></div>
               </div>
            id="ipod">
               <div class="left">
                   <img src="images/ipod.png" alt="ipod">
               </div>
               <div class="right">
                   <div class="infobox"><h3>iPod</h3></div>
               </div>
            id="cinema">
               <div class="left">
                   <img src="images/cinema.png" alt="cinema">
               </div>
               <div class="right">
                   <div class="infobox"><h3>Cinema Display</h3></div>
               </div>
            id="macmini">
               <div class="left">
                   <img src="images/macmini.png" alt="macmini">
               </div>
```

```
CSS
         * {
              margin: 0;
              padding: 0;
         ul {
              list-style: none;
         }
         a {
              text-decoration: none;
         body {
              background: radial-gradient(#364d58, #000);
         #bar {
             width: 800px;
             margin: 40px auto;
        }
        #bar li {
             cursor: pointer;
        }
        #bar li .left {
             background: rgba(213,238,241,0.5);
             float: left;
             width: 40px;
             height: 100px;
             margin-left: 10px;
             border-radius: 40px/100px;
             transition: 0.5s;
        .left img {
             margin-left: 10px;
             margin-top: 15px;
        }
        #bar li .right {
             width: 50px;
             height: 100px;
             border-radius: 40px/100px;
             background: linear-gradient(-90deg, #97a7a9, #b8cbcd);
             margin: 10px 0;
             transition: 0.5s;
        }
```

```
.infobox {
    padding: 40px 0 0 600px;
}
.infobox h3 {
    font: 1em Georgia, Times, serif;
    color: #fff;
#iphone:hover .left {
    background: #1f81ac;
    margin-left: 160px;
#iphone:hover .right {
    width: 200px;
    background: linear-gradient(-90deg, #1a6c90, #14506b);
#macbook:hover .left {
    background: #bc003c;
    margin-left: 200px;
}
#macbook:hover .right {
    width: 240px;
    background: linear-gradient(-90deg, #9d0032, #7a0027);
#ipod:hover .left {
    background: #d98f23;
    margin-left: 270px;
#ipod:hover .right {
    width: 310px;
    background: linear-gradient(-90deg, #b6781e, #916018);
#cinema:hover .left {
    background: #7da864;
    margin-left: 110px;
}
#cinema:hover .right {
    width: 150px;
    background: linear-gradient(-90deg, #698d54, #506b40);
#macmini:hover .left {
    background: #3f1150;
    margin-left: 130px;
}
#macmini:hover .right {
    width: 170px;
    background: linear-gradient(-90deg, #340e43, #1a0721);
}
```