Psvtae

8　两　B

X x王→

OWR

W。o

Psvtae

8两本

MPN6

X o“ ovt X ”s t ⋊↓



Y t ⊥X ”s t ⋊Z • ⋉”“ ↓

X o“ ovt X ”s t ⋊↓

85

95 11M⋊“ ~ X ”s t ⋊11

: 5 a⊸⋊“ t ⊸478

<5

11_osx” `t、、x“v↓ 11
11Sos⊥o⊣ 11
11Nox⊥p⊣o、x”“ 11

85
95
: 5
<5
=5



T“、t→o×_Q

X”st×t、。• T“、t→o×8P三t→o×_Q

85 _Q T“、t→o× P三t→o×
95
: 5 _trtx⊣t→Y。—pt→
<5 Mx“s
=5
>5 Mx“s

P三⊣↓W_` N_`Q
Q→~⊥LNN`a 6LNNP`` eUa 6T_X 6_C

X。×4[→、”r” ×X ”s。×t X [X



Nwo“ “ t ×X ” “ x ” →

Nwo“ “ t ×X ” “ x ” →



Z。、•。、↓



Z。、•。、Psx

Z。、•。、↓

11T“ ⊣t ⊣⇒t s 11
11`。p、⊣⇒⊣11
11X x“ 6X o∃1



aw→ぅ、、ж



[←ゃ4↓o→Nwt r~↓



`• trxo×Q。“r、x”“ ↓

11aw→、、ⅹ11
11[→ⅰ4↓。o→Nwt r~ ⇓11
11`• trxo×Q。“r、x”“ ⇓11 aw→、、ⅹ N。、

---

hk
hk
hk
hk
hk
hk
hk

T‘•。、 Z。、•。、

T‘•。、

T‘•。、

d t xvw、
P三”

Z。、•。、

Z。、•。、 6

T‘ ~~t~~ ~~t~~ s
`。p、~~x~~
X x‘ 6X o三
N。~~t~~


Hardware
Physical controls on radio transmitter
Inputs
Physical controls are mapped to software inputs. Weight, offset & curves can then be applied to the input.
Mixes
Multiple Inputs can be combined. Weight, offset & curves can be applied to the mix. Mix is assigned to an output channel.
Outputs
Final adjustment of data that will be transmitted from the radio on a channel. Endpoint and center values can be adjusted. Curves & subtrims can be added.

N”“、ぅ×Q〆七

Z。、•。、


30 Apr
20:59
OUTPUTS
Add all Trims to Subtrims
Extended limits
CH1 -100.0 100.0 0.0 1500△ 0%
CH2 -100.0 100.0 0.0 1500△ 0%
CH3 -100.0 100.0 0.0 1500△ -100%
CH4 -100.0 100.0 0.0 1500△ 0%
CH5 -100.0 100.0 0.0 1500△ 0%

Z。、•。、↓



Z。、•。、Psx、

85
95
: 5 `。p、→ⅹ—

Z。、•。、

85
95 X x“ 6X o三
: 5

Z。、•。、 N。→ŧ

85

T‘•。、 d t xvw


30 Apr
21:03
INPUTS
Ail
100% Ail
Ele
100% Ele
Thr
100% Thr
Rud
100% Rud
+

T‘•。、↓



T“•。、Psx、

Z。、•。、 T“•。、
d t xvw、

---

85 T“ −t →t s
95 `。p、→*−
: 5 X x“ 6X o三
<5 N。→t
=5 d t xvw、6P三 ”

---

hk
hk
hk
hk
hk

X xΞ→

X x王→

X x王→

X x王→

T‘•。、 X x王→
X x王→ Z。、•。、 NS8 NS8 NS9 NS9



N”“、→XQ※七

X x王→



X x王 ⇓[ovt



X x王 ⇓Psx

`”。⊣t

d t xvw

`七x rw

X。※ ※三 Lss

8

85NS8 `”。¬ŕt GLx×
95NS> `”。¬ŕt GLx×
:5 Z。、•。、
<5

9

P✱k—”“ Lx×2 P✱k

NS8 Lx×2 P✱k
NS9 Lx×4P✱k

: P✱k Lx×

85 `”。¬ŕt GP✱k
95 :+ 两ß7+
:5
<5

< 2

85 `”。¬ŕt G_。s
95 :+ 两ß+
:5 `L `L
<5
=5 6

---

hk

hk　　P*k—”“

hk　　P*k　Lx×

hk　　_。s　Lx×

hk　　X x=±→GZ。、•。、

X x=±→　　NS三　　Z。、•。、

W vxro× tx rw

Xx=t−6`•trxo×Q。“r、x”“

a→t 6Qo×⇓t

LYO6Z_6

W78 W7955

Xx=t−6`•trxo×Q。“r、x”“ 6Qx/vw、X”st



W vxro× tx rwt ↓



W'vxro×ŧxrwt↓

---

8 `L `M W78

W78 ZY

X"st×t、、x'v↓ W'vxro×ŧxrwt↓ W78 Psx

Q。"rDLYO
c8D`L
c9D`M

`L 2`M W78ZY
W78ZQQ

---

9 做： G>

9
：
G9做：G>
>

W78 `L LYO`M

W79 `L LYO`M4
W7: `L LYO`M
W7< `L LYO`M
W7= `L LYO`M4
W7> `L LYO`M

>

H QXvw、X”st↓

---

9 W78 `•trxo×Q。“r、X”“ 6

X”st×t、、X‘v↓ `•trxo×Q。“r、X”“↓

85 `•trxo×Q。“r、X”“
95a→xvvt→ W78
:5Q。“r、X”“ [xo上a→or~6[xo上co×t
<5 _t•to、



`•trxo×Q。“r、X”“↓

: W78 X x王→

X”st×t、、X‘v↓ X x王↓ `七x、rw

`七x rw W78
W78 W78
H

<

W vxro× 七x rwt ↓ W87 oF三
`• trxo×Q。“r、x”“ ↓ W87 [x⊗上co×t 6[x⊗上a-⊖r~

85W87 Q。“r oF三
95c8 cQL` 6_三M、
:5c9
<5 `• trxo×Q。“r、x”“ ↓
=

W88 aw-F
W89 W88 LYO `L
W89

W vxro× 七x rwt ↓
Ot x⊗上
O。-⊖、x”“

---

hk LYO
hk 9 做: >
hk `• trxo×Q。“r、x”“
hk X x三→

hk

hk Ot ⊗⊥⊢6O。¬⊖、x”“

ZY

Rc

Rc

85 d tx/vw\ 6P=-”
95

8 6

9 OWR 6 6 6
OWR

6

2



Qxvw X”st↓

X”st×t、x‘v↓ Qxvw X”st↓

QX 7

QX 8 QX B `ㄴxrw

`L

QX 8 `L ao~t”ш

QX 9 `L4 N→x↓t

QX: `L Wb“sx‘v



Qxvw X”st

85 Qxvw X”st ↓
95

Rc

Rc
Rc

Rc

T•。、 dtxvw 6P=”
X x=t→

H T•。、 dtxvw 6Zwlt、6N。→t + Rc


30 Apr
21:04
GLOBAL VARIABLES
FM0 FM1 FM2 FM3 FM4 FM5 FM6 FM7 FM8
GV1 0 FM0 FM0 FM0 FM0 FM0 FM0 FM0 FM0
GV2 0 FM0 FM0 FM0 FM0 FM0 FM0 FM0 FM0
GV3 0 FM0 FM0 FM0 FM0 FM0 FM0 FM0 FM0
GV4 0 FM0 FM0 FM0 FM0 FM0 FM0 FM0 FM0
GV5 0 FM0 FM0 FM0 FM0 FM0 FM0 FM0 FM0

R⤮po⤫co→op⤬↓



R ✕po✕co→opx

6

6

8

85 nX ”st ✕t ،،x“v ↓ Q✕vw، X ”st ↓n

95 QX 9

: 5 QX < QX =

QX < Wt–t ✕

QX= Y”↓tO“

9

85 QX< n`tx,rwn `N
95 QX= n`tx,rwn `N
:5 `N4

: Rc

85 nX”st×t、、x“v↓ R×po×co→xop×x↓n
95 Rc Rc: nP[Mn P×x→o、”→Mxo↓
:5
Rc: H7
Rc: G7
Rc: F7

Rc:

< Rc

nX”st×t、、x“v↓ T“•。、↓ P×x→o、”→ n
nX”st×t、、x“v↓ Xx=I↓ P×x→o、”→ n

85 6
95 Rc:
:5
H Xx=I→ Xx=I→ Rc T“•。、 T“•。、 Rc

= QX<6QX= Rc

R×po×co→xop×x↓ Rc:

QX< Wt→t× Rc: G7
QX= Y”↓tO“ Rc: G

>

85
95 QX <
: 5 QX =
<5 =[illegible]7

A

85 QX < QX =
95 Rc:
: 5

6 Rc:
P[illegible]” d t[illegible]vw[illegible] Rc:

---

hk 2
hk
hk
hk T[illegible]•。、6X x[illegible]→ Rc
hk Rc
hk
hk OWR
hk 6

Rc

OWR

OWR

Z。、•。、 W”vxro×⊥xrwt↓ Qxvw X”st↓

g”” — 6Wb。“rw6`•tts 6N→xJt 6awt→o×6M-o~t

Z。、•。、

X”st×t、、x“v↓ Z。、•。、↓



Z。、•。、↓



Z。、•。、↓

85B

NS8
NS9
NS:
NS<

85D

85 `。p、→*←
95 6 X o∃6X x“
:5 T“ ←t →*t s
<5

85F

9=6=76A=6877+

85H

6

X ”st ×t、、x“v↓ W”vx r o×←t x、r wt↓



W'vxro× ⊥xrwt ↓



W'vxro× ⊥xrwt ↓

:

8511 11 GWb。“rw G

9511 : 11 Gg”” — G G

: 511 : 11 6 6 `•tts6N→x

⊥t6awt→o×

958

11W78 `•tts 11

G G G

11W79 N→x↓t 11

G G G

11W7: awt→o× 11

G G G

11W7< M←o~t 11

G G

11Wb。“rw 11

G

959

W786W796W7:

W7<

Wb。“rw

Qxvw、X”st↓

X”st×t、、x‘v↓ Qxvw、X”st↓


5 May
19:49
FLIGHT MODES
FM0 =0 =0 =0 =0 =0 =0 0.0s 0.0s
0 0 0 0 0 0
FM1 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM2 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM3 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM4 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM5 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM6 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM7 =0 =0 =0 =0 =0 =0 0.0s 0.0s
FM8 =0 =0 =0 =0 =0 =0 0.0s 0.0s
Check FM Trims

Qxvw X ”st ↓



Qxvw X”st

: 58

g” ” —
Wb。“rw
`•tts
N→x⇓t
awt→o×
M⊖~t

: 59

Wb。“rw
`•tts W78
N→x⇓t W79
awt→o× W7:
M⊖~t W7<
g” ” —

: 5;

Wb。“rw

Wb。“rw M⊖~t

X x王→

X”st×t、x‘v↓ X x王↓



X x王↓



X x王↓

<5B NS 8

8 Lx×

`”。→t GLx×

d txvw、Gn2Rc: n
Zuu、t、GnRc8n
X。xx• x≡GLss

Lx×

9 M→
`”。→t GM→
d txvw、G
X。xx• x≡GLss

M→
Lx×

<59 NS9

8 Lx×
`”。→t GLx×
d txvw、Gn4Rc: n
Zuu、t、GnRc8n
X。xx• x≡GLss

Lx×

9 M→
`”。→t GM→
d txvw、G
X。xx• x≡GLss

M→

<5 NS:

8 Px
`”。→t GPx
d txvw、GnRc<n
Zuu、t、GnRc9n

Px

9 6

`”。→t GQ× M→
d tx vw GnRc=n

M→6Q×

<5< NS <

8 _。s
`”。→t G_。s
d tx vw G

_。s

Rc

X”st×t、、x‘v↓ R×po×co→op×↓



R×po×co→op×↓



R*po×co→op*

=58 Rc

Rc8
Rc9
Rc:
Rc<
Rc=

=59 Rc

Rc8 NS86NS9 Lx× Zuu↓t、
Rc9 NS: P* Zuu↓t、
Rc: NS86NS9 Lx× dtxvw、
Rc< NS: P* dtxvw、
Rc= NS: dtxvw、

=5

Rc

Rc

---

2 2

>5

g” ”—

Wb。“rw

`•tts

N→x↓t

awt→o× 6

M→o~t

>5

85

95

:5

<5

>5

4 4

---

hkZ。、•。、

hk

hkNS8两NS< 2

hkRc8两Rc=

hk

6 6

6 6

6

85 ax—t→8

95 ax—t→8

:5

`•trxo×Q。“r、x”“↓

at ⅩX—t、→±

nX”st×t、、x“v↓ X”st×t、。• ax—t→8696:n

nX”st×t、、x“v↓ W”vxro×→tx、rwt↓n

nX”st×t、、x“v↓ `•trxo×Q。“r、x”“↓n

nX”st×t、、x“v↓ at ⅩX—t、→±n



ax—t→

8

%%%%8

X”st×t、、x“v↓ W”vxro×⊥x、rwt↓

85 W78

95 6

:5

<5

W78

%%%%9 a”vv*x

X”st×t、、x“v↓ W”vxro×⊥x、rwt↓

85 W79

95 a”vv*x 6Q*x 4Q*x• 6

:5 W78

<5

W79 ZQQ ZY

W79 ZY ZQQ

ZY6ZQQ

9 ax—t—8

X”st×t、、x“v↓ X”st×t、。• ax—t—8696:

85 ax—t—8

95ax—t—*X”st

:5`⊥x、rw6a—*vvt→ W79

<5

=5

W79GZY ax—t—8

W79GZQQ ax—t—8

: L `•trxo×Q。“r、x”“↓

X”st×t、、x“v↓ `•trxo×Q。“r、x”“↓



`•trxo×Q。“r、x”“↓

85 `•trxo×Q。“r、x”“
95
:5Q。“r、x”“ n_t ⇓t、n
<5_t ⇓t、 nax—t⁻⁸n
=5

ax—t⁻⁸

< M
X”st×t、、x“v↓ at ⁽x—t、⁻±

at ⁽x—t、⁻± _t ⇓t、

85 ax—t⁻⁸
95 ax—t⁻⁸
:5 ax—t⁻⁸
<5 >两⁸7
=5 `•trxo×Q。“r、x”“ ax—t⁻⁸
>5 at ⁽x—t、⁻±
A5

hk
hk `•trxo×Q。“r、x”“↓ ax—t⁻⁸
hk at ⁽x—t、⁻±

_三八、

X”st×t、、x“v↓ at ※—t、一土


30 Apr
21:13
TELEMETRY
Sensors
1 A1 —
2 A2 —
3 RSSI —
4 Curr —
5 VFAS —
6 Cels —
Discover new
Add new
Delete all
Show instance ID
Ignore instances
Rqly
Low alarm
45
Critical alarm
42
Disable telemetry alarms
Variometer
Source
—
Range
-10
10
Center
-0.5
0.5
Tone

at ⅩⅠ—t、⅟土

85 at ⾮—t、⼀⼟
95 nOx⾄”⼀t⼀⼅t ⼗n
:5

_三M、

9

85
95
:5 _三M、 _``T6W] cQL`

: _三M、

85 _三M、
95 at ⾮—t、⼀⼟6 _三M、F
:5

<
85 _三M、
95
:5
<5
=5 9两 6

hk
hk_三M、
hk _三M、
hk

[⾮⼟co⾮t

85
95

X”st⾮t、、x“v↓ `•trxo⾮Q。“r、x”“↓



`•trxo×Q。“r、x”“↓

:5B

%%%% 8 ax—t—8

X”st×t、、x‘v↓ X”st×t、。• ax—t—8696:

ax—t—8

%%%% 9

X”st×t、、x‘v↓ `•trxo×Q。“r、x”“↓

85 `•trxo×Q。“r、x”“

95a→xvt→

:5Q。“r、x”“ n[x⊗⊥co×⊗tn

<5co×⊗t nax—t—8n

=5_t•to、 n8⊥n

>5

%%%% :

85 ax—t—8

95

:5 ax—t—8

hk ax—t—8

hk

:59

%%%% 8

X”st×t、、x‘v↓ at x—t、—⊥

L×

%%%% 9

X”st×t、、x“v↓ `•trxo×Q。“r、x”“↓

85 `•trxo×Q。“r、x”“

95a→xvvt→

:5Q。“r、x”“ n[x⊗上co×⊗tn

<5co×⊗t nL×n

=5_t•to、 n8三n

>5

%%%% :

85

95

:5

hk

hk at x—t、—上

85

95

:5

---

hkax—t—8

hkax—t—8 `•trxo×Q。“r、x”“↓

hk at x—t、—上

hk_三M、 6

hk ax—t—8

hk

hk

Wo

Wo

Psvtae Wo

Wo

8511 11

6 6

9511 6 6 11

: 511 11

9=+ 6=7+ 6A=+ 6877+

85B

nx• mvvt mr” 5on

nx• mvvt mp 5on

Rx S。p

nw、• 6vxw p5 ”—6 x ”“6tsvt、4。、”→o x

nw、• 6vxw p5 ”—6 x ”“6tsvt、4。、”→o x t 6—ox“6on

859

`O

n6`N_T[a`6aPWPX Pa_f6n

85

nnn⅛o
⅟ro⅛a_TRRP_m`d TaNS G#W 9#
nnn

H at ⅛—t、⅛上

95B

X”st⅟t、、x“v↓ at ⅛—t、⅛上 H[LRPHk Ox↓ ⅛上

85 Ox↓ ⅛上 8两⅟
95 n`r→⅟、n
:5 n⅛• m⅟vvt→mp七5⅛on
<5



Ox↓ ⅛上`r→⅟、N”“uw。→o、x”“

959

`r→⅟t“ `t、、x“v↓ `t、。• d ⅛svt、↓

85
95
:5 n⅛• m⅟vvt→m”⅟→5⅛on
<5

H 6

---

85 8 _bY
95 9 8 `aZ[
:5 : 9
<5 < 9
=5

---

85 `aZ[
95 _bY
:5 8
<5 9
=5 =7
>5

=5
n6`N_T[a`6aPWPXPa_f6n
n5on

=5
na_TRRP_m`dTaNSn

=5

=5<

---

hk W o
hk
hk
hk
hk
hk
hk