



**ECONOMIC GEOLOGY
RESEARCH UNIT**

University of the Witwatersrand
Johannesburg

**A BIBLIOGRAPHY OF THE GEOLOGY
RELATING TO THE BARBERTON MOUNTAIN LAND
AND SURROUNDING GRANITIC TERRANE
1986-1992**

C.R. ANHAEUSSER

• INFORMATION CIRCULAR No. 252

UNIVERSITY OF THE WITWATERSRAND
JOHANNESBURG

**A BIBLIOGRAPHY OF THE GEOLOGY RELATING TO THE
BARBERTON MOUNTAIN LAND AND SURROUNDING
GRANITIC TERRANE
1986-1992**

Compiled by

C.R. ANHAEUSSER
(*Economic Geology Research Unit, Department of Geology,
University of the Witwatersrand, Private Bag 1,
P.O. WITS 2050, South Africa*)

**ECONOMIC GEOLOGY RESEARCH UNIT
INFORMATION CIRCULAR No. 252**

June, 1992

**A BIBLIOGRAPHY OF THE GEOLOGY RELATING TO THE
BARBERTON MOUNTAIN LAND AND SURROUNDING
GRANITIC TERRANE
1986-1992**

This compilation represents the third of a series of bibliographies dealing with aspects of the geology relating to the Barberton greenstone belt and surrounding areas of the Eastern Transvaal Lowveld and Swaziland. The first bibliography, compiled by the author in 1976, appeared as Information Circular No. 102 of the Economic Geology Research Unit, University of the Witwatersrand, and contains a comprehensive list of references pertaining to the geology, mineral deposits, and mining in the Barberton region covering the period 1875 to June, 1976.

The second bibliography, compiled by the author in 1986, appeared as Information Circular No. 184 and included references to works covering the period 1976 to August, 1986. This, the third compilation, covers the period 1986 to June, 1992 and once again demonstrates the scientific interest still being shown in many aspects of the geology of the Barberton Mountain Land. Although most of the references relate directly to the Barberton region others refer to the area only indirectly for comparative reasons.

The diverse nature of the earth science endeavours continually being implemented in the Barberton-Swaziland region makes it extremely difficult to keep abreast of all the findings reported at international and local conferences and workshops. It is also no easy task monitoring all the material being published in a wide spectrum of books, journals, conference proceedings, abstract volumes and field guides. For this reason the bibliography cannot be regarded as fully comprehensive. References to some works appearing prior to 1986, and previously overlooked, have been included in the present compilation. While every effort has been made to ensure the accuracy of the entries appearing herein, errors and omissions are inevitable and advice of such would be welcomed by the compiler.

Finally, the author thanks Janet Long for her help in typing draft and final copies of the bibliography.

____ oOo ____

Published by the Economic Geology Research Unit,
Department of Geology,
University of the Witwatersrand,
1 Jan Smuts Avenue,
Johannesburg, 2001.

ISBN 1 86838 006 8

LIST OF PUBLICATIONS ARRANGED ALPHABETICALLY ACCORDING TO
AUTHOR

A

AINSWORTH, J. (1981). Contribution from iron ore development by Swaziland Iron Ore Development Corporation to the economy of Swaziland. In: Jones, M.J. (Ed.), National and International Management of Mineral Resources. Proc. Inst. Min. Metall., 259-265.

ALLÉGRE, C.J., DUPRÉ, B. and LEWIN, E. (1986). Thorium/uranium ratio of the Earth. *Chem. Geol.*, **56**, 219-227.

ANHAEUSSER, C.R. (1987). Geological overview of Southern Africa's mineral resources. *S. Afr. J. Sci.*, **83** (5), 268-270.

ANHAEUSSER, C.R. (1987). The nature and geotectonic setting of Archaean and Early Proterozoic layered intrusions in Southern Africa: a review. *Prog. with Abstr., Indaba on the Tectonic Setting of Layered Intrusives*, GSO Conference Centre, Silverton, Pretoria, 27-28 July, 1987, p. 1-4. (University of Pretoria).

ANHAEUSSER, C.R. (1988). Steynsdorp gold venture. Letter to the Directors, Southern Witwatersrand Exploration Company Limited. In: Prospectus in respect of a private placing of shares and options in Southern Witwatersrand Exploration Company Limited, "The Citizen", Friday 17 June, 1988, Appendix II, p.11.
- Also in prospectus issued by the Company (SouthWits) sponsoring brokers Max Pollak & Freemantle, and Simpson McKie, Inc., and Rand Merchant Bank Limited, p. 49-50.

ANHAEUSSER, C.R. (1988). Book review. "The Young Earth. An Introduction to Archaean Geology" by E.G. Nisbet, Allen & Unwin, London. 1987, *S. Afr. J. Geol.*, **91** (3), 425-426.

ANHAEUSSER, C.R. (1988). Discussion on "A continuous record of Archaean evolution from 3.5Ga to 2.6Ga in Swaziland and northern Natal". by D.R. Hunter and A.H. Wilson. *S. Afr. J. Geol.*, **91** (3), 422-424.

ANHAEUSSER, C.R. (1988). Archaean volcano-sedimentary cyclicity and multiple komatiite flow sequences in the 3.5Ga Onverwacht Group, Barberton Mountain Land, South Africa. *Abstr. with Progr. Geol. Soc. Amer.*, 20 (7), September, 1988 (Abstract No. 027933).

ANHAEUSSER, C.R. (1990). Precambrian crustal evolution and metallogeny of Southern Africa, 123-156. In: Naqvi, S.M. (Ed.), *Precambrian Continental Crust and its Economic Resources, Developments in Precambrian Geology*, 8, Elsevier, Amsterdam, 669pp.

ANHAEUSSER, C.R. (1990). The Vaalrand enigma - an evaluation of the correlation proposals for a succession of quartzites in the Balfour district, Transvaal. *S. Afr. J. Geol.*, **93** (1), 169-179.

ANHAEUSSER, C.R. (1991). Archaean granite-greenstone relationships on the farm Zandspruit 191-IQ, North Riding area, Johannesburg Dome. *Inform. Circ. Econ. Geol. Res. Unit, Univ. Witwatersrand, Johannesburg*, **245**, 17pp.

ANHAEUSSER, C.R. (1991). Schapenburg greenstone remnant, 107-115. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. *Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. 280*, 312pp.

ANHAEUSSER, C.R. (1992). Archaean granite-greenstone relationships on the farm Zandspruit 191-IQ, North Riding area, Johannesburg dome. *S. Afr. J. Geol.*, **95** (in press).

ANHAEUSSER, C.R. (1992). Structures in granitoid gneisses and associated migmatites close to the granulite boundary of the Limpopo Belt, South Africa. *Precambrian Res.*, **55**, 81-92.

ANHAEUSSER, C.R., FEATHER, C.E., LIEBENBERG, W.R., SMITS, G. and SNEGG, J.A. (1987). Geology and mineralogy of the principal goldfields in South Africa, 1-67. In: Stanley, G.G. (Ed.), *The Extractive Metallurgy of Gold in South Africa*, I. S. Afr. Inst. Min. Metall., Ser. **M7**, 614pp.

ANON (1987). Barberton orebody to be opened. *S.A. Mining, Coal, Gold and Base Minerals*, January, 1987, p.31.

----- (1990). Treating refractory gold concentrates by bacterial oxidation. *Newsletter, Int. Liaison Group on Gold Mineralization*, April, 1990. No. 10 p.64-65. (Also reported in the *Mining Journal*, London, 12 January, 1990). re: Genmin's Fairview Gold Mine, Barberton.

----- (1991). Polluted stream: Anglo charged. "The Star", Friday, 21 June, 1991.

----- (1991). Polluted stream: charges laid. "Business Day", Friday, 21 June, 1991.

----- (1991). New dating tool? (Report on Nd isotopic compositions of garnet from New Consort Mine pegmatites). *Wits Earth Science*, No. 19, p.12.

ARMSTRONG, R.A. and DE WIT, M.J. (1990). Ion microprobe studies on zircons from the Barberton Mountain Land: implications for Archaean greenstone belt stratigraphy. *Abstr. 7th Int. Conf. Geochronology, Cosmochronology, and Isotope Geology*, Canberra. *Geol. Soc. Aust.*, **27**, p.4.

ARMSTRONG, R.A., COMPSTON, W. and DE WIT, M.J. (1988). Precise zircon ion microprobe ages in the Barberton greenstone belt: an evaluation of stratigraphic relationships. *Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban*, 7-10.

ARMSTRONG, R.A., COMPSTON, W., DE WIT, M.J. and WILLIAMS, I.S. (1990). The stratigraphy of the 3.5-3.2Ga Barberton greenstone belt revisited: a single zircon ion microprobe study. *Earth Planet. Sci. Lett.*, **101**, 90-106.

ARMSTRONG, R.A., DE WIT, M.J., COMPSTON, W. and WILLIAMS, I.S. (1990). Ion microprobe studies on zircons from the Barberton Mountain Land: implications for Archaean greenstone belt stratigraphy. *Abstr. Geol. Soc. Aust.*, **27**, p.4.

ARNDT, N.T. and JOCHUM, K. -P. (1990). Komatiites: unreliable witnesses of the Archean mantle. *Ext. Abstr. 3rd Int. Archaean Symposium, Perth*, 147-148.

ASHWAL, L.D., CAIRNCROSS, B., KRUGER, G. and VAN SCHALKWYK, J. (1992). Stichtite: occurrence, chemistry, crystallography and petrogenesis. *Abstr. 24th Congress. Geol. Soc. S. Afr., Bloemfontein*, 17-19.

B

BACHE, J.J. (1987). *World Gold Deposits: A Geological Classification*. North Oxford Academic Publishers Ltd., London, 178pp.

BAILLIE, I.C. (1970). Some examples of localised control of base levels: The Middle Ngwempisi Basin. *S. Afr. geogr. J.*, **52**, 77-86.

BALLARD, S. and POLLACK, H.N. (1987). Diversion of heat by Archean cratons: a model for southern Africa. *Earth Planet. Sci. Lett.*, **85**, 253-264.

BALLARD, S. and POLLACK, H.N. (1988). Modern and ancient geotherms beneath southern Africa. *Earth Planet. Sci. Lett.*, **88**, 132-142.

BARBERTON MINES LIMITED - Notes on Fairview Mine (undated). Rep. (unpubl.), Geol. Dept., Fairview Mine, Barberton, 7pp.

BARBERTON MINES LIMITED, FAIRVIEW MINE (undated). Rep. (unpubl.) Metallurgical Dept. Fairview Mine, Barberton, 7pp.

BARBERTON GOLD (1988). A roasting plant for Barbrook. S.A. Mining World, **7** (10), 41-43.

BARBROOK GOLD PROJECT (1987). Barbrook goes ahead. In: Mining. A Survey. Suppl. to Financial Mail, November 13, p.42, 47.

BARBROOK MINING AND EXPLORATION CO. (1987). New gold mine planned. Mining Journal, London, August 7. **309**, (7929), p.99.

BARBROOK GOLD TO BE MINED AGAIN (1987). S.A. Mining World, **6** (8), p. 71.

BARBROOK (1988). R7,75m roasting plant at Barbrook. S.A. Mining, Coal, Gold and Base Minerals, November, 1988, p.67.

BARGHOORN, E.S. (1971, reprinted 1978). The oldest fossils. Scientific American (May, 1971); reprinted in Life: Origin and Evolution. C.E. Folsome (Ed.), p.66-78. W.H. Freeman, New York.

BARLEY, M.E. and **GROVES, D.I.** (1987). Hydrothermal alteration of Archaean supracrustal sequences in the central Norseman-Wiluna belt, Western Australia: a brief review, 51-66. In: Ho, S.E. and Groves, D.I., (Eds.), Recent Advances in Understanding Precambrian Gold Deposits. Geol. Dept. & Univ. Extension, Univ. Western Australia, Publ. **11**, 368pp.

BARTON, J.M. Jr. and **VAN REENEN, D.D.** (1992). The significance of Rb-Sr ages of biotite and phlogopite for the thermal history of the Central and Southern Marginal Zones of the Limpopo Belt of southern Africa and the adjacent portions of the Kaapvaal Craton. Precambrian Res., **55**, 17-31.

BARTON, J.M. Jr., BRISTOW, J.W. and **VENTER, F.J.** (1986). A summary of the Precambrian granitoid rocks of the Kruger National Park. Koedoe, **29**, p. 39-44.

BARTON, J.M. Jr., HUNTER, D.R., JACKSON, M.P.A. and **WILSON, A.C.** (1987). Geochronologic and Sr-isotopic studies of certain units in the Barberton granite-greenstone terrane, Swaziland. Trans. geol. Soc. S. Afr., **86** (2), 71-80.

BEAUMONT, P.B. (1973). The ancient pigment mines of southern Africa. S. Afr. J. Sci., **69**, 140-146.

BERRY, M.K. (1984). A preliminary investigation of Lower Section Clutha Mine, Phase I. Int. Rep. (unpubl.), E.T.C. Mines Ltd., Barberton.

BERRY, M.K. (1987). A report on Clutha Mine exploration (1983-1987). Int. Rep. (unpubl.), E.T.C. Mines Ltd., Barberton.

- BERRY, M.K.** (1989). A report on Worcester Gold Mine exploration carried out during the period January-June, 1989. Unpubl. Rep. African Exploration Company Ltd., Johannesburg, 24pp. + drill core logs and assays (12 Appendices) + 23 plans.
- BLOM, M.P.** (1989). Selected magnetic and gravity anomalies in the eastern Transvaal and their possible relation to the Rustenburg Layered Suite. Bull. geol. Surv. S. Afr., **98**, 53pp.
- BORNMAN, H. and Staff of the Barberton Museum** (1984). Photo History of Barberton 1884-1984. Town Council of Barberton, Barberton, 72pp.
- BOSHIER, A.K. and BEAUMONT, P.B.** (1972). Mining in Southern Africa and the emergence of modern man. Optima, **22**, 2-12.
- BOTHA, R.C.N.** (1986). Geology of the Great She winze - Golden Quarry area, Sheba, Barberton. B.Sc. Hons. Project (unpubl.), Dept. Geology, Univ. Natal, Durban, 21pp.
- BOULTER, C.A.** (1987). Subaqueous deposition of accretionary lapilli: significance for palaeoenvironmental interpretations in Archaean greenstone belts. Precambrian Res., **34**, 231-246.
- BOWLES, M., SWART, M. and HAMMERBECK, E.C.I.** (1982). Review of tungsten mineralization in greenstone belts in the eastern and northeastern Transvaal. Rep. geol. Surv. S. Afr., **1982-0001**, 61pp.
- BOYLE, R.W.** (1987). Gold - History and Genesis of Deposits. Van Nostrand Reinhold Company, New York, 676pp.
- BRABERS, A.J.M., HINE, S.S. and VISSER, D.J.L.** (1986). Operating mining enterprises in the Republic of South Africa and the Kingdoms of Lesotho and Swaziland as on 1 January, 1982 (to accompany the Geological Map of the Republics of South Africa, Transkei, Bophuthatswana, Venda and Ciskei and the Kingdoms of Lesotho and Swaziland, scale 1:1 000 000, 1984 edition). Rep. geol. Surv. S. Afr., **1986-0055**, 33pp.
- BRAIN, C.K., BRAIN, L.H. and WHEELER, P.** (1974). Earliest life in South Africa. "The Star", Tuesday, 20 August, 1974, p.B15 (Cartoon sketching how life arose in South Africa).
- BUICK, R.** (1987). Comments and replies on "Early Archean silicate spherules of probable impact origin, South Africa and Western Australia". Geology, **15** (2), 180-181. Reply by Lowe, D.R., and Byerly, G.R. p. 181-182.

- BULLOCK, E.** (1984). Investigation of the Clutha Formation and its associated mineralization, New Clutha Mine, Barberton. Int. Rep. (unpubl.), E.T.C. Mines Ltd., Barberton.
- BULLOCK, E.** (1987/88). Ore petrography of the sulphide hosted gold deposit, Sheba Gold Mine. M. Phil. thesis (unpubl.), Imperial College of Science, Technology and Medicine, London, 159pp.
- BULMER, D.W.** (1985). Gold, 17-24. In: South Africa's Mineral Industry 1984. Minerals Bureau, Johannesburg, 181pp.
- BYERLY, G.R.** (in review). Mendon Formation Komatiites: late-stage ultramafic volcanism in the Barberton greenstone belt. In: Lowe, D.R. and Byerly, G.R. (Eds.), Geological Evolution of the Barberton Greenstone Belt, South Africa. Mem. geol. Soc. Amer.
- BYERLY, G.R.** (in review). Silicic and silicified lavas from the Barberton greenstone belt. In: Lowe, D.R. and Byerly, G.R. (Eds.), Geological Evolution of the Barberton Greenstone Belt, South Africa. Mem. geol. Soc. Amer.
- BYERLY, G.R.** (in review). Petrology and geochemistry of dacites in the Schoongezicht Formation, Fig Tree Group, in the southern part of the Barberton greenstone belt. In: Lowe, D.R. and Byerly, G.R. (Eds.), Geologic Evolution of the Barberton Greenstone Belt, South Africa, Mem. geol. Soc. Amer.
- BYERLY, G.R.** and **LOWE, D.R.** (1985). Late-stage komatiitic and dacitic volcanism in the early Archean Barberton greenstone belt, South Africa. XV1 Lunar Planet. Sci. Conf. NASA/LPI/USRA, Houston, **1**. 101-102.
- BYERLY, G.R.** and **LOWE, D.R.** (1986). Barberton greenstone belt volcanism: succession, style and petrogenesis, 71-73. In: De Wit, M.J., and Ashwal, L.D. (Eds.), Workshop on Tectonic Evolution of Greenstone Belts. Lunar Planet. Inst. Tech. Rep., **86-10**. 226pp.
- BYERLY, G.R.** and **LOWE, D.R.** (1991). The Upper Onverwacht at Komati Gorge, 116-122. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg, IGCP Proj. **280**, 312pp.
- BYERLY, G.R.** and **LOWE, D.R.** (1992). Exotic nickel-chromites in impact spherules from the Archean Barberton greenstone belt. XXIII Lunar Planet Sci. Conf, 193-194.

- BYERLY, G.R. and PALMER, M.R.** (1991). Tourmaline mineralization in the Barberton greenstone belt, South Africa: early Archean metasomatism by evaporite-derived boron. *Contr. Miner. Petrol.*, **107**, 387-402.
- BYERLY, G.R., LOWE, D.R. and ASARO, F.** (1988). Chemistry and mineralogy of early Archean impact deposits, Fig Tree Group, Barberton greenstone belt, South Africa. *XIX Lunar Planet. Sci. Conf.*, 152-153.
- BYERLY, G.R., LOWE, D.R. and KRÖNER, A.** (1989). A complex and prolonged magmatic evolution for the Barberton greenstone belt, South Africa. *EOS* Oct 24, p.1391.
- BYERLY, G.R., LOWE, D.R., NOCITA, B.W. and RANSOM, B.L.** (1983). Apparent volcanic cycles in the Archean Swaziland Supergroup, Barberton Mountain Land, South Africa: a result of non-magmatic processes. *XIV Lunar Planet. Sci. Conf.*, NASA, Houston, **1**, 84-85.
- BYERLY, G.R., CARPENTER, P., HENRY, D.J. and LOWE, D.R.** (1986). Tourmalines of the Barberton greenstone belt. *Abstr. with Progr. Geol. Soc. Amer.*, **18** (6), p. 554.
- C
- CAHEN, L., SNELLING, N.J., DELHAL, J., VAIL, J.R., BONHOMME, M. and LEIDENT, D.** (1984). *The Geochronology and Evolution of Africa*. Clarendon Press, Oxford, 512pp.
- CAIRNCROSS, B. and ANHAEUSSER, C.R.** (1992). Gold in South Africa. *The Mineralogical Record*, **23** (3), 209-228.
- CALLAGHAN, C.C.** (1980). Results of the ground follow-up of 34 airborne radiometric anomalies in Block 25/78 of the Barberton-Phalaborwa survey. *Rep. geol. Surv. S. Afr.*, **1980-0251**, 29pp.
- CAMERON, E.M.** (1981). Sulphate and sulphate reduction in early Precambrian oceans. *Unpubl. Rep. geol. Surv. Canada*, 14pp.
- CAMERON, E.M. and HATTORI, K.** (1987). Archean gold mineralization and oxidised hydrothermal fluids. *Econ. Geol.*, **82**, 1177-1191.
- CARLSON, R.W., HUNTER, D.R. and BARKER, F.** (1983). Sm-Nd age and isotopic systematics of the bimodal suite, Ancient Gneiss Complex, Swaziland. *Nature*, **305**, 701-704.

- CARLSON, R.W., HUNTER, D.R. and BARKER, F.** (1985). Geochronologic investigations of the Ancient Gneiss Complex, Swaziland. *EOS. Trans. Amer. Geophys. Union*, **16**, p.419.
- CATTELL, A. and ARNDT, N.** (1987). Low- and high-alumina komatiites from a Late Archaean sequence, Newton Township, Ontario. *Contr. Miner. Petrol.*, **97**, 218-227.
- CENGOLD HOLDINGS LIMITED** (1988). Prospectus of holding company which operates four producing gold mines, viz. Bonanza, Nestor, Malieveld and Elandshoogte. *Business Day*, Thursday, 21 January, 1988, p. 12-17.
- CHAUVEL, C., DUPRÉ, B., ARNDT, N.T. and HOFMANN, A.W.** (1987). Composition of the Archean mantle: evidence from Pb and Nd isotopes. *Progr. with Abstr. GAC-MAC Ann. Meeting Univ. Saskatchewan, Saskatoon*, **12**, p.31.
- CHENEY, E.S., ROERING, C. and STETTLER, E.** (1988). VAALBARA. *Ext. Abstr. Geocongress '88. Geol. Soc. S. Afr., Univ. Natal, Durban*, p.85-88.
- CHUTTER, G.M.** (in prep.). Spinifex-textured basaltic komatiites of the Archean Nondweni and Barberton greenstone belts. M.Sc. thesis Univ. Natal, Pietermaritzburg.
- CLOETE, M.** (1987). Metamorphic petrology and geochemistry of pillow lavas of the Barberton Mountain Land in relation to the initial mobilization of gold and related elements, 176-178. In: Frick, C. (Chief Director), *Technical Progress Report and Annual Report of the Chief Director of the Geological Survey for 1987. Geol. Surv. S. Afr.*, 285pp.
- CLOETE, M.** (1990). The metamorphic history of the Komati Formation (Barberton, South Africa): a P-T-t path and its tectonic implications. *Ext. Abstr. 3rd Int. Archaean Symposium, Perth*, p. 121-123.
- CLOETE, M.** (1991). An overview of metamorphism in the Barberton greenstone belt, 84-98. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. 280*, 312pp.
- CLOETE, M.** (1991). Structure and metamorphism of the Komati Formation at Spinifex Stream and Hooggenoeg Formation in the Songimvelo Game Reserve, 123-133. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. 280*, 312pp.

CLOETE, M. (1992/3). The initial mobilization of gold and some other metallogenic elements from metamorphosed pillow lavas from the Barberton greenstone belt. Ph.D. thesis (in preparation), Univ. Witwatersrand, Johannesburg.

CLOUD, P. (1988). *Oasis in Space. Earth History from the Beginning.* W.W. Norton & Company, New York, 508pp.

COCHRAN, A. (1982). Fluid inclusion populations in quartz-rich gold ores from the Barberton greenstone belt, South Africa. M.Sc. thesis (unpubl.), Univ. Arizona, Tucson, 208pp.

COMPSTON, W. and **KRÖNER, A.** (1988). Multiple zircon growth within early Archaean tonalitic gneiss from the Ancient Gneiss Complex, Swaziland. *Earth Planet. Sci. Lett.*, **87**, 13-28.

CONDIE, K.C. and **WRONKIEWICZ, D.J.** (1990). A new look at the Archaean-Proterozoic boundary sediments and the tectonic setting constraint, 61-63. In: Naqvi, S.M. (Ed.), *Precambrian Continental Crust and its Economic Resources. Developments in Precambrian Geology*, 8, Elsevier, Amsterdam, 669pp.

CONWAY, G. (in preparation). The geology and geochemistry of the Sterkspruit Intrusion, Barberton Mountain Land, Eastern Transvaal. M.Sc. thesis, Univ. Witwatersrand, Johannesburg.

D

DANEEL, G.J. (1982). Geology of the Maid of the Mountains area, Barberton. B.Sc. Hons. Project (unpubl.), Univ. Natal, Durban.

DANEEL, G.J. (1986). The structural controls on gold mineralization in the Moodies hills which surround the Agnes gold mine, Barberton greenstone belt. M.Sc. thesis (unpubl.), Univ. Natal, Durban, 129pp.

DART, R.A. and **BEAUMONT, P.B.** (1969). Iron Age radiocarbon dates from western Swaziland. *S. Afr. Archaeol. Bull.*, **24** (94), p.71.

DAY, R.W. (1980). Barberton-Phalaborwa airborne geophysical survey (25/78): preliminary report on airborne radiometric data. *Rep. geol. Surv. S. Afr.*, **1980-0190**, 9pp.

DE BEER, J.H. (1984). A geophysical study of the deep structure of the Barberton and Murchison greenstone belts. Final Rep. Nat. Geosci. Programme, Open File, Geol. Surv. S. Afr.

DE BEER, J.H. and **EGLINGTON, B.M.** (1991). Archaean sedimentation of the Kaapvaal Craton in relation to tectonism in the granite-greenstone terrain: geophysical and geochronological constraints. In: Eriksson, P.G. (Compiler), *Precambrian Sedimentary Basins of Southern Africa*, Terra Abstracts, Supplement 3 to *Terra Nova*, **3**, p.7.

DE BEER, J.H. and STETTLER, E.H. (1992). The deep structure of the Limpopo Belt from geophysical studies. *Precambrian Res.*, **55**, 173-186.

DE BEER, J.H., STETTLER, E.H., DU PLESSIS, J.G. and BLUME, J. (1988). The deep structure of the Barberton greenstone belt: a geophysical study. *S. Afr. J. Geol.*, **91**, 184-197.

DE BLIJ, H. (1959). Geomorphology of Swaziland. Ph.D. thesis (unpubl.), Evanston, Illinois.

DE RONDE, C.E.J. (1991). Structural and geochronological relationships and fluid-rock interaction in the central part of the ~3.2-3.5Ga Barberton greenstone belt, South Africa. Ph.D. thesis (unpubl.), Univ. Toronto, 370pp.

DE RONDE, C.E.J. and DE WIT, M.J. (1992). Tectono-thermal history of the Barberton greenstone belt, South Africa: ~ 450 million years of Archean crustal evolution. *Abstr. 24th Congress. Geol. Soc. S. Afr.*, Bloemfontein, 105-107.

DE RONDE, C.E.J., DE WIT, M.J. and SPOONER, E.T.C. (1988). Characteristics of Early Archean (> 3.0Ga) Au-quartz lode deposits from thrust zones in the mafic/ultramafic rocks of the Barberton greenstone belt, South Africa. *Ext. Abstr. Poster Progr. Bicentennial Gold '88*, Melbourne. *Geol. Soc. Aust., Abstr. No. 23, Vol. 1*, p. 7-10.

DE RONDE, C.E.J., HALL, C.M., YORK, D. and SPOONER, E.T.C. (1991). Laser step-heating $^{40}\text{Ar}/^{39}\text{Ar}$ age spectra from early Archean (~ 3.5Ga) Barberton greenstone belt sediments: A technique for detecting cryptic tectono-thermal events. *Geochim. Cosmochim Acta*, **55** (7), 1933-1952.

DE RONDE, C.E.J., KAMO, S., DAVIS, D.W., DE WIT, M.J. and SPOONER, E.T.C. (1991). Field, geochemical and U-Pb isotopic constraints from hypabyssal felsic intrusions within the Barberton greenstone belt, South Africa: implications for tectonics and the timing of gold mineralization. *Precambrian Res.*, **49** (3/4), 261-280.

DE RONDE, C.E.J., SPOONER, E.T.C., BRAY, C.T. and DE WIT, M.J. (1991). Mafic-ultramafic hosted, shear zone related, Au-quartz vein deposits in the Barberton greenstone belt, South Africa: structural style, fluid properties and light stable geochemistry. *Abstr. Brazil Gold '91*, Belo Horizonte, Brazil, May 13-17, 1991, Proc., 279-286.

DE RONDE, C.E.J., SPOONER, E.T.C., DE WIT, M.J. and BRAY, C.J. (1992). Shear zone-related, Au-quartz vein deposits in the Barberton greenstone belt, South Africa: field and petrographic characteristics, fluid properties, and light stable isotope geochemistry. *Econ. Geol.*, **87** (2), 366-402.

DE WIT, M.J. (1985). What the oldest rocks say. Paper presented at the LPI-GSA Workshop "The Earth as a Planet". Ann. meeting, Geol. Soc. Amer., Orlando, Florida, October 28-31.

DE WIT, M.J. (1986). Extensional tectonics during the igneous emplacement of the mafic-ultramafic rocks of the Barberton greenstone belt, 84-85. In: De Wit, M.J. and Ashwal, L.D. (Eds.), Workshop on Tectonic Evolution of Greenstone Belts. Lunar Planet. Inst. Tech. Rep. **86-10**, 226pp.

DE WIT, M.J. (1991). Archaean greenstone belt tectonism and basin development: some insights from the Barberton and Pietersburg greenstone belts, Kaapvaal Craton, South Africa. In: Eriksson, P.G. (Compiler), Precambrian Sedimentary Basins of Southern Africa. Terra Abstracts Supplement 3 to Terra Nova, **3**, p.8.

DE WIT, M.J. (1991). Archean greenstone belt tectonism and basin development: some insights from the Barberton and Pietersburg greenstone belts, Kaapvaal Craton, South Africa. J. Afr. Earth Sci., **13**, 45-63.

DE WIT, M.J. and **ROERING, C.** (1991). Formation of an Archaean continent. In: Eriksson, P.G. (Compiler), Precambrian Sedimentary Basins of Southern Africa, Terra Abstracts Supplement 3 to Terra Nova, **3**, p.8-9.

DE WIT, M.J. and **TREDOUX, M.** (1988). PGE in the 3.5Ga Jamestown Ophiolite Complex, Barberton greenstone belt, with implications for PGE distribution in simatic lithosphere. In: Prichard, H.M., Potts, R.J., Bowles, J.F. and Cribb, S.J. (Eds.), Geo-Platinum 87. Elsevier Applied Science, London, 420pp.

DE WIT, M.J. and **TREDOUX, M.** (1988). PGE in the 3.5Ga Jamestown Ophiolite Complex, Barberton greenstone belt, with implications for PGE distribution in simatic lithosphere. Chem. Geol., **70** (1/2), p. 148. (Abstract).

DE WIT, M.J. and **WILSON, A.H.** (1986). Felsic igneous rocks within the Barberton greenstone belt: high crustal level equivalents of the surrounding tonalite-trondhjemite terrain, emplaced during thrusting, 89-91. In: De Wit, M.J. and Ashwal, L.D. (Eds.), Workshop on Tectonic Evolution of Greenstone Belts. Lunar Planet. Inst. Tech. Rep., **86-10**, 226pp.

DE WIT, M.J., HART R. and **HART, R.** (1986). A mid-Archean ophiolite complex, Barberton Mountain Land, 86-88. In: De Wit, M.J. and Ashwal, L.D. (Eds.), Workshop on Tectonic Evolution of Greenstone Belts. Lunar Planet. Inst. Tech. Rep., **86-10**, 226pp.

DE WIT, M.J., HART, R.A. and **HART, R.J.** (1987). The Jamestown ophiolite complex, Barberton mountain belt: a section through 3.5Ga oceanic crust. J. Afr. Earth Sci., **6**, 681-730.

- DE WIT, M.J., HART, R. and PYLE, D.** (1983). Mg-metasomatism of the oceanic crust; implications for the formation of ultramafic rock types. *EOS (Trans. Amer. Geophys. Union)*, **64**, p.333.
- DE WIT, M.J., JONES, M.G. and BUCHANAN, D.L.** (1992). The geology and tectonic evolution of the Pietersburg greenstone belt, South Africa. *Precambrian Res.*, **55**, 123-153.
- DE WIT, M.J., ARMSTRONG, R., HART, R.J. and WILSON, A.H.** (1987). Felsic igneous rocks within the 3.3-to 3.5-Ga Barberton greenstone belt: high crustal level equivalents of the surrounding tonalite-trondhjemite terrain, emplaced during thrusting. *Tectonics*, **6** (5), 529-549.
- DE WIT, M.J., HART, R., STERN, C.R. and BARTON, C.M.** (1979). Metallogenesis related to the seawater interaction with 3.5 b.y. oceanic crust. XVII General Assembly: Int. Assoc. Phys. Science of Oceans. Abstract also published in *EOS* 1980, Vol. 62, p. 386.
- DIETWORST, E.J.L.** (1991). Instability and basin formation on the Kaapvaal Craton, South Africa. *J. Afr. Earth Sci.*, **13** (3/4), 359-365.
- DIXON, J.G.P.** (1986). The geology of an area to the south of Barberton, Transvaal. B.Sc. Hons. Project (unpubl.), Dept. Geology, Univ. Natal, Durban, 26pp.
- DOKKA, R.K. and LOWE, D.R.** (1984). Large-scale Phanerozoic-style thrust faulting in the Archaean: evidence from the southwestern Barberton greenstone belt, South Africa. *Abstr. with Progr., Geol. Soc. Amer.*, **16** (14), p.491.
- DRENNAN, G.R., MEYER, M., ROBB, L.J., ARMSTRONG, R.A. and DE BRUIYN, H.** (1990). The nature of the Archaean basement in the hinterland of the Witwatersrand Basin: I. A crustal profile west of the Welkom Goldfield and comparisons with the Vredefort crustal profile. *S. Afr.J. Geol.*, **93** (1), 41-53.
- DUCHAC, K.C.** (1986). Metasomatic alteration of a komatiitic sequence to chert. M.Sc. thesis (unpubl.), Louisiana State University, Baton Rouge, Louisiana, 239pp.
- DUCHAC, K.C. and HANOR, J.S.** (1987). Origin and timing of the metasomatic silicification of an early Archean komatiite sequence, Barberton Mountain Land, South Africa. *Precambrian Res.*, **37** (2), 125-146.
- DUPRÉ, B. and ARNDT, N.T.** (1990). Pb isotopic compositions of Archaean komatiites and sulfides. *Chem. Geol.*, **85**, 35-36.

E

ELLIOT, H.F.D. (1967). The geology of an area north of Hlatikulu, Swaziland. M.Sc. thesis (unpubl.), Univ. Natal, Durban.

ENGELBRECHT, C.J. (Compiler) (1986). Operating gold mines and gold recovery plants in the Republic of South Africa. Minerals Bureau, Johannesburg, Directory 3/86, 84pp. Centenary Edition 1886-1986.

ERIKSSON, K.A. (1982). Sedimentation patterns in the Barberton Mountain Land, South Africa, and the Pilbara Block, Australia: evidence for Archean rifted continental margins. *Tectonophysics*, **81**, 179-193.

ERIKSSON, K.A. and **DONALDSON, J.A.** (1986). Basinal and shelf sedimentation in relation to the Archaean-Proterozoic boundary. *Precambrian Res.*, **33**, 103-121.

E.T. CONS. (1987). Mining Journal Gold Service, Vol. **31** (2), p.31.

E.T. CONS. (1988). Mining Journal Gold Service, Vol. **32** (2), p.32.

F

FAURE, K. (1989). A stable isotope study of the Kaap Valley tonalite, Barberton Mountain Land, South Africa. M.Sc. thesis (unpubl.), Univ. Cape Town, 148pp.

FAURE, K. and **HARRIS, C.** (1991). Oxygen and carbon isotope geochemistry of the 3.2Ga Kaap Valley tonalite, Barberton greenstone belt, South Africa. *Precambrian Res.*, **52**, 301-319.

FERRAZ, M.F. (1989). The nature of the Archaean basement in the provenance areas of the East Rand and Evander goldfields. M.Sc thesis (unpubl.), Univ. Witwatersrand, Johannesburg, 133pp.

FISHER, G. and **LOWE, D.R.** (1985). Crystallographic evidence of sulphate evaporites in the Kromberg Formation, Onverwacht Group, South Africa. *Abstr. with Progr., Geol. Soc. Amer.*, **17**, p.583.

FISHER WORRELL, G.F. (1985). Sedimentology and mineralogy of silicified evaporites in the basal Kromberg Formation, South Africa. M.Sc. thesis (unpubl.), Louisiana State Univ., Baton Rouge, 152pp.

FISHER WORRELL, G.F. and **LOWE, D.R.** (in review). Sedimentology and mineralogy of silicified evaporites in the basal Kromberg Formation. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt, South Africa*. *Mem. geol. Soc. Amer.*

- FOSTER, R.J.** (1988). General Geology, 5th ed. Merrill Publishing Company, London, 507pp.
- FOSTER, R.P.** (Editor) (1991). Review article on "Brazil Gold '91": The Economics, Geology, Geochemistry and Genesis of Gold Deposits". Edited by E.A. Ladeira, A.A. Balkema, Rotterdam, 823pp. In: Newsletter Int. Liaison Group on Gold Mineralization No. 12, April, 1991, p.24.
- FRENCH, B.M.** (1987). Comments and replies on "Early Archean silicate spherules of probable impact origin, South Africa and Western Australia". Geology, **15** (2), p. 178-179. Reply by Lowe, D.R. and Byerly, G.R. p. 179-180.
- FRIDJOHN, H.** (1981). New Barberton mine possible for TC Lands. "Mining Week", 2 December, p.3.
- G**
- GEVERS, T.W.** (1944). Geological report on the possible occurrence of asbestos in commercial quantities on Berlin 119, near Kaapsche Hoop, Transvaal. Unpubl. Rep. Union Minerals Ltd., Johannesburg, 28pp.
- GEVERS, T.W.** (1944). Abridged report on the possibility of finding chrysotile asbestos in commercial quantities on the farm Berlin 119, near Kaapsche Hoop, Eastern Transvaal. Unpubl. Rep. Union Minerals Limited, Johannesburg, 7pp.
- GEVERS, T.W.** (1949). Report on the property of the Barberton Chrysotile Asbestos Co. Ltd. Unpubl. Rep. Hume Industries (Far East) Ltd., Singapore, 14pp.
- GEVERS, T.W.** (1950). Geological report on deposits of chrysotile asbestos and magnesite near Kaapmuiden, Barberton District, Transvaal. Unpubl. Rep. Consolidated Underwriting and Finance Corporation Ltd, Johannesburg, 7pp.
- GIBBONS, C.L.M.H.** (1981). Tors in Swaziland. Geog. J., **147**, 72-78.
- GLEN, H.W.** (Compiler and Editor) (1988). Gold in South Africa - condensed report. MINTEK Research Digest, No. 30, p.1.
- GLIKSON, A.Y.** (1983). Geochemical, isotopic, and paleomagnetic tests of early sial-sima patterns: the Precambrian crustal enigma revisited. Mem. geol. Soc. Amer., **161**, 95-117.

- GLIKSON, A.Y.** (1990). Early milestones in the evolution of the terrestrial crust. Abstr. Int. Workshop on Meteorite Impact on the Early Earth, Perth, 9-12.
- GLIKSON A.Y.** (1990). Tests of the Archaean greenstone belt - terrestrial maria model. Abstr. Int. Workshop on Meteorite Impact on the Early Earth, Perth, 13-15.
- GOODWIN, A.M.** (1991). Precambrian Geology: The Dynamic Evolution of the Continental Crust. Academic Press, London, 666pp.
- GÖSSLING, H.H.** (1985). Asbestos, 127-131. In: South Africa's Mineral Industry 1984. Minerals Bureau, Johannesburg, 181pp.
- GOUDIE, A.S. and BULL, P.A.** (1984). Slope process change and colluvium deposition in Swaziland: an SEM analysis. Earth Surf. Proc. Landf., 9, 289-299.
- GOUDIE, A.S. and PRICE WILLIAMS, D.** (1984). Cyclone Domoina, Swaziland, January, 1984. Swaziland's severest natural hazard of the century. J. Met., 9 (93), 273-281.
- GREEN, D.H.** (1976). Experimental petrology in Australia - a review. Earth Sci. Rev., 12, 99-138.
- GROENEWALD, P.B.** (1988). The Hlagothi Complex: Layered Archaean mafic-ultramafic sills of komatiitic affinity within the Pongola Sequence northwest of Nkandla, Natal. Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban, p. 215-218.
- GROVES, D.I. and BATT, W.D.** (1984). Spatial and temporal variations of Archean metallogenic associations in terms of evolution of granitoid greenstone terrains with particular emphasis on Western Australia, 73-98. In: Kröner, A., Hanson, G.N. and Goodwin, A.M. (Eds.), Archean Geochemistry: Origin and Evolution of the Archaean Continental Crust. Springer-Verlag, Berlin, 286pp.
- GROVES, D.I., HO, S.E., ROCK, N.M.S., BARLEY, M.E. and MUGGERIDGE, M.T.** (1987). Archean cratons, diamond and platinum: evidence for coupled long-lived crust-mantle systems. Geology, 15, 801-805.
- GROVES, D.I., PHILLIPS, G.N., FALCONER, L.J., HOUSTOUN, S.M., HO, S.E., BROWNING, P., DAHL, N. and McNAUGHTON, N.J.** (1987). Evidence for an epigenetic origin for BIF-hosted gold deposits in greenstone belts of the Yilgarn Block, Western Australia, 167-179. In: Ho, S.E. and Groves, D.I. (Eds.), Recent Advances in Understanding Precambrian Gold Deposits. Geol. Dept. & Univ. Extension, Univ. Western Australia, Publ. 11, 368pp.

GRUAU, G., CHAUVEL, C. and JAHN, B.M. (1990). Anomalous Sm-Nd ages for the early Archaean Onverwacht Group Volcanics. Significance and petrogenetic implications. *Contr. Miner. Petrol.*, **104** (1), 27-34.

GRUAU, G., TOURPIN, S., JAHN, B.M. and ANHAEUSSER, C.R. (1988). New geochemical and isotopic data for komatiites from the Onverwacht Group, southern Africa. *Chem. Geol.*, **70** (1/2), p.144 (Abstract).

H

HALE, C.J. (1987). The intensity of the geomagnetic field at 3.5Ga: paleointensity results from the Komati Formation, Barberton Mountain Land, South Africa. *Earth Planet. Sci. Lett.*, **86**, 354-364.

HALE, C.J. and DUNLOP, D.J. (1984). Evidence for an early Archean magnetic field: a paleomagnetic study of the Komati Formation, Barberton greenstone belt, South Africa. *Geophys. Res. Lett.*, **11**, 97-100.

HALLBAUER, D.K. and BARTON, J.M., Jr. (1987). The fossil gold placers of the Witwatersrand: a review of their mineralogy, geochemistry and genesis. *Gold Bull.*, **20** (3), 68-79.

HAMILTON, P.J., O'NIONS, R.K., BRIDGEWATER, D. and NUTMAN, A. (1983). Sm-Nd studies of Archaean metasediments and meta-volcanics from West Greenland and their implications for the Earth's early history. *Earth Planet. Sci. Lett.*, **62**, p.265.

HANOR, J.S. and DUCHAC, K.C. (1990). Isovolumetric silicification of early Archean komatiites: geochemical mass balances and constraints on origin. *J. Geol.*, **98**, 863-877.

HARLAND, W.B., COX, A.V., LLEWELLYN, P.G., PICKTON, C.A.G., SMITH, A.G. and WALTERS, R. (1982). *A Geologic Time Scale*. Cambridge University Press, Cambridge, 131pp.

HARLAND, W.B., ARMSTRONG, R.L., COX, A.V., CRAIG, L.E., SMITH, A.G. and SMITH, D.G. (1990). *A geologic time scale 1989*. Cambridge University Press, Cambridge, 263pp.

HARRIS, N.B.W., HAWKESWORTH, C.J., VAN CALSTEREN, P. and McDERMOTT, F. (1987). Evolution of continental crust in southern Africa. *Earth Planet. Sci. Lett.*, **83**, 85-93.

HARRIS, P.D., ROBB, L.J. and TOMKINSON, M.J. (1992). The evolution of rare-element pegmatites at the New Consort Gold Mines, Barberton greenstone belt. *Abstr. 24th Congress. Geol. Soc. S. Afr.*, Bloemfontein, p.185-187.

- HARRIS, P.D., SMITH, C.D., HART, R.J. and ROBB, L.J.** (1992). The measurement of extremely radiogenic Nd isotopic compositions in granites from rare-element pegmatites. *Abstr. 24th Congress. Geol. Soc. S. Afr.*, Bloemfontein, p.188-190.
- HART, R. and DE WIT, M.J.** (1984). Hydrothermal alteration in the 3.5 b.y. old Onverwacht Group of South Africa. In: *Workshop on Early Archaean, April, 1984, Lunar and Planetary Institute, Houston (Abstract)*.
- HART, R.A. and DE WIT, M.J.** (1987). Submarine hydrothermal silicification in the 3,54Ga Jamestown ophiolite, Barberton Mountain Land, South Africa. *Progr. with Abstr. GAC-MAC Ann. Meeting, Univ. Saskatchewan, Saskatoon, 12*, p.53.
- HARWOOD, A. and MURPHY, P.W.** (1988). The petrology of the Bien Venue polymetallic massive sulphide deposit, Eastern Transvaal. *Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban*, p.811-812.
- HAUGHTON, S.H.** (Editor) (1938). *Lexican de Stratigraphie Volume I. Africa*. Thomas Murby & Co., London, 432pp.
- HENCKEL, J. and SCHWEITZER, J.K.** (1990). The identification of provenance-controlled facies by geochemical methods on a portion of the Vaal Reef, Klerksdorp Goldfield. *S. Afr. J. Geol.*, **93** (4), 602-610.
- HEUBECK, C.** (1990). A structural transect across the central part of the early Archaean Barberton greenstone belt, southern Africa. *Ext. Abstr. 3rd Int. Archaean Symposium, Perth*, p.11-12.
- HEUBECK, C. and LOWE, D.R.** (1991). A structural transect across the central Barberton greenstone belt, South Africa. *Abstr. with Progr., Geol. Soc. Amer.*, **23**, p.445.
- HEUBECK, C. and LOWE, D.R.** (1991). Barberton-Havelock road between Diepgezeth/ Msauli Mine turnoff and Barberton (40.7km), 140-153. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. 280*, 312pp.
- HEUBECK, C., TOULKERIDIS, T., WENDT, J.I., KRÖNER, A. and LOWE, D.R.** (1992). Timing of deformation of the early Archean Barberton greenstone belt, South Africa: constraints from zircon dating of the Salisbury Kop Pluton. Submitted to *S. Afr. J. Geol.* (22.6.92).

- HILL, R.E.T., BARNES, S.J., GOLE, M.J. and DOWLING, S.E.** (1990). The physical volcanology of komatiites in the Norseman-Wiluna Belt. In: Ho, S.E., Glover, J.E., Myers, J.S. and Muhling, J.R. (Eds.), Third International Archaean Symposium, Perth 1990. Geol. Dept. & Univ. Extension, Univ. Western Australia, Publ. 21, 362-397.
- HOERING, T.C. and NAVALE, V.** (1987). A search for molecular fossils in the kerogen of Precambrian sedimentary rocks. *Precambrian Res.*, **34**, 247-267.
- HOFFMAN, S.E., WILSON, M. and STAKES, D.S.** (1986). An inferred oxygen isotope profile of Archaean oceanic crust, Onverwacht Group, South Africa. *Nature*, **321**, 55-58.
- HOLZ, P.** (1982). Barberton's early days. Part Three: In which we stumble on Golden Quarry. *The Reef*, **68** (801), 64-67.
- HOLZ, P.** (1982). Barberton's early days. Part Four: In which we find racketeers climbing on the bandwagon. *The Reef*, **68** (802), 86-87.
- HONETH MINING (PTY) LTD.** (1983). (**HONETH, B.R.**). Mineral deposits in the Noordkaap River Valley (Valley of Death) Mining District of Barberton, controlled by Worcester Gold Mine (Pty) Ltd and associated companies. Unpubl. Rep. Honeth Mining (Pty) Ltd., 18 Pilgrim Street, Barberton, 46pp.
- HORROCKS, P.C.** (1975). The regional structural controls of known base metal mineralization in the granite-greenstone terrain of the northern and eastern Transvaal. B.Sc. Hons. Project (unpubl.), Univ. Witwatersrand, Johannesburg, 21pp.
- HOSE, L.D.** (1990). The geology and stratigraphic evolution of the north-central part of the early Archean Barberton greenstone belt, South Africa. Ph.D. thesis (unpubl.), Louisiana State Univ, Baton Rouge, Louisiana, 382pp.
- HOSE, L.D.** (1991). Post-depositional tectonic history of the north-central Barberton greenstone belt, South Africa. *J. African Earth Sci.* (submitted).
- HOSE, L.D. and LOWE, D.R.** (1987). Tectonic history of the Barberton greenstone belt, South Africa. *Abstr. with Progr., Geol. Soc. Amer.*, Phoenix, Arizona, p. 707-708.
- HOUSTOUN, S.** (1987). Geochemical and structural controls on gold mineralization at the Barbrook Prospect in the Barberton greenstone belt, South Africa. Ph.D. thesis (unpubl.), Univ. Western Australia, Perth.

HOUSTOUN, S.M. (1987). Competency contrasts and chemical controls as guides to gold mineralization: an example from the Barberton Mountain Land, South Africa, 147-160. In: Ho, S.E. and Groves, D.I. (Eds.), Recent Advances in Understanding Precambrian Gold Deposits. Geol. Dept. & Univ. Extension, Univ. Western Australia, Publ. **11**, 368pp.

HUNTER, D.R. (1988). A comparison of one billion years of earth history in the Pilbara and southeastern Kaapvaal Province. Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr. Univ. Natal, Durban, p. 305-306.

HUNTER, D.R. (1988). Styles of Archaean granitoid emplacement in the southeastern Kaapvaal Province. Ext. Abstr. Geocongress, '88, Geol. Soc. S. Afr., Univ. Natal, Durban, p.303.

HUNTER, D.R. (1988). Geochemical heterogeneity of the bimodal suite, Swaziland: implications for crustal growth. *Chem. Geol.*, **70** (1/2) p. 145. (Abstract).

HUNTER, D.R. (1991). An overview of the pre-3.1Ga-old gneiss terrane, Swaziland, 1-7. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

HUNTER, D.R. (1991). Crustal processes during Archaean evolution of the southeastern Kaapvaal Province. In: Eriksson, P.G. (Compiler), Precambrian Sedimentary Basins of Southern Africa, Terra Abstracts Supplement 3 to *Terra Nova*, **3**, p.16.

HUNTER, D.R. and **REID, D.L.** (1987). Mafic dyke swarms in southern Africa. In: Halls, H.C. and Fahrig, W.F. (Eds.), Mafic Dyke Swarms. Spec. Pap. Geol. Assoc. Canada, **34**, 503pp.

HUNTER, D.R., WILSON, A.H., VERSFELD, J.A., ALLEN, A.R., SMITH, R.G., SLEIGH, D.W.W., GROENEWALD, P.B., CHUTTER, G.M. and PRESTON, V.A. (1986). A continuous record of tectonic evolution from 3.5Ga to 2.6Ga in Swaziland and northern Natal, 127-131. In: De Wit, M.J. and Ashwal, L.D. (Eds.), Workshop on Tectonic Evolution of Greenstone Belts. *Lunar Planet. Inst. Tech. Rep.*, **86-10**, 226pp.

HUTCHINSON, R.W. and **VILJOEN, R.P.** (1988). Re-evaluation of gold source in Witwatersrand ores. *S. Afr. J. Geol.*, **91**, 157-173.

I

JACKSON, M.P.A., ERIKSSON, K.A. and HARRIS, C.W. (1987). Early Archaean foredeep sedimentation related to crustal shortening: a reinterpretation of the Barberton Sequence, Southern Africa. *Tectono-physics*, **136** (3/4), 197-222.

JAMES, B.A. (1988). The comparative geology of the North Pole, Soansville, and Tambourah areas, Eastern Pilbara Block, Western Australia. M.Sc. thesis (unpubl.), Univ. Western Australia, Perth, 531pp.

JANISCH, P.R. (1986). Gold in South Africa. *J. S. Afr. Inst. Min. Metall.*, **86** (8), 273-316.

JONES, I.M. and ANHAEUSSER, C.R. (1992). Accretionary lapilli associated with Archaean banded iron-formation of the Kraaipan Group, Amalia greenstone belt, South Africa. *Inform. Circ. Econ. Geol. Res. Unit, Univ. Witwatersrand, Johannesburg*, **249**, 22pp.

JONES, I.M. and ANHAEUSSER, C.R. (1992). Accretionary lapilli associated with Archaean banded iron-formation of the Kraaipan Group, Amalia greenstone belt, South Africa. *Precambrian Res.* (in press).

JONES, R. (1898). Exhibition of stone implements from Swaziland. *J.R. Anthropol. Inst.*, **28**, 48-54.

K

KAMO, S.L. (1991). Crustal evolution in the Barberton Mountain Land, South Africa: U-Pb and Nd isotopic constraints. M.Sc. thesis, McMaster Univ. (in preparation).

KAMO, S.L. and DAVIS, D.W. (1991). A review of geochronology from the Barberton Mountain Land, 59-68. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe*. Dept. Geol. Unit. Witwatersrand, Johannesburg. IGCP Proj. 280, 312pp.

KAMO, S.L., DAVIS, D.W. and DE WIT, M.J. (1990). U-Pb geochronology of Archaean plutonism in the Barberton region, S. Africa: 800Ma of crustal evolution. *Abstr. 7th Int. Conf. Geochronology, Cosmochronology, and Isotope Geology, Canberra, Geol. Soc. Aust.*, **27**, p.53.

- KARHU, J. and EPSTEIN, S.** (1986). The implication of the oxygen isotope records in co-existing cherts and phosphates. *Geochim. Cosmochim. Acta*, **50**, 1745-1756.
- KERRICH, R., FYFE, W.S., BARNETT, R.L., BLAIR, B.B. and WILLMORE, L.M.** (1986). Corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment - geochemical and isotopic evidence. *Unpubl. Rep. Dept. Geol. Univ. Western Ontario, London, Ontario*, 59pp.
- KERRICH, R., FYFE, W.S., BARNETT, R.L., BLAIR, B.B. and WILLMORE, L.M.** (1987). Corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment - geochemical and isotopic evidence. *Contr. Miner. Petrol.*, **95**, 481-498.
- KERRICH, R., FYFE, W.S., BARNETT, R.L., BLAIR, B.B. and WILLMORE, L.M.** (1990). Reply to: "A discussion of corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment - geochemical and isotopic evidence. *Contr. Miner. Petrol.*, **100**, 555-559.
- KING, V.J.** (1991). The uMtala stream section, 134-136; The Middle Marker, 136-137; Progressive flattening, shearing and carbonate alteration parallel to a "chert" unit in the Hoogogenoeg Formation, 137-139. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen*, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.
- KING, V.J.** (in preparation). Structural geology of the Onverwacht Group in the southwestern Barberton Mountain Land. Ph.D. thesis, Univ. Cape Town.
- KLEMD, R., HALLBAUER, D.K. and BARTON, J.M. Jr.** (1987). Fluid inclusion evidence for unusual alteration processes in Archaean granitic rocks along the northwestern edge of the Witwatersrand Basin. *Ext. Abstr. Int. Symp. on Granites and Associated Mineralizations (ISGAM)*, Salvador, Bahia, Brazil, p. 289-291.
- KLEYWEGT, R.J., STETTLER, E.H., BRANDL, G., DAY, R.W., DE BEER, J.H. and DUVENHAGE, A.W.A.** (1987). The structure of the Giyani greenstone belt as derived from geophysical studies. *S. Afr. J. Geol.*, **90** (3), 282-295.
- KNAUTH, L.P. and EPSTEIN, S.** (1976). Hydrogen and oxygen isotope ratios in nodular and bedded cherts. *Geochim. Cosmochim. Acta*, **40**, 1095-1108.

- KNOLL, A.H., STROTHER, P.K. and ROSSI, S.** (1988). Distribution and diagenesis of microfossils from the Lower Proterozoic Duck Creek Dolomite, Western Australia. *Precambrian Res.*, **38**, 257-279.
- KOHLER, E.A.** (in preparation). The geology of the area to the north and east of Three Sisters, Barberton Mountain Land. M.Sc thesis, Univ. Witwatersrand, Johannesburg.
- KOHLER, E.A., ANHAEUSSER, C.R. and MEYER, F.M.** (1992). The geology of the granite-greenstone terrane in the Louw's Creek area, Barberton greenstone belt. *Abstr. 24th Congress, Geol. Soc. S. Afr.*, Bloemfontein, p.242-244.
- KRIGE, L.J.** (1929). An interesting sandstone dyke in the Old Granite of Ermelo. *Trans. geol. Soc. S. Afr.*, **32**, 61-63.
- KRIGE, L.J.** (1929). Note on Karoo-dolerite sills in the Old Granite of the Ermelo District. *Trans. geol. Soc. S. Afr.*, **32**, 57-60.
- KRÖNER, A.** (1990). Single zircon evaporation as a tool in understanding early Archaean crustal evolution: the Barberton-Swaziland terrain. *Abstr. 7th Int. Conf. Geochronology, Cosmochronology and Isotope Geology, Canberra, Geol. Soc. Aust.*, **27**, p.56.
- KRÖNER, A. and COMPSTON, W.** (1988). Ion microprobe ages of zircons from early Archaean granite pebbles and greywacke, Barberton greenstone belt, southern Africa. *Precambrian Res.*, **38**, 367-380.
- KRÖNER, A. and TODT, W.** (1988). Single zircon dating constraining the maximum age of the Barberton greenstone belt, southern Africa. *J. Geophys. Res.*, **93**, 15329-15337.
- KRÖNER, A., COMPSTON, W. and WILLIAMS, I.S.** (1986). Evolution of early Archean gneiss-greenstone terrain in Swaziland, southern Africa, as revealed by ion microprobe zircon dating. *Terra Cognita*, **6**, p.124.
- KRÖNER, A., COMPSTON, W. and WILLIAMS, I.S.** (1989). Growth of early Archaean crust in the Ancient Gneiss Complex of Swaziland as revealed by single zircon dating. *Tectonophysics*, **161**, 271-298.
- KRÖNER, A., BYERLY, G.R. and LOWE, D.R.** (1989). Precise single zircon evaporation ages documenting ≈ 200 Ma of Archean greenstone evolution in the Barberton Belt of South Africa. *EOS (Trans. Amer. Geophys. Union)*, Oct 24, **70**, p.1404.
- KRÖNER, A., BYERLY, G.R. and LOWE, D.R.** (1991). Chronology of early Archean granite-greenstone evolution in the Barberton Mountain Land, South Africa, based on precise dating by single zircon evaporation. *Earth Planet. Sci. Lett.*, **103**, 41-54.

KRÖNER, A., WENDT, J.I. and HUNTER, D.R. (1991). Various lithologies of the Ngwane and Tsawela gneisses in the Mankanyana area, and rock types of the Dwalile greenstone remnant and their relations with the Ngwane Gneiss, 37-42. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

KRÖNER, A., COMPSTON, W., TEGTMEYER, A., MILISEND, C. and LIEW, T.C. (1987). Growth of early Archaean crust in the Ancient Gneiss Complex of Swaziland and adjacent Barberton greenstone belt, southern Africa. In: Ashwal, L.D. (Ed.), Workshop on the Growth of Continental Crust. Lunar Planet. Inst. Tech. Rep., **88-02**, 85-87.

KRÖNER, A., MAPHALALA, R., HUNTER, D.R. and WENDT, J.I. (1991). Several outcrops of Ngwane Gneiss in the large gneiss terrain of central Swaziland and granulites of the Mahamba Gneiss, 32-36. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

KRÖNER, A., MAPHALALA, R., LAYER, P.W., WENDT, J.I. and HUNTER, D.R. (1991). Mbabane pluton, Mpuluzi batholith, and outcrops of Ngwane Gneiss in northern Swaziland, 43-46. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

KRÖNER, A., WENDT, J.I., TEGTMEYER, A.R., MILISEND, C. and COMPSTON, W. (1991). Geochronology of the Ancient Gneiss Complex, Swaziland, and implications for crustal evolution, 8-31. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

KRÖNER, A., MILISEND, C., COMPSTON, W., TEGTMEYER, A., LIEW, T.C. and TODT, W. (1988). Combined use of single zircon ages and Sm-Nd isotopes in the analysis of early Archaean crustal growth processes: the Ancient Gneiss Complex of Swaziland, southern Africa. Chem. Geol., **70** (1/2), p.146. (Abstract).

KYTE, F.T., LOWE, D.R. and BYERLY, G.R. (1988). Noble metal abundances in Early Archean spherule layers from South Africa. Abstr. 51st Meeting Meteoritical Society, Meteoritics, **23**, p. 284.

KYTE, F.T., ZHOU, L. and LOWE, D.R. (1992). Noble metal abundances in an Early Archean impact deposit. *Geochim. Cosmochim. Acta*, **56**, 1365-1372.

L

LAGEAT, Y. and ROBB, L.J. (1984). The relationship between structural landforms, erosion surfaces and the geology of the Archean granite basement in the Barberton region, Eastern Transvaal. *Trans. geol. Soc. S. Afr.*, **87**, 141-159.

LAGEAT, Y. and ROBB, L.J. (1985). L'alvéole tonalitique de Barberton dans le Transvaal oriental (Afrique du Sud). *Physio-Géo*, **13**, 39-52.

LAMB, S.H. (1984). Structures and sedimentology on the eastern margin of the Archean Barberton greenstone belt, northwest Swaziland. Ph.D. thesis (unpubl.), Univ. Cambridge, 178pp.

LAMB, S.H. (1986). Syn-sedimentary deformation and thrusting on the eastern margin of the Barberton greenstone belt, Swaziland, 140-141. In: De Wit, M.J. and Ashwal, L.D. (Eds.), *Workshop on the Tectonic Evolution of Greenstone Belts*. *Lunar Planet. Inst. Tech. Rep.*, **86-10**, 226pp.

LAMB, S.H. (1987). Archean syn-sedimentary tectonic deformation - a comparison with the Quaternary. *Geology*, **15**, 565-568.

LAMB, S.M. and PARIS, I.A. (1988). Post-Onverwacht Group stratigraphy in the southeastern part of the Archean Barberton greenstone belt. *J. Afr. Earth Sci.*, **7**, 285-306.

LAYER, P.W. (1986). Archean paleomagnetism of southern Africa. Ph.D. thesis (unpubl.), Stanford Univ, Stanford, Calif., 397pp.

LAYER, P.W. (1991). An overview of the palaeomagnetism of the Barberton and Swaziland regions, 99-106. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogeny*, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg, IGCP Proj. **280**, 312pp.

LAYER, P.W., McWILLIAMS, M.O. and KRÖNER, A. (1983). Archean paleomagnetic results from the Kaapvaal Craton (abstract). *EOS, Trans. AGU*, **64**, p. 689.

LAYER, P.W., KRÖNER, A., McWILLIAMS, M. and YORK, D. (1989). Elements of the Archean thermal history and apparent polar wandering of the eastern Kaapvaal Craton, Swaziland, from single grain dating and paleomagnetism. *Earth Planet. Sci. Lett.*, **93**, 23-34.

LÓPEZ-MARTÍNEZ, M., YORK, D. and HANES, J.A. (1992). A $^{40}\text{Ar}/^{39}\text{Ar}$ geochronological study of komatiites and komatiitic basalts from the Lower Onverwacht Volcanics: Barberton Mountain Land, South Africa. *Precambrian Res.*, **57**, 91-119.

LOWE, D.R. (1984). Archean sedimentary systems and crustal evolution. *Proc. Workshop on the Early Earth, Lunar and Planet. Inst.*, NASA, Houston.

LOWE, D.R. (1985). Sedimentary environment as a control on the formation and preservation of Archean volcanogenic massive sulphide deposits, 193-201. In: Ayres, L.D., Thurston, P.C., Card, K.C. and Weber, W. (Eds.), *Evolution of Archean Supracrustal Sequences*. Spec. Pap. Geol. Assoc. Canada, **28**, 380pp.

LOWE, D.R. (1986). Archean sedimentary styles and early crustal evolution. *Lunar Planet. Inst. Tech. Rep.*, **86-04**, 76-77.

LOWE, D.R. (1991). Geology of the Barberton greenstone belt: an overview, 47-58. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen*, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.

LOWE, D.R. (in review). Large-scale structural features and development of the west-central part of the Barberton greenstone belt, South Africa. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.

LOWE, D.R. (in review). Petrology and sedimentology of cherts in the Swaziland Supergroup, Barberton greenstone belt, South Africa. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.

LOWE, D.R. (in review). Shallow-water sedimentation of the Msauli Chert. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.

LOWE, D.R. and BYERLY, G.R. (1984). The formation of chrome-mica-bearing alteration zones in the Onverwacht Group, South Africa. *Abstr. with Progr. Geol. Soc. Amer.*, **16** (14), p.491.

LOWE, D.R. and BYERLY, G.R. (1985). Chondrule-like particles provide evidence of early Archean meteorite impacts, South Africa and Western Australia. *Abstr. XVI Lunar Planet. Sci. Conf.*, NASA/LPI/URSA, Houston, **2**, 501-502.

LOWE, D.R. and BYERLY, G.R. (1986). Sedimentological and stratigraphic evolution of the southern part of the Barberton greenstone belt: a case of changing provenance and stability, 147-149. In: De Wit, M.J. and Ashwal, L.D. (Eds.), *Workshop on the Tectonic Evolution of Greenstone Belts*. *Lunar Planet. Inst. Tech. Rep.*, **86-10**, 226pp.

LOWE, D.R. and BYERLY, G.R. (1986). Archean flow-top alteration zones formed initially in a low-temperature sulphate-rich environment. *Nature*, **324**, 245-248.

LOWE, D.R. and BYERLY, G.R. (1986). The rock components and structures of Archean greenstone belts: an overview, 142-146. In: De Wit, M.J. and Ashwal, L.D. (Eds.), *Workshop on the Tectonic Evolution of Greenstone Belts*. *Lunar Planet. Inst. Tech. Rep.*, **86-10**, 226pp.

LOWE, D.R. and BYERLY, G.R. (1988). Chemistry and mineralogy of early Archean impact deposits, Fig Tree Group, Barberton greenstone belt, South Africa. *Abstr. XIX Lunar Planet. Sci. Conf.*, p.84-85.

LOWE, D.R. and BYERLY, G.R. (1988). Identification and effects of large, early Archean terrestrial meteorite impacts: a geological perspective on late accretion. *Abstr. XIX Lunar and Planet. Sci. Conf.*, p.693-694.

LOWE, D.R. and BYERLY, G.R. (1988). Iridium anomalies associated with early Archean spherule layers, South Africa and Western Australia. *Abstr. XIX Lunar Planet. Sci. Conf.*, p. 695-696.

LOWE, D.R. and BYERLY, G.R. (1991). Powerline Road section across the central Barberton greenstone belt, 154-163. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen*, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. *IGCP Proj. 280*, 312pp.

LOWE, D.R. and BYERLY, G.R. (1992). Depositional mechanics of impact-produced debris in the Archean Barberton greenstone belt, South Africa. *Abstr. XXIII Lunar Planet. Sci. Conf.*, p.811-812.

LOWE, D.R. and BYERLY, G.R. (in prep.). Geologic map of the west-central part of the Barberton greenstone belt, South Africa 1:25 000.

LOWE, D.R. and BYERLY, G.R. (in review). Stratigraphy of the west-central part of the Barberton greenstone belt, South Africa. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt*, South Africa. *Mem. geol. Soc. Amer.*

LOWE, D.R. and KNAUTH, L.P. (1979). Reply to Discussion: The oldest marine carbonate ooids reinterpreted as volcanic accretionary lapilli. *J. Sedim. Petrol.*, **49**, 664-666.

LOWE, D.R. and NOCITA, B.R. (in review). Stratigraphy and sedimentology of the Mapepe Formation: Sedimentation in an evolving foreland basin. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt*, South Africa. *Mem. geol. Soc. Amer.*

- LOWE, D.R., ASARO, F. and BYERLY, G.R.** (1988). Iridium anomalies associated with early Archean spherule layers, South Africa and Western Australia. *Abstr. XIX Lunar Planet Sci. Conf.*, p. 695-696.
- LOWE, D.R., BYERLY, G.R. and KRÖNER, A.** (1988). Relationship between episodic diacitic volcanism and tonalitic plutonism in the Archean Barberton greenstone belt (BGB) South Africa. *ESO*, Oct, p.1391.
- LOWE, D.R., BYERLY, G.R., ASARO, F. and KYTE, F.T.** (1989). Geological and geochemical record of 3400 - million - year - old terrestrial meteorite impacts. *Science*, **245**, 959-962.
- LOWE, D.R., BYERLY, G.R., RANSOM, B.L. and NOCITA, B.W.** (1986). Nappes, stratiform faults, and the problem of structural integrity vs. structural repetition in early Archean rocks of the Barberton greenstone belt, South Africa (in Chinese). *Geol. Soc. China and Chinese Acad. Geol. Sci., Proc. Int. Symp. on Crustal Evolution*, **3**, 137-150.
- LURIE, J.** (1989). South African Geology for Mining, Metallurgical, Hydrogeological and Civil Engineering. 2nd Lexican Revised Ed., Lexican Publishers, Johannesburg, 342pp.
- M**
- MAIDMENT, J.A.** (1980). Barberton-Phalaborwa airborne geophysical survey (25/78): anomaly supplement to preliminary report on airborne radiometric data. *Rep. geol. Surv. S. Afr.*, **1980-0214**, 43pp.
- MAPHALALA, R.M.** (1990). Geology of Archean tin-bearing pegmatites from northwestern Swaziland Ext. *Abstr. 3rd Int. Archean Symposium*, Perth, p.403-405.
- MARSH, J.S., BOWEN, .P., ROGERS, N.W. and BOWEN, T.B.** (1989). Volcanic rocks of the Witwatersrand Triad, South Africa. II: petrogenesis of mafic and felsic rocks of the Dominion Group. *Precambrian Res.*, **44**, 39-65.
- MARTÍNEZ, M.L., YORK, C.M., HALL, C.M. and HANES, J.A.** (1984). Oldest reliable $^{40}\text{Ar}/^{39}\text{Ar}$ ages for terrestrial rocks: Barberton Mountain komatiites. *Nature*, **307**, 352-354.
- MARTINI, J.E.J.** (1983). A zinc geochemical anomaly in the Fig Tree Group on Loenen 381 JU and Schoonoord 380 JU, Barberton District. *Rep. geol. Surv. S. Afr.*, **1983-0142**, 19pp.
- MARTYN, J.E. and JOHNSON, G.I.** (1986). Geological setting and origin of fuchsite-bearing rocks near Menzies, Western Australia. *Aust. J. Earth Sci.*, **33**, (1), 1-18.

- McCOURT, S.** (1988). Tectonic setting of the Sutherland greenstone belt, northeast Transvaal. *Ext. Abstr. Geocongress '88*, Geol. Soc. S. Afr., Univ. Natal, Durban, p. 407-410.
- McCOURT, S. and VAN REENEN, D.D.** (1992). Structural geology and tectonic setting of the Sutherland greenstone belt, Kaapvaal Craton, South Africa. *Precambrian Res.*, **55**, 93-110.
- McCOURT, S. and VEARNCOMBE, J.R.** (1992). Shear zones of the Limpopo Belt and adjacent granitoid-greenstone terranes: implications for late Archaean collision tectonic in southern Africa. *Precambrian Res.*, **55**, 553-570.
- McKNIGHT, C.L.** (1986). The geology of an area around Fortuna Mine - Barberton. B.Sc. Hons. Proj. (unpubl.), Univ. Natal, Durban, 34pp.
- McCULLOCH, M.T.** (1990). Sr isotopic composition of early Archean barite and limits on the earth's initial $^{87}\text{Sr}/^{86}\text{Sr}$ ratio. *Abstr. 7th Int. Conf. Geochronology, Cosmochronology and Isotope Geology*, Geol. Soc. Aust., **27**, p.64.
- MEYER, M., ROBB, L.J. and ANHAEUSSER, C.R.** (1986). Uranium and thorium contents of Archaean granitoids from the Barberton Mountain Land, South Africa. *Precambrian Res.*, **33**, 303-321.
- MEYER, M., ROBB, L.J. and ANHAEUSSER, C.R.** (1986). Uranium and thorium distribution in late-stage granite plutons from the Barberton Mountain Land. In: Brynard, H.J. (Ed.), *Discussion Forum for Researchers in Nuclear Geology*. Progr. and Abstr., Atomic Energy Corp. S. Afr., **PER-148**, p.11-12.
- MEYER, M., SAAGER, R. and KÖPPEL, V.** (1987). Uranium distribution and redistribution in a suite of fresh and weathered pre-Witwatersrand and Witwatersrand conglomerates from South Africa. In: *Uranium Deposits in Proterozoic Quartz-Pebble Conglomerates*, Int. Atomic Energy Agency, Vienna, IAEA-TECDOC-427, 255-273.
- MEYER, M., ROBB, L.J. and DE BRUIYN, H.** (1988). Two contrasting granite types amongst the late-stage plutons of the Barberton Mountain Land. *Ext. Abstr. Geocongress '88*, Geol. Soc. S. Afr., Univ. Natal, Durban, p.431-434.
- MEYER, M., OBERTHÜR, T., ROBB, L.J., SAAGER, R. and STUPP, H.D.** (1988). Distribution of Co, Ni and Au in pyrite and its role in resolving ore genesis problems. *Ext. Abstr. Geocongress '88*, Geol. Soc. S. Afr., Univ. Natal, Durban, p. 435-438.

- MEYER, F.M., ROBB, L.J., OBERTHÜR, T., SAAGER, R. and STUPP, H.D.** (1990). Cobalt, nickel and gold in pyrite from primary gold deposits and Witwatersrand reefs. *S. Afr. J. Geol.*, **93** (1), 70-82.
- MILISENDA, C.** (1986). Petrographie und Geochemie der archaischen Granulite und Gneise des Ancient Gneiss Complex in Swaziland, Südliches Afrika. M.Sc. thesis (unpubl.), Univ. Mainz, Germany, 137pp.
- MILISENDA, C., KRÖNER, A. and LIEW, T.C.** (1987). Granulites in the Ancient Gneiss Complex of Swaziland: Evidence for thick continental crust in the early Archaean. *Terra cognita*, **7**, GO3.32P. (Abstract).
- MILLER, R.G. and O'NIONS, R.K.** (1985). Source of Precambrian chemical and clastic sediments. *Nature*, **314**, 325-330.
- MINNITT, R.C.A.** (1988). Steynsdorp gold venture. Letter to the Directors, Southern Witwatersrand Exploration Company Limited. In: *Prospectus in respect of a private placing of shares and options in Southern Witwatersrand Exploration Company Limited*, "The Citizen", Friday, 17 June, 1988, Appendix II, p.11.
- also in prospectus issued by the Company (South Wits) sponsoring brokers, Max Pollak & Freemantle and Simpson, McKie Inc., and Rand Merchant Bank Limited, p.50-51.
- MINNITT, R.C.A. and ANHAEUSSER, C.R.** (1990). The structure of the eastern portion of the Murchison Range. *Inform. Circ. Econ. Geol. Res. Unit. Univ. Witwatersrand, Johannesburg*, **231**, 15pp.
- MINNITT, R.C.A. and ANHAEUSSER, C.R.** (1992). Gravitational and diapiric structural history of the eastern portion of the Archaean Murchison greenstone belt, South Africa. *J. Afr. Earth Sci.* (in press).
- MOORBATH, S., TAYLOR, P.N. and JONES, N.W.** (1986). Dating the oldest terrestrial rocks - fact and fiction. *Chem. Geol.*, **57**, 63-86.
- MUIR, M.D. and SUTTON, J.** (1970). Some fossiliferous Precambrian chert pebbles within the Torridonian of Britain. *Nature*, **226**, 443-445.
- MURDOCH, G.** (1970). Soils and land capability in Swaziland. Swaziland Ministry Agric. Mbabane, Swaziland.
- MURDOCH, G. and ANDRIESSE, J.P.** (1964). A soil and irrigability survey of the Lower Usutu Basin (South in the Swaziland Lowveld). London: HMSO.

MYERS, R.E. (1986). Stratigraphy and depositional environments of the Godwan Group: Kaapsehoep area, eastern Transvaal. Ext. Abstr. Geocongress '86, Geol. Soc. S. Afr., Johannesburg, 903-906.

MYERS, R.E. (1990). The geology of the Godwan Basin, eastern Transvaal. Ph.D thesis (unpubl.), Univ. Witwatersrand, Johannesburg. Vol. 1. 320pp. Vol. 2. 288pp.

MYERS, R., CAWTHORN, R.G., McCARTHY, T.S. and ANHAEUSSER, C.R. (1987). Fundamental uniformity in the trace element patterns of the volcanics of the Kaapvaal Craton from 3000 to 2100 Ma: evidence for the lithospheric origin of these continental tholeiites, 315-325. In: Pharaoh, T.C., Beckinsale, R.D. and Rickard, D. (Eds.), Geochemistry and Mineralization of Proterozoic Volcanic Suites, Spec. Publ. Geol. Soc., 33, 575pp. Blackwell Scientific Publications, London.

N

NAIDOO, C. and HAFFNER, J. (1987). A case of tunnel vision - "Sunday Times Metro", 15 March, p.2. "Water tunnel through the Saddleback Syncline".

NISBET, E.G. (1982). Definition of 'Archaean' - comment and a proposal on the recommendations of the International Sub-Commission on Precambrian Stratigraphy. Precambrian Res., 19, 111-118.

NISBET, E.G. (1987). The Young Earth: An Introduction to Archaean Geology. Allen & Unwin, London, 402pp.

NOCITA, B.W. (1986). Sedimentology and stratigraphy of the Fig Tree Group, west limb of the Onverwacht Anticline, Barberton greenstone belt, South Africa. Ph.D. thesis (unpubl.), Louisiana State University, Baton Rouge, Louisiana, 169pp.

NOCITA, B.W. (1989). Sandstone petrology of the Archean Fig Tree Group, Barberton greenstone belt, South Africa: tectonic implications. Geology, 17, 953-956.

NOCITA, B.W. and LOWE, D.R. (1985). A fan-delta sequence in the Archean Fig Tree Group, Barberton greenstone belt, South Africa. Abstr. with Progr. Geol. Soc. Amer., 17, p.678.

NOCITA, B.W. and LOWE, D.R. (1990). Fan-delta sequence in the Archean Fig Tree Group, Barberton greenstone belt, South Africa. Precambrian Res., 48, 375-393.

O

- OBERTHÜR, T., SAAGER, R. and TOMSCHI, H.-P.** (1990). Geological, mineralogical and geochemical aspects of Archean banded iron formation-hosted gold deposits: some examples from southern Africa. *Mineral. Deposita*, **25** (Suppl.), S125-S135.
- OHTANI, E.** (1990). Majorite fractionation and genesis of komatiites in the deep mantle. *Precambrian Res.*, **48**, 195-202.
- OOSTHUYSEN, E.J. and BURGER, A.J.** (1973). The suitability of apatite as an age indicator by the uranium-lead isotope method. *Earth Planet. Sci. Lett.*, **18**, 29-36.
- ORO, J., MILLER, S.L. and LAZCANO, A.** (1990). The origin and early evolution of life on earth. *Ann. Rev. Earth Planet. Sci.*, **18**, 317-356.
- PALMER, J.A., PHILLIPS, G.N. and McCARTHY, T.S.** (1987). The nature of the Precambrian atmosphere and its relevance to Archaean gold mineralization, 327-339. In: Ho, S.E. and Groves, D.I. (Eds.), *Recent Advances in Understanding Precambrian Gold Deposits*. Geol. Dept. and Univ. Extension, Univ. Western Australia, Publ. **11**, 368pp.
- PARIS, I.A.** (1985). The 3.5. b.y. old Barberton greenstone belt: recent results and their implications. *Abstr. 13th Colloquium of African Geology*, St. Andrews, Scotland, Sept. 1985.
- PARIS, I.A.** (1986). Polyphase thrust tectonics in the Barberton greenstone belt, 165-166. In: De Wit, M.J. and Ashwal, L.D. (Eds.), *Workshop on Tectonic Evolution of Greenstone Belts*. Lunar Planet. Inst. Tech. Rep., **86-10**, 226pp.
- PARIS, I.A.** (1990). Depositional environment of the Onverwacht sedimentary rocks, Barberton greenstone belt, South Africa. *J. Afr. Earth Sci.*, **10** (3), 509-518.
- PARRY, C.** (1987). Rock-munching bugs liberate gold. "Business Day" Johannesburg, Friday, 18 September, 1987.
- PARRY, C.** (1987). Gencor scores a world first with gold bugs. "Business Day", Johannesburg, Friday, 18 September, 1987.
- PEARTON, T.N.** (1985). Geochemical zonation associated with gold mineralization at Clutha Mine. *Int. Rep. (unpubl.)*, E.T.C. Mines Ltd, Barberton.

PEPPER, S. and DU PLESSIS, E. (1991). Princeton Section, Agnes Gold Mine, 174-177. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj 280, 312pp.

PHILPOT, H.G., TOMKINSON, M.J., VAN ASWEGEN, G.M. and REID, K. (1988). Field trip to investigate stratigraphic and structural relationships in the area around the Princeton Mine, Barberton Mountain Land, 60-64. In: Tregoning, T., Tomkinson, M.J. and Philpot, H.G. (Eds.), Abstr. and Guidebook, Deformation and Mineralization in the Archaean of South Africa. Barberton Mountain Land Branch, Geol. Soc. S. Afr., 64pp.

PHILPOT, H.G., SNOW, G., TOMKINSON, M.J., HAWORTH, P. and McMASTER, J. (1991). Field trip to investigate the styles of mineralization in the Margaret and Edwin Bray Sections, Sheba Mine, 178-184. In: Ashwal, L.D. (Ed.), Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. 280, 312pp.

PIENAAR, V. (1987). New Listings: Barbrook Mines Limited. A Business Day Survey under the headings:

1. Mine the result of lengthy, R26m evaluation.
2. Local strategy deemed best by mining boffins.
3. Project a robust investment.
4. Gold plant set to cost almost R27m.
5. Ore structure "very complex".
6. Rights offer paves way.
7. Host's economy set for a boost.
8. Fighting pollution.

Business Day, Wednesday, 25 November, 1987, p. 10-11.

POSPÍŠEK, P. (1991). A geochemical study of the Sterkspruit Gabbro, eastern Transvaal. B. Sc. Hons. Proj. (unpubl.), Dept. Geology, Univ. Witwatersrand, Johannesburg, 74pp.

PRASHNOWSKY, A.A. and OBERLIES, F. (1971). Über Lebenszengniesse im Präkambrian Afrikas und Südamerikas.

PRETORIUS, A.I., VAN REENEN, D.D. and BARTON, J.M. Jr. (1988). BIF-hosted gold mineralization at the Fumani Mine, Sutherland greenstone belt, South Africa. S. Afr. J. Geol., **91** (4), 429-438.

- PREWITT, C.T.** (1988). Geophysical Laboratory, The Director's Essay. (Three-billion-year old barite from southern India). Year Book, Carnegie Institution Washington, D.C. **87**, 87-90.
- PRICE WILLIAMS D.** (1980). Archaeology in Swaziland. *S. Afr. Archaeol. Bull.*, **35**, 13-18.
- PRICE WILLIAMS, D., WATSON, A. and GOUDIE, A.S.** (1982). Quaternary colluvial stratigraphy, Archaeological sequences and palaeoenvironment in Swaziland, Southern Africa. *Geogr. J.*, **148**, 50-67.
- RANSOM, B.L.** (1987). The palaeoenvironmental, magmatic, and geologic history of the 3,500 Myr Kromberg Formation, west limb of the Onverwacht Anticline, Barberton greenstone belt, South Africa. M.Sc. thesis (unpubl.), Louisiana State University, Baton Rouge, Louisiana, 103pp.
- RANSOM, B. and BYERLY, G.R.** (1983). Absence of mafic to felsic volcanic cycles in the Kromberg Formation, upper Onverwacht Group, west limb of Onverwacht Anticline: Barberton Mountain Land, South Africa. *Abstr. with Progr. Geol. Soc. Amer.*, **15**, p.666.
- RANSOM, B., BYERLY, G.R. and LOWE, D.R.** (in review). The Kromberg Formation, west limb of the Onverwacht Anticline: paleoenvironmental and tectonic significance of 3500 million year old shallow-water, pyroclastic volcanism. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geological Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.
- RAPP, R.P., WATSON, E.B. and MILLER, C.F.** (1991). Partial melting of amphibolite/eclogite and the origin of Archean trondhjemites and tonalites. *Precambrian Res.*, **51**, 1-25.
- REIMER, T.O.** (1972). Diagenetic reactions in early Precambrian graywackes of the Barberton Mountain Land (South Africa). *Sedim. Geol.*, **7**, 263-282.
- REIMER, T.O.** (1983). Accretionary lapilli in volcanic ash falls: physical factors governing their formation, 56-58. In: Peryt, T.M. (Ed.), *Coated Grains*, Springer-Verlag, Berlin.
- REIMER, T.O.** (1984). Graphite in Precambrian rocks of southern Africa: implications on the carbon content of metamorphic rocks. *Precambrian Res.*, **26**, 223-234.
- REIMER, T.O.** (1985). Rare earth elements and the suitability of shales as indicators for the composition of the Archean continental crust. *Neues Jahrbuch Miner. Abh.*, **152** (2), 211-223.

- REIMER, T.O.** (1990). Archaean baryte deposits of southern Africa. *J. Geol. Soc. India*, **35**, 131-150.
- REIMER, T.O.** and **MOSSMAN, D.J.** (1990). Sulfidization of Witwatersrand black sands: from enigma to myth. *Geology*, **18**, 426-429.
- REIMOLD, W.U., MATHEWS, P.E., MEYER, F.M. and SELLSCHOP, J.P.F.** (1989). Final report on an isotopic and geochemical study of pre- and post-Pongola Archaean granitoids in the southeastern Kaapvaal Craton. (Pilot Study 1988-1989). Unpubl. Rep. Anglo-American Prospecting Services (Pty) Ltd., SRCNS Rep. No. 89/26, 89pp (with an Appendix).
- ROBB, L.J.** (1987). New pieces in the jigsaw. *Nuclear Active*, **37**, 2-8.
- ROBB, L.J.** (1991). Granites north of the Barberton greenstone belt, 199-208. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen*, excursion guidebook and review articles for a field workshop through selected Archaean terranes of Swaziland, South Africa and Zimbabwe. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.
- ROBB, L.J. and MEYER, F.M.** (1990). The nature of the Witwatersrand hinterland. Conjectures on the source area problem. *Econ. Geol.*, **85**, 511-536.
- ROBB, L.J. and MEYER, F.M.** (1987). The nature of the Archaean granitic basement in the hinterland of the Witwatersrand Basin and its significance as a source for gold and uranium. *Ext. Abstr. Int. Symp. on Granites and Associated Mineralizations (ISGAM)*, Salvador, Bahia, Brazil, p.285-288.
- ROBB, L.J. and MEYER, F.M.** (1991). Uranium-bearing accessory minerals in contrasting high-Ca and low-Ca granites from the Archaean Barberton Mountain Land, 3-20. In: *Primary Radioactive Minerals (The textural patterns of radioactive mineral paragenetic associations)*. Theophrastius Publications, Athens, 417pp.
- ROBB, L.J., DAVIS, D.W. and KAMO, S.L.** (1990). U-Pb ages on single detrital zircon grains from the Witwatersrand Basin, South Africa: constraints on the age of sedimentation and on the evolution of granites adjacent to the basin. *J. Geol.*, **98**, 311-328.
- ROBB, L.J., DAVIS, D.W. and KAMO, S.L.** (1991). Chronological framework for the Witwatersrand Basin and environs: towards a time-constrained depositional model. *S. Afr. J. Geol.*, **94** (1), 86-95.

- ROBB, L.J., MEYER, M. and DRENNAN, G.R.** (1988). Recent developments in understanding the Archaean granitic basement of the Barberton Mountain Land and adjacent Witwatersrand Basin hinterland. *Chem. Geol.*, **70** (1/2), p.147. (Abstract).
- ROBB, L.J., MEYER, M., FERRAZ, M.F. and DRENNAN, G.R.** (1989). The distribution of radioelements in Archaean granites of the Kaapvaal Craton, with implications for the source of uranium in the Witwatersrand Basin. *Inform. Circ. Econ. Geol. Res. Unit, Dept. Geol. Univ. Witwatersrand, Johannesburg*, **210**, 35pp.
- ROBB, L.J., MEYER, R.M., FERRAZ, M.F. and DRENNAN, G.R.** (1990). The distribution of radioelements in Archaean granites of the Kaapvaal Craton, with implications for the source of uranium in the Witwatersrand Basin. *S. Afr. J. Geol.*, **93** (1), 5-40.
- ROBERTS, F.** (1988). Carbon and oxygen isotope variations in Precambrian cherts. *Geochim. Cosmochim. Acta.*, **52**, 1473-1478.
- ROBERTS, R.G.** (1987). Ore deposit models #11. Archean lode gold deposits. *Geoscience Canada*, **14** (1), 37-52.
- ROBERTS, R.G.** (1988). Archean lode gold deposits, 1-19. In: Roberts, R.G. and Sheahan, P.A. (Eds.), *Ore Deposit Models*. *Geosci. Can. Rep. Ser. 3*, 194pp.
- ROBERTSON, M.J.** (1985). Sheba Gold Mine, Barberton greenstone belt: petrology of the Sheba chert and evidence for seafloor hydrothermal activity. Final year project B.Sc. (Eng.), Min. Geol. Univ. Witwatersrand, Johannesburg, 89pp.
- ROBERTSON, M.J.** (1989). The structural geology and gold mineralization of the Main Reef Complex, Sheba Gold Mine, Barberton greenstone belt. M.Sc. thesis (unpubl.), Univ. Witwatersrand, Johannesburg, 127pp.
- ROBERTSON, M.J., CHARLESWORTH, E.G. and PHILLIPS, G.N.** (1988). Structural controls of gold mineralization at Sheba Gold Mine, Barberton greenstone belt. *Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban*, p. 513-516.
- RODEL, J.R.** (in preparation). A petrological and geochemical study of the Stolzburg and Rosentuin layered ultramafic complexes, Barberton Mountain Land, eastern Transvaal. M.Sc thesis, Univ. Witwatersrand, Johannesburg.
- ROSSITER, R.D.** (1984). Epithermal gold deposits: their geology and genesis. M.Sc. thesis (unpubl.), Rhodes Univ. Grahamstown, 132pp.

ROSSITER, R.D. (1988). The geology of Fairview Gold Mine, Barberton, South Africa. Ext. Abstr. Poster Progr. Bicentennial Gold '88., Melbourne. Geol. Soc. Aust., Abstr. No. 23, Vol. 2, p.116-118.

ROSSITER, R.D. (1988). The geology of Fairview Gold Mine, Barberton, South Africa. Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban, p. 815-817.

ROSSITER, R.D. (1988). The geology of the Fairview Gold Mine. In: Tregoning, T.D., Tomkinson, M.J. and Phillipot, H.G. (Eds), Deformation and Mineralization in the Archaean of South Africa. Abstr. and Guide Book, Barberton Mountain Land Branch, Geol. Soc. S. Afr., 64pp.

S

SANDFORD, A.M. (1984). The geology of a portion of Ameide 30 in the Barberton Mountain Land. B.Sc. Hons. Proj. (unpubl.), Univ. Natal, Durban.

SAVERIKKO, M. (1987). The Lapland greenstone belt: stratigraphic and depositional features in northern Finland. Bull. Geol. Soc. Finland, **59** (2), 129-154.

SCHIDLOWSKI, M. (1990). Early evolution of life and economic mineral and hydrocarbon resources, 605-630. In: Naqvi, S.M. (Ed.), Precambrian Continental Crust and its Economic Resources, Developments in Precambrian Geology, **8**, Elsevier, Amsterdam, 669pp.

SCHOUWSTRA, R.P. (1985). Kontroles van goudmineralisasie by die Sheba-goudmyn, Barberton distrik. M.Sc. thesis (unpubl.), Rand Afrikaans Univ. Johannesburg.

SCHOUWSTRA, R.P. (1990). Mineralogical and geochemical investigations of the Zwartkoppie type ore, Sheba Gold Mine. D.Sc. thesis (unpubl.), Potchefstroom Univ. for C.H.E., Potchefstroom, 209pp.

SCHOUWSTRA, R.P. and DE VILLIERS, J.P.R. (1988). Gold mineralization and associated wallrock alteration in the Main Reef Complex at Sheba Mine, South Africa. Trans. Inst. Min. Metall., **B97**, B258-B170.

SCHREYER, W. (1987). Pre- or synmetamorphic metasomatism in peraluminous metamorphic rocks, 256-296. In: Helgeson, H.C. (Ed.), Chemical Transport in Metasomatic Processes. D. Reidel Publishing Company, Dordrecht, 782pp. NATO ASI Series C: Mathematical and Physical Sciences, Volume **218**.

- SCHREYER, W.** (1988). A Discussion of: "Corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment - geochemical and isotopic evidence" by Kerrich *et al.* (1987) *Contr. Miner. Petrol.*, **100**, 552-554.
- SCHUTTE, I.C.** (1986). The general geology of the Kruger National Park. *Koedoe*, **29**, 13-37.
- SCHUTTE, D.** (1991). Songimvelo: integrated development yields rewards. *STK Chronicles*, **6** (2), 1-4. (Newsletter of the South African Development Trust Corporation Ltd).
- SELF, S.** and **SPARKS, R.S.J.** (1979). Discussion on paper: "The oldest marine carbonate ooids reinterpreted as volcanic accretionary lapilli, Onverwacht Group, South Africa" by D.R. Lowe and L.P. Knauth (1978). *J. Sedim. Petrol.*, **49** (2), 661-678.
- SHACKLETON, R.M.** (1986). Precambrian collision tectonics in Africa, 329-349. In: Coward, M.P. and Ries, A.C. (Eds.), *Collision Tectonics*. Spec. Publ. Geol. Soc., **19**, 415pp. Blackwell Scientific Publications, Oxford.
- SHEBA** (1988). Sheba - still a winner. *S. Afr. Min. World*, **7** (4).
- SLEIGH, D.W.W.** (1988). The geology of the Archaean terrane in the Piet Retief district, Transvaal. M.Sc. thesis (unpubl.), Univ. Natal, Pietermaritzburg, 196pp.
- SMITH, A.J.** (1981). The geology of the farms Hooggenoeg 731 JT and Avontuur 721 JT, southwestern Barberton greenstone belt. B.Sc. Hons. Proj. (unpubl.), Univ. Witwatersrand, Johannesburg, 26pp.
- SMITH, H.S.** (in review). Silicification of basalts in the Barberton greenstone belt: major element, trace element, and oxygen isotope evidence. In: Lowe, D.R. and Byerly, G. (Eds.), *Geologic Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.
- SMITH, R.G.** (1987). Geochemistry and structure of the Archaean granitoid-supracrustal terrane, southeastern Transvaal and northern Natal. Ph.D. thesis (unpubl.), Univ. Natal, Pietermaritzburg, 282pp.
- SMITH, R.G.** and **HUNTER, D.R.** (1988). Archaean tonalitic gneisses - their geochemistry and relation to the supracrustal suites north of Paulpietersburg. Ext. Abstr. Geocongress '88, Geol. Soc. S. Afr., Univ. Natal, Durban, p.579-582.
- SMITH, A.D.** and **LUDDEN, J.N.** (1989). Nd isotopic evolution of the Precambrian mantle. *Earth Planet. Sci. Lett.*, **93**, 14-22.

- SMITH, H.S., O'NIEL, J.R. and ERLANK, A.J.** (1984). Oxygen isotope composition of minerals and rocks and chemical alteration patterns in pillow lavas from the Barberton greenstone belt, South Africa, 113-117. In: Kröner, A., Hanson, G.N. and Goodwin, A.M. (Eds.), *Archaeon Geochemistry: Origin and Evolution of the Archaeon Continental Crust*. Springer-Verlag, Berlin, 286pp.
- SMITH, H.S., ANHAEUSSER, C.R., KIMBER, B., JARDINE, R., HARRIS, C.** and **ERLANK, A.J.** (1988). Komatiite flows, Barberton greenstone belt: geochemical comparison of GI and GII types. *Abstr. Int. Congr. Geochim. Cosmochim. European Assoc. Geotherm.* 29 August - 2 September, Paris.
- SMITH, H.S., ANHAEUSSER, C.R., KIMBER, B., JARDINE, R., HARRIS, C.** and **ERLANK, A.J.** (1988). Komatiite flows, Barberton greenstone belt: geochemical comparison of GI and GII types. *Chem. Geol.*, **70** (1/2), p.148. (Abstract).
- SOPHOS, J.J.** (1984). A mineralogical examination of three strip samples originating from the Clutha Mine ore horizon, Barberton. *Int. Rep. (unpubl.)*, E.T.C. Mines Ltd., Barberton.
- STAVRAKIS, N., DE VILLIERS, J.R. and WELTHAGEN, M.** (1988). Exploration targets of South Wits Limited. Report to the directors by South Wits Mining & Services (Proprietary) Limited. In: *Prospectus in respect of a private placing of shares and options in Southern Witwatersrand Exploration Company Limited*, "The Citizen", Friday 17 June, 1988, Appendix I, p. 7-10. - also in prospectus issued by the Company (South Wits) sponsoring brokers Max Pollak & Freemantle and Simpson, McKie Inc. and Rand Merchant Bank Limited, Appendix I, p. 27-43.
- STETTLER, E.H., DU PLESSIS, J.G. and DE BEER, J.H.** (1988). The structure of the Pietersburg greenstone belt, South Africa, as derived from geophysics. *S. Afr. J. Geol.*, **91**, 292-303.
- STEYN, M.V.R.** (1965). Barberton Myne Beperk Part 1. Notes on Fairview Mine. Unpubl. Rep. prepared for the 8th Congr. Geol. Soc. S. Afr., Johannesburg, 17pp.
- STOREY, M., MAHONEY, J.J., KROENKE, L.W. and SAUNDERS, A.D.** (1991). Are oceanic plateaus sites of komatiite formation? *Geology*, **19**, 376-379.
- STRAUSS, C.A.** (1961). Geological report on the New Clutha group of mines, Barberton. *Int. Rep. (unpubl.)*, E.T.C. Mines Ltd., Barberton.

STROTHER, P.K. and BARGHOORN, E.S. (1980). Microspheres from Swartkoppie Formation: a review, 1-18. In: Halvorsen, H.O. and Van Holde, K.E. (Eds.), The Origins of Life and Evolution, Alan R. Liss, Inc., New York.

SOUTH AFRICA (1982). Guidebook for Geology - 550 Field trip. Programme and itinerary, University of Western Ontario Geology 1982 Tour, 165pp.

STUPP, H.D. (1984). Untersuchungen zur Metallogenese syngenetische Gold-Uran-Vorkommen in Konglomeraten der Präkambrischen Pongola-Supergruppe und der Moodies-Gruppe. Ph.D. thesis (unpubl.), Univ. Cologne, Germany, 282pp.

SULTAN, M., BATIZA, R. and STURCHION, N.C. (1986). The origin of small-scale geochemical and mineralogic variations in a granite intrusion. A crystallization and mixing model. *Contr. Miner. Petrol.*, **93**, 513-523.

SUN, S. -S., (1987). Chemical composition of Archaean komatiites: implications for early history of the earth and mantle evolution. *J. Volcanol. Geotherm. Res.*, **32**, 67-82.

T

TEGTMEYER, A.R. (1989). Geochronologie und Geochemie im Präkambrium des südlichen Afrika. Ph.D. thesis (unpubl.), Univ. Mainz, Germany, 270pp.

TEGTMEYER, A.R. and KRÖNER, A. (1987). U-Pb zircon ages bearing on the nature of early Archaean greenstone belt evolution, Barberton Mountain Land, southern Africa. *Precambrian Res.*, **36**, 1-20.

TEGTMEYER A.R., KRÖNER, A. and COMPSTON, W. (1985). U-Pb zircon and Sm-Nd systematics of early Archean high-grade greenstone belt in Swaziland: crustal components in mantle-derived metavolcanics. *Terra Cognita*, **5**, p.271. (Abstract).

TEGTMEYER, A.R., KRÖNER, A. and COMPSTON, W. (1987). U-Pb zircon and Sm-Nd systematics of early Archean high-grade greenstone belt in Swaziland: crustal components in mantle-derived metavolcanics. *Terra Cognita*, **7**, p.S30-03. (Abstract).

TEGTMEYER, A., KRÖNER, A. and HOFMANN, A.W. (1985). Isotopic systematics of early Archaean high-grade greenstones from Swaziland, southern Africa. *Terra Cognita*, **5**, p.205. (Abstract).

TEGTMEYER, A.R., LANCELOT, J.R. and KRÖNER, A. (1981). Zircon U-Pb dating on granitic boulders from the Moodies conglomerate (Barberton Mountain Land). *Abstr. Spec. Issue Terra Cognita. Spring 1981*, R23.

- THORPE, R.I.** (1990). Are Archean lead evolution models for Superior Province universally or regionally applicable? *Abstr. 7th Int. Conf. Geochronology, Cosmochronology and Isotope Geology, Geol. Soc. Aust.*, **17**, p.101.
- TOMKINSON, M.J.** (1991). The Shires Shear Zone, New Consort Gold Mines, Barberton Mountain Land, 185-192. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe*. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.
- TOMKINSON, M.J.** and **KING, V.J.** (1991). The tectonics of the Barberton greenstone belt - an overview, 69-83. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe*. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj **280**, 312pp.
- TOMKINSON, M.J.** and **LOMBARD, A.** (1990). Structure, metamorphism and mineralization in the New Consort Gold Mines, Barberton greenstone belt, South Africa. *Ext. Abstr. 3rd Int. Archean Symposium, Perth*, p.377-379.
- TOMKINSON, M.J.** and **PHILPOT, H.G.** (1990). Fault bounded tectonostratigraphic units in the northern portion of the Barberton greenstone belt and evidence for more than one phase of greenstone belt development. *Abstr. Tectonics Division, Geol. Soc. S. Afr., Ann. Meeting, Pretoria*.
- TOMKINSON, M.J.** and **PHILPOT, H.G.** (1991). Field trip to investigate structural and stratigraphic relationships in the Moodies Hills area to the southwest of Barberton, 193-198. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe*. Dept. Geol. Univ. Witwatersrand, Johannesburg. IGCP Proj. **280**, 312pp.
- TOULKERIDIS, T., GOLDSTEIN, S.L., KRÖNER, A., LOWE, D.R.** and **SCHIDLOWSKI, M.** (1990). Late Archean Rb-Sr, Pb-Pb, and Sm-Nd resetting of early Archean Barberton greenstone belt carbonates. *Ext. Abstr. 3rd Int. Archean Symposium, Perth*, p.309-310.
- TREDOUX, M., DE WIT, M.J., HART, R.J., ARMSTRONG, R.A., LINDSAY, N.M.** and **SELLSCHOP, J.P.F.** (1989). Platinum group elements in a 3,5Ga nickel-iron occurrence: possible evidence of a deep mantle origin. *J. Geophys. Res.*, **94** (B1), 795-813.
- TRUMBULL, R.B.** (1990). The age, petrology and geochemistry of the Archean Sinceni Pluton and associated pegmatites in Swaziland: a study of magmatic evolution. Ph.D. thesis (unpubl.), Technischen Universiteit München, Germany, 147pp.

TRUMBULL, R.B. (1992). A petrological and Rb-Sr isotopic study of an Early Archean fertile granite-pegmatite system: the Sinceni Pluton in Swaziland. *Precambrian Res.* (Submitted 1992).

V

VAN DEN BERG, A. (1984). The geological setting of gold mineralization at the Sheba Mine. In: Pearton, T.N. (Ed.), *Archaeon Gold: Barberton Centenary Symposium, Abstracts and Guide Book for Mine Visits and Field Excursions*. Barberton Mountain Land Branch, Geol. Soc. S. Afr., 12pp.

VAN DER HEYDE, H.A. (1985). A geochemical study of some volcanic and related rocks from the Barberton greenstone belt. M.Sc. thesis (unpubl.), Dept. Geochemistry, Univ. Cape Town, 178pp.

VAN DER WESTHUIZEN, R. (1991). Eastern Transvaal Consolidated Mines Limited Clutha Section, New Consort Gold Mine, 164-173. In: Ashwal, L.D. (Ed.), *Two Cratons and an Orogen, excursion guidebook and review articles for a field workshop through selected Archean terranes of Swaziland, South Africa and Zimbabwe*. Dept. Geol. Univ. Witwatersrand, Johannesburg, IGCP Proj. 280, 312pp.

VAN REENEN, D.D., ROERING, C., SMIT, C.A., VAN SCHALKWYK, J.F. and **BARTON, J.M. Jr.** (1988). Evolution of the northern high-grade margin of the Kaapvaal Craton, South Africa. *J. Geol.*, **96**, 549-560.

VEARNCOMBE, J.R. (1988). Structure and metamorphism of the Archean Murchison Belt, Kaapvaal Craton, South Africa. *Tectonics* **7** (4), 761-774.

VEARNCOMBE, J.R. (1991). A possible Archean island arc in the Murchison Belt, Kaapvaal Craton, South Africa. *J. Afr. Earth Sci.*, **13** (3/4), 299-304.

VEARNCOMBE, J.R., BARTON, J.M. Jr. and VAN REENEN, D.D. (1986). Greenstone belts: their components and structure, 214-220. In: De Wit, M.J. and Ashwal, L.D. (Eds.), *Workshop on Tectonic Evolution of Greenstone Belts*. Lunar Planet. Inst. Tech. Rep., **86-10**, 226pp.

VEARNCOMBE, J.R., BARLEY, M.E., EISENLOHR, B.N., GRIGSON, M.W., GROVES, D.I., HOUSTOUN, S.M., PARTINGTON, G.A. and **SKWARNECKI, M.S.** (1988). Structural controls on gold mineralization: examples from the Archean terranes of Western Australia and southern Africa. *Ext. Abstr. Oral Progr. Bicentennial Gold '88*, Melbourne, Geol. Soc. Aust., Abstr. No. 22, p.19-23.

- VEARNCOMBE, J.R., BARLEY, M.E., EISENLOHR, B.N., GROVES, D.I., HOUSTOUN, S.M., SKWARNECKI, M.S., GRIGSON, M.W. and PARTINGTON, G.A.** (1989). Structural controls on mesothermal gold mineralization: examples from the Archean terranes of southern Africa and Western Australia. In: Keays, R.R., Ramsay, W.R.H. and Groves, D.I. (Eds.), *The Geology of Gold Deposits: The Perspective in 1988*. Mono. Econ. Geol., **6**, 124-134.
- VENNEMANN, T.W.** (1985). The geochemistry of some mafic and ultramafic volcanic rocks from the Kromberg Formation of the Barberton greenstone belt. Honours Dissertation, Dept. Geochemistry, Univ. Cape Town, 111pp.
- VENNEMANN, T.W. and SMITH, H.S.** (in review). Geochemistry of mafic and ultramafic rocks in the Kromberg Formation. In: Lowe, D.R. and Byerly, G.R. (Eds.), *Geological Evolution of the Barberton Greenstone Belt, South Africa*. Mem. geol. Soc. Amer.
- VENTER, F.J.** (1986). Soil patterns associated with the major geological units of the Kruger National Park. *Koedoe*, **29**, 125-138.
- VERSFIELD, J.A.** (1988). The geology of the Nondweni greenstone belt, Natal. Ph.D. thesis (unpubl.), Univ. Natal, Pietermaritzburg, 327pp.
- VERWOERD, W.J. Compiler** (1987). South African National Report to the International Association of Volcanology and Chemistry of the Earth's Interior, (IAVCEI) 1983-1987. South African Report to the XIX General Assembly of the IUGG in Vancouver, Canada on 9-22 August, 1987.
- VERWOERD, W.J. Compiler** (1991). South African National Report to the International Association of Volcanology and Chemistry of the Earth's Interior (IAVCEI). South African Report XXth General Assembly IUGG, Vienna, No. 5. Volcanology and Chemistry of the Earth's Interior. Rep. Int. Assoc. Volcanology and Chemistry of the Earth's Interior.
- VISSEER, D.J.L. Compiler** (1989/1990). The Geology of the Republics of South Africa, Transkei, Bophuthatswana, Venda, and Ciskei and the Kingdom of Lesotho and Swaziland. Expl. 1:1 000 000 Geol. Map. 4th Ed. 1984. Geol. Surv. S. Afr., 443pp.
- VORSTER, H.** (1987). Barberton gets Barbrook back. S.A. Mining, Coal, Gold and Base Minerals, September, p. 21-22.
- VORWERK, R.** (1984). Untersuchung von präkambrischen Graniten und Sedimentgesteinen mit Hilfe der Spaltspurmethode und der Alpha-Spektrometrie. Ph.D. thesis (unpubl.), Univ. Cologne, Germany, 108pp.

VREEDE, F. (1987). Relating to rocks. Geological longitudinal section of the Lomati Tunnel. *Scientiae*, **28** (1), p.7-9. (NB. Section in colour on the front and back cover).

W

WALRAVEN, F. (1988). Explanation of the geological map 2630 (Mbabane). Geol. Surv. S. Afr. (1:250 000 map published in 1986).

WALRAVEN, F. (1988). Toeligting tot die geologiese kaart 2530 (Barberton). Geol. Surv. S. Afr. (1:250 000 map published in 1986).

WALSH, M.M. (1989). Carbonaceous cherts of the Swaziland Supergroup, Barberton Mountain Land, southern Africa. Ph.D. thesis (unpubl.), Louisiana State Univ. Baton Rouge, Louisiana, U.S.A., 199pp.

WALSH, M.M. (1992). Microfossils and possible microfossils from the Early Archean Onverwacht Group, Barberton Mountain Land, South Africa. *Precambrian Res.*, **54**, 271-293.

WALSH, M.M. and **LOWE, D.R.** (1983). Filamentous microfossils from the 3.1 - 3.5 billion-year-old Swaziland Supergroup, Barberton Mountain Land, South Africa. *Abstr. XIV Lunar Planet Sci. Conf.* NASA, Houston, 2, P.814-815.

WALSH, M.M. and **LOWE, D.R.** (1985). Morphology of carbonaceous matter in early Archean cherts, Barberton greenstone belt, South Africa. *Abstr. with Progr., Geol. Soc. Amer.*, **17**, p.742.

WARD, J.H.W. (1987). Genesis of Barberton gold: the exhalite source-bed concept. *S. Afr. J. Geol.*, **90**, 326-331.

WARD, J.H.W. (1991). Barberton structures: pointers to the evolution of the basin. In: Eriksson, P.G. (Compiler), *Precambrian Sedimentary Basins of Southern Africa*, Terra Abstracts Supplement 3 to *Terra Nova*, 3, p.30.

WARD, J.H.W. (1992). Barberton structure and gold mineralization. *Abstr. 24th Congress. Geol. Soc. S. Afr.*, Bloemfontein, p. 471-472.

WATKEYS, M.J. (1987). The Kromberg Syncline (Viljoen and Viljoen, 1969) or the Kromberg Anticline (De Wit, 1983)? *Abstr. Ann. Conf. Tectonics Division, Geol. Soc. S. Afr. Tectonics of Intra-Continental Basins*, Rand Afrikaans Univ., 27 February, 1987.

WATKEYS, M.K. (in review). Geology of the Tjakastad Subgroup. In: Lowe, D.R. and Byerly, G.R. (Eds.), Geologic Evolution of the Barberton Greenstone Belt, South Africa. Mem. geol. Soc. Amer.

WATSON, A. and **PRICE WILLIAMS, D.** (1985). Early Pleistocene river gravels in Swaziland and their geomorphological and structural significance. *Z. Geomorph. N.F.*, **29** (1), p.71-87.

WEIS, D. and **WASSERBURG, G.J.** (1987). Rb-Sr and Sm-Nd isotope geochemistry and chronology of cherts from the Onverwacht Group (3.5 AE), South Africa. *Geochim. Cosmochim. Acta*, **51** (4), 973-984.

WORCESTER GOLD MINE LIMITED (1984). Prospectus. 18 Pilgrim Street, Barberton.

WORRELL, G.F. (1985). Sedimentology and mineralogy of silicified evaporites in the basal Kromberg Formation, South Africa. M.Sc. thesis (unpubl.), Louisiana State University, Baton Rouge, Louisiana, U.S.A. 152pp.

Y

YORK, D. (1988). Coherent and incoherent light on old rocks. *Chem. Geol.*, **70** (1/2), p.149. (Abstract).

YORK, D., LAYER, P.W., LÓPEZ-MARTÍNEZ, M. and **KRÖNER, A.** (1989). Thermal histories from the Barberton greenstone belt, southern Africa. *Abstr. Int. Geol. Congr., Wash, D.C.* **3**, p.413.

REFERENCES ADDED IN PROOF

GRUAU, G., CHAUVEL, C., ARNDT, N.T. and **CORNICHEZ, J.** (1990). Aluminium depletion in komatiites and garnet fractionation in the early Archean mantle. *Geochim. Cosmochim. Acta*, **54**, 3095-3101.

HUNTER, D.R. (1990). Archaean crustal evolution in Swaziland and Natal, Southern Africa. *Publ. occas. - CIFEG No. 20*, p.25.

KEY, R.M. (1991). Strike-slip shear zones and greenstone belts in southern Africa. *UNESCO, Geol. Econ. Dev., Newsletter* **8**, 57-59.

TOULKERIDIS, T., TODT, W., KRÖNER, A. and **LOWE, D.R.** (1990). Pb-Pb dating of a carbonate rock from the Onverwacht Group, Barberton greenstone belt, South Africa. *Publ. occas. - CIFEG No. 20*, p.48.