SCORECARD · ONE CARD

vbm-json: scorecard (static metrics)

Subject commit 6b239dea3bf9, scorecard 459c5ce10e46, adapter dc397582256a

Strict result: FAIL. Implemented-and-measurable result: FAIL. 6 metrics pass, 1 fail, 10 are not measurable. Failing dimensions: Verified, Bare metal, By construction, Efficiency, Velocity, Honesty. Nothing of the subject was executed.

DIMENSION	METRIC	STATUS	VALUE	FLOOR
Verified	unproved escapes	pass	0	== 0
Verified	specified share	not measurable (3)	-	>= 100
Verified	trusted c lines	pass	76	tracked
Verified	trust ledger entries	pass	9	tracked
Verified	non vacuity	not measurable (2)	-	>= 100
Bare metal	freestanding build	not measurable (2)	-	== 1
Bare metal	libc symbols	not measurable (2)	-	== 0
By construction	hand written tests	**FAIL**	1	== 0
By construction	mutation score	not measurable (2)	-	>= 100
Efficiency	throughput vs best	not measurable (2)	-	>= 80
Velocity	tier1 seconds	not measurable (3)	-	< 60
Velocity	open prs	pass	0	== 0
Velocity	commits per hour	pass	1.218	tracked
Velocity	p90 commit to main seconds	not measurable (1)	-	tracked
Honesty	gate selftests	pass	100	>= 100
Honesty	gates self tested	not measurable (2)	-	>= 100
Honesty	attack suite	not measurable (2)	-	== 1

Every value is read from the pinned commit by the runner; none is self-reported.

Not measurable, and why. (1) a change's first authored commit is not recorded on main (squash merges and rebases rewrite author and committer dates, so a date difference reads 0 under direct landing): the lander's start-to-landing log is needed. (2) not implemented in this runner version. (3) subject code runs only inside the sandbox and no launcher is configured (–sandbox): nothing was executed.

Hand-written tests of the subject's code counted (1): `tests/abi_test.c`. 5 gate self-test files are counted under process honesty instead.