| Field Summary   |   |
|-----------------|---|
| private boolean | canTakeVacations  |
|                 | Sets whether or not the employee is able to take vacation days.   |
| private boolean | canViewInactiveEmps   |
|                 | Sets whether or not the employee can view details on inactive employees who are not currently working, such as ones that have left the company.   |
| private boolean | canViewResources  |
|                 | Sets whether or not the employee is able to view employee resources, such as employees that are available, booked off, or are already working at a given time.  |
| private int     | maxDaysOff  |
|                 | Sets the maximum number of days off that an employee can request for a given schedule period.   |
| private int     | maxVacationDays   |
|                 | Determines the maximum number of vacation days that an employee can take off over a schedule period, assuming they have the required permission for vacation days.  |
| private int     | plevel  |
|                 | Each collection of unique permission settings are tied to a specific permission level number.   |
| private int     | preferredRank   |
|                 | Starting with 0 as the highest priority employee and then incrementing, this differentiates seniority within the same plevel.   |
| private boolean | trusted   |
| ·               | Similar to a permission promotion (which canot be given by self), trusted is a permission that allows any employee to perform actions that affect the next highest level without requiring authorization from a superior. |

# Field Detail

# canAccessReports

private boolean canAccessReports

Sets whether or not the employee can access the reporting system, allowing them to both generate and distribute reports.

# canChangePermissions

private boolean canChangePermissions

Sets whether or not the employee is able to change the permission settings of other employees that are below their permission level.

## canEditSched

private boolean canEditSched

Sets whether or not the employee is able to edit schedules, either by creating new ones or by editing future schedules that have not yet come into effect.

### canReadLogs

private boolean canReadLogs

Sets whether or not the employee is able to view system logs.

### canReadOldSched

private boolean canReadOldSched

Employee is able to access archived schedules that have ened before the current date.

# canReadSched

private boolean canReadSched