

**Implements:**

[Persistence.Broker](#)

Provides functionality for retrieving, creating, updating and deleting PermissionSet data from the database.

## Class *PositionBroker*

package: **[Persistence](#)**

```
public class PositionBroker
```

**Implements:**

[Persistence.Broker](#)

Provides functionality for retrieving, creating, updating and deleting Position data from the database.

## Class *ScheduleBroker*

package: **[Persistence](#)**

```
public class ScheduleBroker
```

**Implements:**

[Persistence.Broker](#)

Provides functionality for retrieving, creating, updating and deleting Schedule data from the database.

## Class *ScheduleTemplateBroker*

package: **[Persistence](#)**

```
public class ScheduleTemplateBroker
```

**Implements:**

[Persistence.Broker](#)

Provides functionality for retrieving, creating, updating and deleting ScheduleTemplate data from the database.

## Class *SkillBroker*

package: **[Persistence](#)**

```
public class SkillBroker
```

**Implements:**

[Persistence.Broker](#)

Provides functionality for retrieving, creating, updating and deleting Position data from the database.

## Interface Detail

### Interface *Broker*

package: **[Persistence](#)**

**All Known Implementing Classes:**

[EmployeeBroker](#), [GlobalSettingsBroker](#), [LocationBroker](#), [NotificationBroker](#), [PermissionSetBroker](#), [PositionBroker](#), [ScheduleBroker](#), [ScheduleTemplateBroker](#), [SkillBroker](#)

```
public interface Broker
```

Broker interface, determining global functions that all broker classes should contain. Provides functionality for retrieving, creating, updating and deleting data from the database.