

Field Summary

private boolean	<u>canReadLogs</u> Sets whether or not the employee is able to view system logs.
private boolean	<u>canReadOldsSched</u> Employee is able to access archived schedules that have ended before the current date.
private boolean	<u>canReadSched</u> Employee can access times on a schedule under their name and lower levels for the current date or period.
private boolean	<u>canRequestDaysOff</u> Sets whether or not the employee is able to request days off.
private boolean	<u>canSendNotifications</u> Sets whether or not the employee can send notifications which are messages internal to the system that can be sent to specific employees, workgroups, or job types.
private boolean	<u>canTakeEmergencyDays</u> Sets whether or not the employee is able to take emergency days off.
private boolean	<u>canTakeVacations</u> Sets whether or not the employee is able to take vacation days.
private boolean	<u>canViewInactiveEmps</u> Sets whether or not the employee can view details on inactive employees who are not currently working, such as ones that have left the company.
private boolean	<u>canViewResources</u> Sets whether or not the employee is able to view employee resources, such as employees that are available, booked off, or are already working at a given time.
private int	<u>maxDaysOff</u> Sets the maximum number of days off that an employee can request for a given schedule period.
private int	<u>maxVacationDays</u> Determines the maximum number of vacation days that an employee can take off over a schedule period, assuming they have the required permission for vacation days.
private int	<u>plevel</u> Each collection of unique permission settings are tied to a specific permission level number.
private int	<u>preferredRank</u> Starting with 0 as the highest priority employee and then incrementing, this differentiates seniority within the same level.
private int	<u>trusted</u> Similar to a permission promotion (which cannot be given by self), trusted is a permission that allows any employee to perform actions that affect the next highest level without requiring authorization from a superior.

Field Detail

canAccessReports

private **boolean** canAccessReports

Sets whether or not the employee can access the reporting system, allowing them to both generate and distribute reports.

canChangePermissions

private **boolean** canChangePermissions

Sets whether or not the employee is able to change the permission settings of other employees that are below their permission level.

canEditSched

private **boolean** canEditSched

Sets whether or not the employee is able to edit schedules, either by creating new ones or by editing future schedules that have not yet come into effect.