Session 4 — Configuring Game Zones

Data-Driven Design 📊

You're about to design the heart of your trivia game — the zone configuration that defines your entire game experience! This guide walks you through creating cohesive zone themes, understanding JavaScript data structures, and building the metadata that powers your adventure. Ready to architect your game world? Let's go!

Table of Contents

- Adding the HUD and Coordinate Display
- Understanding Metadata and Configuration
- Exploring JavaScript Data Structures
- Designing Your Zone Themes
- Configuring Zone Metadata
- Positioning Zone Labels
- Testing with React DevTools
- Essential Terms
- Ask the Al

Accessing Your Codespace

Visit github.com/codespaces to relaunch your Codespace from Session 3.

Adding the HUD and Coordinate Display

Let's add the game's HUD (Heads Up Display) and a coordinate helper to assist with zone positioning.

1. Open src/App.jsx and add the new imports at the top

```
import HUD from "./components/HUD";
import CoordinateDisplay from "./components/CoordinateDisplay";
```

2. Update the PLAYING screen to render multiple components using a React Fragment

3. **Test** by running npm run dev and navigating to the game screen to see the new HUD and coordinate display

React Fragments (<>...</>) are like invisible containers — they let you snap together multiple components without clutter. React components must return a single root element, so fragments solve this requirement cleanly. The HUD shows game progress, while CoordinateDisplay helps you position zone labels precisely.

Bonus Challenge

Try removing the fragment tags (<> and </>) and see what error React gives you when trying to return multiple elements!

Understanding Metadata and Configuration

Now let's understand what makes your game tick — **metadata** and **configuration files** that define your entire game experience.

Metadata is data about data. Think of it like a restaurant menu: it tells you everything about the dish — name, price, ingredients, spice level — but it's not the actual food. Your zone metadata works the same way: it describes each zone's properties without being the actual trivia questions.

Configuration files like zones.js are the backbone of data-driven architecture — an approach where you separate data from code. Think of your zones.js file as the DNA of your game experience: it contains all the genetic information that defines how your zones look, behave, and connect to trivia content. This makes your app flexible, maintainable, and easy to modify without touching component code.

Exploring JavaScript Data Structures

Let's explore the fundamental data structures that power your zone configuration arrays and objects.

- 1. Open src/data/zones.js and examine the ZONES array structure
- 2. **Notice** the data types
 - Strings for text: "Forest of Knowledge"
 - Numbers for IDs and counts: 18, 4
 - Objects for complex data: mapLabel: { x: 225, y: 140 }
- 3. Understand the nesting as an array of objects, where each object has properties that can be different data types

Arrays are like playlists — they keep things in order. Objects are like contact cards they store all the details about one thing. Together, they're the perfect combo for organizing your game world and representing complex real-world data in code.



🥙 Designing Your Zone Themes

Now for the creative part — designing three distinctive zone themes that create a cohesive game experience!

- 1. Explore available categories by visiting https://opentdb.com/api_category.php to see all trivia categories
- 2. Brainstorm zone concepts that match the visual environments
 - Forest theme: Nature, animals, science categories
 - **Desert theme**: History, geography, mythology categories
 - Ice castle theme: Entertainment, sports, art categories
- 3. Plan your zones where each zone needs
 - o id: Zone number (0, 1, 2)
 - o name: Creative zone title
 - **subtitle**: Zone tagline/description
 - categoryld: Question type from the API categories
 - o difficulty: "easy", "medium", or "hard"
 - questionCount: How many questions (max 50)

• mapLabel: Position and styling (we'll configure this later on)

Cohesive theming creates an immersive game experience. By matching visual environments with appropriate trivia categories, you create logical connections that help players navigate and remember your game. This attention to user experience separates good games from great ones.



💮 Configuring Zone Metadata

Time to implement your zone designs by updating the ZONES array with your custom metadata.

- 1. Open src/data/zones.js
- 2. **Update** the first zone object with your Zone 0 design

```
{
 id: 0,
 name: "Your Zone Name",
 subtitle: "Your Zone Subtitle",
 categoryId: 18,
 difficulty: "easy",
 questionCount: 4,
 mapLabel: {
   x: 225,
   y: 140,
   fontSize: "35",
   fontFamily: "Pirata One, serif",
   color: "#333",
   fontWeight: "normal",
   alignment: "left",
 },
},
```

3. Add Zone 1 and Zone 2 objects by copying the structure and updating all properties (keep the mapLabel coordinates for now — we'll position them precisely in the next section)

Note: Changes to zones.js will trigger a full page reload (not HMR-friendly)

Object properties use colon syntax (name: "value") and are separated by commas. Each zone object contains different data types: strings for text, numbers for IDs, and nested objects for complex styling. This structure makes your game data organized and easy to modify.



Positioning Zone Labels

Use the CoordinateDisplay component to find optimal positions for your zone labels on the game map.

- 1. Navigate to the game screen and observe the coordinate display
- 2. **Move** your mouse around the map and note the x, y coordinates this tool gives you real-time feedback, no guessing, just precision
- 3. Find good positions for each zone label that don't overlap with visual elements
- 4. **Update** the mapLabel coordinates in your zone objects

```
mapLabel: {
 x: 225,
 y: 140,
 // ... other styling properties
```

5. **Test** each zone by navigating to the game screen and confirming label placement

Coordinate positioning requires precise number values to place UI elements exactly where you want them. The CoordinateDisplay component gives you real-time feedback, making it easy to find perfect positions without guessing.

Bonus Challenge

Try different fontSize and color values to customize your zone labels' appearance!



Testing with React DevTools

Let's use React DevTools to explore your zone configuration and test game progression.

- 1. **Open** DevTools by pressing F12 or right-clicking → Inspect
- 2. Find Components tab by looking for "Components" next to Console, Network, etc.
- 3. Locate GameProvider by clicking on GameProvider in the component tree
- 4. **Examine** the hooks by looking for the zoneProgress state (if you don't see hook names clearly, click the gear icon and enable "Parse hook names")
- 5. Find zoneProgress array by locating it under hooks
- 6. Experiment with progression by changing the first zone's completed property to true

- 7. Observe state changes by noticing how activeZone and currentZone update automatically
- 8. Check the HUD to see how the Context. Provider props reflect the updated game state

React DevTools lets you manipulate state directly to test different game scenarios without playing through the entire game. This is invaluable for debugging and understanding how your **shared state** affects the entire app.



Essential Terms

Quick reference for all the data structure and configuration concepts you just learned:

Term	Definition	Why it matters
metadata	Data that describes other data — information about information.	Your zone configuration describes how to get and display trivia questions without being the questions themselves.
array	An ordered list of items using bracket syntax [] with zero-based indexing.	Perfect for storing your three game zones in a specific order that matches the game progression.
∳ object	A collection of key-value pairs using curly brace syntax {} with colonseparated properties.	Ideal for zone properties like name, difficulty, and styling — each zone is an object with multiple attributes.
abc string	Text data enclosed in quotes, used for names, descriptions, and categories.	Zone names, subtitles, and difficulty levels are all strings that display to users.

12 number	Numeric data without quotes, used for IDs, counts, and coordinates.	Category IDs, question counts, and map coordinates are numbers used for calculations and positioning.
property	A key-value pair within an object, accessed using dot notation like zone.name.	Each zone object has properties like name, categoryId, and mapLabel that define its characteristics.
React Fragment	JSX syntax <> that groups elements without adding extra DOM nodes.	Lets you return multiple components from the PLAYING screen without wrapper divs cluttering your HTML.

Ask the AI — Configuring Game Zones

You just designed cohesive zone themes, configured complex JavaScript data structures, and experienced data-driven architecture — excellent work!

Now let's deepen your understanding of data structures, configuration patterns, and the relationship between data and UI. Here are the most impactful questions to ask your AI assistant about today's session:

- What makes arrays and objects different, and when should I use each?
- How does nesting data structures help represent complex real-world information?
- Why is separating data from code considered a best practice in software development?
- What are the benefits of using configuration files like zones.js?
- How do React Fragments solve the single root element requirement?
- What is metadata and why is it important in application design?