

Group

4 9

Herbicide

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below temperature of 32°F or above 100°F. Store in



# ACCEPTED THE CONTROL OF THE CONTROL

ACTIVE INCREDIENT/S).

3,6-dichloro-2-methoxybenzoic acid\*. 10.80% (2,4-dichlorophenoxy) acetic acid\*\* 24.16% OTHER INGREDIENTS: 65.04% TOTAL 100.00%

Equivalent to:

\*Dicamba Acid, 1.0 lbs./gal. (CAS # 1918-00-9)

\*\*2,4-D Acid, 2.3 lbs./gal. (CAS # 94-75-7) Isomer specific by AOAC Method 6.D01-5

# NEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### FIRST AID

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20.
	minutes.
	. Remove contact lenses, if present, after first 5 minutes, then continue
	rinsing eye.

· Call a poison control center or doctor for treatment advice.

### IF INHALED:

- Move person to fresh air.
   If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice

# Call a poison control center or doctor immediately for treatment advice Have a person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a poison control center or doctor.

Do not give anything by mouth to an unconscious or convulsing person

#### IF ON SKIN OR CLOTHING:

GALLON

તં

CONTENTS:

Take off contaminated clothing.
 Rinse skin immediately with plenty of

Rinse skin immediately with plenty of water for 15-20 minutes.
 Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE INSIDE BOOKLET FOR ADDITIONAL PRECAUTIONS
AND DIRECTIONS FOR USE

EPA Reg. No. 42750-144-5905 EPA Est. No. 42750-M0-001

AD 060415-A

container (or equivalent) promptly after emptying.

(non-refillable < 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(non-refillable >5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pressure rinse as follows (all sizes): Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use for disposal. Insert pressure rinsing nozzle inside of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drive.

Refillable container (250 gallon & bulk): Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing process two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burnino. If burned, stay out of smoke.

In Case of Spill: In case of large-scale spillage regarding this product, call CHEMTREC at 1-800-424-9300.

#### Steps to be taken in case material is released or spilled:

Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing, and wash affected skin areas with soap and water. Wash clothing before re-use. Keep the spill out of all sewers and open bodies of water.

Manufactured For

## **HELENA CHEMICAL COMPANY**

225 SCHILLING BOULEVARD, SUITE 300 COLLIERVILLE, TENNESSEE 38017

PF-104968-2





