TencorFlow

TensorFlow API r1.4

tf.image.pad_to_bounding_box

```
pad_to_bounding_box(
   image,
   offset_height,
   offset_width,
   target_height,
   target_width
)
```

Defined in tensorflow/python/ops/image_ops_impl.py.

See the guide: Images > Cropping

Pad image with zeros to the specified height and width.

Adds **offset_height** rows of zeros on top, **offset_width** columns of zeros on the left, and then pads the image on the bottom and right with zeros until it has dimensions **target_height**, **target_width**.

This op does nothing if offset_* is zero and the image already has size target_height by target_width.

Args:

- image: 4-D Tensor of shape [batch, height, width, channels] or 3-D Tensor of shape [height, width, channels].
- offset_height: Number of rows of zeros to add on top.
- offset_width: Number of columns of zeros to add on the left.
- target_height: Height of output image.
- target_width: Width of output image.

Returns:

If image was 4-D, a 4-D float Tensor of shape [batch, target_height, target_width, channels] If image was 3-D, a 3-D float Tensor of shape [target_height, target_width, channels]

Raises:

ValueError: If the shape of image is incompatible with the offset_* or target_* arguments, or either offset_height or offset_width is negative.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

GitHub	
Twitter	
Support	
Issue Tracker	
Release Notes	
Stack Overflow	
English	
Terms Privacy	