TancarFlow

TensorFlow API r1.4

tf.contrib.gan.losses.combine\_adversarial\_loss

```
combine_adversarial_loss(
    gan_loss,
    gan_model,
    non_adversarial_loss,
    weight_factor=None,
    gradient_ratio=None,
    gradient_ratio_epsilon=1e-06,
    scalar_summaries=True,
    gradient_summaries=True
)
```

Defined in tensorflow/contrib/gan/python/losses/python/tuple\_losses\_impl.py.

Combine adversarial loss and main loss.

Uses combine\_adversarial\_loss to combine the losses, and returns a modified GANLoss namedtuple.

## Args:

- gan\_loss: A GANLoss namedtuple. Assume the GANLoss.generator\_loss is the adversarial loss.
- gan\_model: A GANModel namedtuple. Used to access the generator's variables.
- non\_adversarial\_loss: Same as main\_loss from combine\_adversarial\_loss.
- weight\_factor: Same as weight\_factor from combine\_adversarial\_loss.
- gradient\_ratio: Same as gradient\_ratio from combine\_adversarial\_loss.
- $\bullet \quad \text{gradient\_ratio\_epsilon}: Same \ \text{as} \ \ \textbf{gradient\_ratio\_epsilon} \ \ \text{from} \ \ \textbf{combine\_adversarial\_loss} \ .$
- scalar\_summaries: Same as scalar\_summaries from combine\_adversarial\_loss.
- gradient\_summaries: Same as gradient\_summaries from combine\_adversarial\_loss.

## Returns:

A modified GANLoss namedtuple, with non\_adversarial\_loss included appropriately.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

## **Stay Connected**

Blog

GitHub

Twitter

## Support Issue Tracker Release Notes Stack Overflow English Terms | Privacy