TancarFlow

TensorFlow API r1.4

tf.summary.tensor_summary

```
tensor_summary(
   name,
   tensor,
   summary_description=None,
   collections=None,
   summary_metadata=None,
   family=None,
   display_name=None
)
```

Defined in tensorflow/python/ops/summary_ops.py.

See the guide: Summary Operations > Generation of Summaries

Outputs a **Summary** protocol buffer with a serialized tensor.proto.

Args:

- name: A name for the generated node. If display_name is not set, it will also serve as the tag name in TensorBoard. (In that case, the tag name will inherit tf name scopes.)
- tensor: A tensor of any type and shape to serialize.
- summary_description: A long description of the summary sequence. Markdown is supported.
- collections: Optional list of graph collections keys. The new summary op is added to these collections. Defaults to [GraphKeys.SUMMARIES].
- summary_metadata: Optional SummaryMetadata proto (which describes which plugins may use the summary value).
- family: Optional; if provided, used as the prefix of the summary tag, which controls the name used for display on TensorBoard when display_name is not set.
- display_name: A string used to name this data in TensorBoard. If this is not set, then the node name will be used instead.

Returns:

A scalar **Tensor** of type **string**. The serialized **Summary** protocol buffer.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Stay Connected

Blog

GitHub

Twitter

Support		
Issue Tracker		
Release Notes		
Stack Overflow		
English		
Terms Privacy		