

tf.contrib.lookup.LookupInterface

Contents

Class LookupInterface

Properties

init

key_dtype

Class **LookupInterface**Defined in [tensorflow/python/ops/lookup_ops.py](#).

Represent a lookup table that persists across different steps.

Properties

init

The table initialization op.

key_dtype

The table key dtype.

name

The name of the table.

value_dtype

The table value dtype.

Methods

__init__

```
__init__(  
    key_dtype,  
    value_dtype,  
    name  
)
```

Construct a lookup table interface.

Args:

- `key_dtype` : The table key type.
- `value_dtype` : The table value type.
- `name` : A name for the operation (optional).

lookup

```
lookup(  
    keys,  
    name=None  
)
```

Looks up `keys` in a table, outputs the corresponding values.

size

```
size(name=None)
```

Compute the number of elements in this table.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 3.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see our [Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Stay Connected

[Blog](#)

[GitHub](#)

[Twitter](#)

Support

[Issue Tracker](#)

[Release Notes](#)

[Stack Overflow](#)

English

[Terms](#) | [Privacy](#)