TancarFlow

TensorFlow API r1.4

tf.contrib.gan.eval.preprocess_image

Contents

Aliases:

Aliases:

- tf.contrib.gan.eval.classifier_metrics.preprocess_image
- tf.contrib.gan.eval.preprocess_image

```
preprocess_image(
   image,
   height=INCEPTION_V3_DEFAULT_IMG_SIZE,
   width=INCEPTION_V3_DEFAULT_IMG_SIZE,
   central_fraction=0.875,
   scope=None
)
```

Defined in tensorflow/contrib/gan/python/eval/python/classifier_metrics_impl.py.

Prepare one image for evaluation.

If height and width are specified it would output an image with that size by applying resize_bilinear.

If central_fraction is specified it would crop the central fraction of the input image.

Args:

- image: 3-D Tensor of image. If dtype is tf.float32 then the range should be [0, 1], otherwise it would converted to tf.float32 assuming that the range is [0, MAX], where MAX is largest positive representable number for int(8/16/32) data type (see tf.image.convert_image_dtype for details).
- height: integer
- width:integer
- central_fraction: Optional Float, fraction of the image to crop.
- scope: Optional scope for name_scope.

Returns:

3-D float Tensor of prepared image.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Blog			
GitHub			
Twitter			
Support			
oupport			
Issue Tracker			
Release Notes			
Stack Overflow			
English			
Terms Privacy			