#### TancarFlow

TensorFlow API r1.4

# tf.quantized\_concat

```
quantized_concat(
    concat_dim,
    values,
    input_mins,
    input_maxes,
    name=None
)
```

Defined in tensorflow/python/ops/gen\_array\_ops.py.

See the guide: Tensor Transformations > Slicing and Joining

Concatenates quantized tensors along one dimension.

### Args:

- concat\_dim: A **Tensor** of type **int32**. 0-D. The dimension along which to concatenate. Must be in the range [0, rank(values)).
- values: A list of at least 2 Tensor objects with the same type. The N Tensors to concatenate. Their ranks and types
  must match, and their sizes must match in all dimensions except concat\_dim.
- input\_mins: A list with the same length as values of Tensor objects with type float32. The minimum scalar values for each of the input tensors.
- input\_maxes: A list with the same length as values of Tensor objects with type float32. The maximum scalar values for each of the input tensors.
- name: A name for the operation (optional).

#### Returns:

A tuple of **Tensor** objects (output, output\_min, output\_max).

- output: A Tensor. Has the same type as values. A Tensor with the concatenation of values stacked along the concat\_dim dimension. This tensor's shape matches that of values except in concat\_dim where it has the sum of the sizes.
- output\_min: A Tensor of type float32. The float value that the minimum quantized output value represents.
- output\_max: A Tensor of type float32. The float value that the maximum quantized output value represents.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

## **Stay Connected**