

## tf.contrib.lookup.StrongHashSpec

## Contents

Class StrongHashSpec

## Properties

hasher

key

## Methods

\_\_new\_\_

Class **StrongHashSpec**Inherits From: [HasherSpec](#)Defined in [tensorflow/python/ops/lookup\\_ops.py](#).

A structure to specify a key of the strong keyed hash spec.

The strong hash requires a **key**, which is a list of 2 unsigned integer numbers. These should be non-zero; random numbers generated from random.org would be a fine choice.

## Fields:

- key**: The key to be used by the keyed hashing function.

## Properties

**hasher**

Alias for field number 0

**key**

Alias for field number 1

## Methods

**\_\_new\_\_**

```
@staticmethod
__new__(
    cls,
    key
)
```

---

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 3.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see our [Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

## Stay Connected

[Blog](#)

[GitHub](#)

[Twitter](#)

## Support

[Issue Tracker](#)

[Release Notes](#)

[Stack Overflow](#)

**English**

[Terms](#) | [Privacy](#)