

tf.truediv

```
truediv(  
    x,  
    y,  
    name=None  
)
```

Defined in [tensorflow/python/ops/math_ops.py](#).

See the guide: [Math > Arithmetic Operators](#)

Divides x / y elementwise (using Python 3 division operator semantics).

NOTE: Prefer using the Tensor operator or `tf.divide` which obey Python division operator semantics.

This function forces Python 3 division operator semantics where all integer arguments are cast to floating types first. This op is generated by normal x / y division in Python 3 and in Python 2.7 with `from __future__ import division`. If you want integer division that rounds down, use $x // y$ or `tf.floordiv`.

`x` and `y` must have the same numeric type. If the inputs are floating point, the output will have the same type. If the inputs are integral, the inputs are cast to `float32` for `int8` and `int16` and `float64` for `int32` and `int64` (matching the behavior of Numpy).

Args:

- `x`: `Tensor` numerator of numeric type.
- `y`: `Tensor` denominator of numeric type.
- `name`: A name for the operation (optional).

Returns:

x / y evaluated in floating point.

Raises:

- `TypeError`: If `x` and `y` have different dtypes.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 3.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see our [Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Stay Connected

[Blog](#)

[GitHub](#)

[Twitter](#)

Support

[Issue Tracker](#)

[Release Notes](#)

[Stack Overflow](#)

English

[Terms](#) | [Privacy](#)