TancarFlow

TensorFlow API r1.4

tf.contrib.metrics.aggregate\_metric\_map

```
aggregate_metric_map(names_to_tuples)
```

Defined in tensorflow/contrib/metrics/python/ops/metric\_ops.py.

See the guide: Metrics (contrib) > Metric Ops

Aggregates the metric names to tuple dictionary.

This function is useful for pairing metric names with their associated value and update ops when the list of metrics is long. For example:

```
metrics_to_values, metrics_to_updates = slim.metrics.aggregate_metric_map({
    'Mean Absolute Error': new_slim.metrics.streaming_mean_absolute_error(
        predictions, labels, weights),
    'Mean Relative Error': new_slim.metrics.streaming_mean_relative_error(
        predictions, labels, labels, weights),
    'RMSE Linear': new_slim.metrics.streaming_root_mean_squared_error(
        predictions, labels, weights),
    'RMSE Log': new_slim.metrics.streaming_root_mean_squared_error(
        predictions, labels, weights),
})
```

## Args:

• names\_to\_tuples: a map of metric names to tuples, each of which contain the pair of (value\_tensor, update\_op) from a streaming metric.

## Returns:

A dictionary from metric names to value ops and a dictionary from metric names to update ops.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

## Stay Connected Blog GitHub Twitter Support Issue Tracker Release Notes

Stack Overflow

English

Terms | Privacy