

Module: `tf.contrib.kfac.fisher_factors`[Contents](#)[Classes](#)[Functions](#)Defined in [tensorflow/contrib/kfac/python/ops/fisher_factors_lib.py](#).

FisherFactor definitions.

Classes

`class ConvDiagonalFactor` : FisherFactor for a diagonal approx of a convolutional layer's Fisher.**`class ConvInputKroneckerFactor`** : Kronecker factor for the input side of a convolutional layer.**`class ConvOutputKroneckerFactor`** : Kronecker factor for the output side of a convolutional layer.**`class DiagonalFactor`** : A base class for FisherFactors that use diagonal approximations.**`class FisherFactor`** : Base class for objects modeling factors of approximate Fisher blocks.**`class FullFactor`** : FisherFactor for a full matrix representation of the Fisher of a parameter.**`class FullyConnectedDiagonalFactor`** : FisherFactor for a diagonal approx of a fully-connected layer's Fisher.**`class FullyConnectedKroneckerFactor`** : Kronecker factor for the input or output side of a fully-connected layer.**`class InverseProvidingFactor`** : Base class for FisherFactors that maintain inverses, powers, etc of `_cov`.**`class NaiveDiagonalFactor`** : FisherFactor for a diagonal approximation of any type of param's Fisher.

Functions

`covariance_initializer(...)`**`diagonal_covariance_initializer(...)`****`inverse_initializer(...)`****`scalar_or_tensor_to_string(...)`****`scope_string_from_name(...)`****`scope_string_from_params(...)`** : Builds a variable scope string name from the given parameters.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 3.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see our [Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Stay Connected

- Blog
- GitHub
- Twitter

Support

- Issue Tracker
- Release Notes
- Stack Overflow