

Module: `tf.contrib.kfac.loss_functions`[Contents](#)[Classes](#)[Functions](#)Defined in `tensorflow/contrib/kfac/python/ops/loss_functions_lib.py`.

Loss functions to be used by LayerCollection.

Classes

`CategoricalLogitsNegativeLogProbLoss` : Neg log prob loss for a categorical distribution parameterized by logits.**`DistributionNegativeLogProbLoss`** : Base class for neg log prob losses that use the TF Distribution classes.**`LossFunction`** : Abstract base class for loss functions.**`MultiBernoulliNegativeLogProbLoss`** : Neg log prob loss for multiple Bernoulli distributions param'd by logits.**`NaturalParamsNegativeLogProbLoss`** : Base class for neg log prob losses whose inputs are 'natural' parameters.**`NegativeLogProbLoss`** : Abstract base class for loss functions that are negative log probs.**`NormalMeanNegativeLogProbLoss`** : Neg log prob loss for a normal distribution parameterized by a mean vector.**`NormalMeanVarianceNegativeLogProbLoss`** : Negative log prob loss for a normal distribution with mean and variance.

Functions

`insert_slice_in_zeros(...)` : Inserts slice into a larger tensors of zeros.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 3.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see our [Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated November 2, 2017.

Stay Connected

[Blog](#)[GitHub](#)[Twitter](#)

Support

[Issue Tracker](#)

[Release Notes](#)

[Stack Overflow](#)

English

[Terms](#) | [Privacy](#)