## TancarFlow

TensorFlow API r1.4

tf.contrib.framework.load\_linear\_multiclass\_bias\_initializer

```
load_linear_multiclass_bias_initializer(
    ckpt_path,
    bias_tensor_name,
    new_class_vocab_size,
    old_class_vocab_file,
    new_class_vocab_file,
    num_class_oov_buckets=0,
    initializer=None,
    max_rows_in_memory=-1
)
```

Defined in tensorflow/contrib/framework/python/ops/checkpoint\_ops.py.

Loads pre-trained multi-class biases for linear models from checkpoint.

Wrapper around <code>load\_and\_remap\_matrix\_initializer()</code> specialized for loading multi-class bias and remapping according to the provided vocab files. See docs for <code>load\_and\_remap\_matrix\_initializer()</code> for more details. In this case, the provided row\_vocab is the class vocabulary, and the expected shape is <code>[new\_class\_vocab\_size, 1]</code>.

## Args:

- ckpt\_path: Path to the TensorFlow checkpoint (version 2, TensorBundle) from which the old matrix Tensor will be loaded.
- bias\_tensor\_name: Tensor name to load from in the checkpoints.
- new\_class\_vocab\_size: Number of entries in the new class vocab.
- old\_class\_vocab\_file: A scalar Tensor of type string containing the path to the old class vocabulary file.
- new\_class\_vocab\_file: A scalar Tensor of type string containing the path to the new class vocabulary file.
- num\_class\_oov\_buckets: int specifying the number of out-of-vocabulary buckets to use for the classes. Must be >=
- initializer: Initializer function that accepts a 1-D tensor as the arg to specify the shape of the returned tensor. If **None**, defaults to using **zeros\_initializer()**.
- max\_rows\_in\_memory: int specifying the maximum number of rows to load from the checkpoint at once. If less
  than or equal to 0, the entire matrix will be loaded into memory. Setting this arg trades increased disk reads for lower
  memory usage.

## Returns:

A variable initializer function.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Stay Connected		
Blog		
GitHub		
Twitter		
Support		
Issue Tracker		
Release Notes		
Stack Overflow		
English		
Terms   Privacy		